

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

218 60

BORING NUMBER	MW-8	REMARKS: 7 1/4" Hollow Stem Auger Split Spoon Sampling	PAGE 1 OF 3
JOB NUMBER	11-8531-01		
DATE STARTED	2-23-89		
DATE COMPLETED	2-27-89		
DRILLED BY	JC		
LOGGED BY	FWT		
CHECKED BY	RDM		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
292.74	0.0	Soft to very stiff light brown silty CLAY, CL							
287.74									17
282.74									10
277.74									5
272.74	18.5	Stiff medium dark brown slightly silty CLAY, CL							10
267.74	23.5	Stiff dark reddish brown sandy CLAY with black inclusions, CL							12
262.74	28.5	Firm dark reddish brown fine to medium grained well sorted clayey SAND, SC							11
257.74	33.5	Dark brownish red fine to medium grained clayey SAND with chert pebbles, SP							54

03 18 22 61

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER <u>MW-8</u> JOB NUMBER <u>11-8531-01</u> DATE STARTED <u>2-23-89</u> DATE COMPLETED <u>2-27-89</u> DRILLED BY <u>JC</u> LOGGED BY <u>FWT</u> CHECKED BY <u>RDM</u>	REMARKS: PAGE <u>2</u> OF <u>3</u>
--	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
	35.0	See previous page							
252.74	38.5	Dense reddish orange fine to medium grained well sorted clayey SAND with yellowish - tan sand layers, SP							39
247.74									33
242.74									55
237.74	53.5	Dark reddish orange fine to medium grained well sorted clayey gravelly SAND, SP							90
	55.0	Dark reddish brown fine to coarse grained SAND with small amount of gravel, SP-SM							79
232.74									36
227.74									
222.74	70.0								18

18. 62.

BORING NUMBER	MW-8	REMARKS:	PAGE <u>3</u> OF <u>3</u>
JOB NUMBER	11-8531-01		
DATE STARTED	2-23-89		
DATE COMPLETED	2-27-89		
DRILLED BY	JC		
LOGGED BY	FWT		
CHECKED BY	RDM		

[illegible]