

188 63

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER	MW-9	REMARKS:	PAGE 1 OF 3
JOB NUMBER	11-8531-01	7 1/4" Hollow Stem Auger Split Spoon Sampling	
DATE STARTED	2-24-89		
DATE COMPLETED	2-25-89		
DRILLED BY	JC		
LOGGED BY	FWT		
CHECKED BY	RDM		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
304.66	0.0	Stiff light brown to yellowish brown slightly silty CLAY, CL							
299.66									9
	8.5								
294.66		Soft moderate brown silty CLAY, CL							4
289.66									8
	18.5								
284.99		Very stiff reddish brown silty CLAY with black inclusions, CL							15
279.66									16
	28.5								
274.66		Firm brownish red sandy CLAY, CL							7
	30.0								
		Firm to very dense brownish red to reddish brown clayey SAND with minor gravel and clay lenses, SC							
269.66	35.0								18

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

18 64

BORING NUMBER	MW-9	REMARKS:	PAGE 2 OF 3
JOB NUMBER	11-8531-01		
DATE STARTED	2-24-89		
DATE COMPLETED	2-25-89		
DRILLED BY	JC		
LOGGED BY	FWT		
CHECKED BY	RDM		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION			CR	S	LT	SPT N VALUE
	35.0	See previous page						
264.66								51
259.66								20/33
254.66	50.0							25
249.99		Firm to very dense reddish brown SAND with clay lense, SC						38
244.66	58.5	Very dense light orange fine to medium grained well sorted SAND, SM						20/42
239.66	60.0	Very dense orange to tannish orange fine to medium grained SAND, SM						20/33
234.66	68.5							
	70.0	Very dense brown gravelly SAND with clay lenses, SW-SM					GS AL W	50/42

TEST BORING RECORD

BORING NUMBER- <u>MW-9</u>	REMARKS: PAGE <u>3</u> OF <u>3</u>
JOB NUMBER <u>11-8531-01</u>	
DATE STARTED <u>2-24-89</u>	
DATE COMPLETED <u>2-25-89</u>	
DRILLED BY <u>JC</u>	
LOGGED BY <u>FWT</u>	
CHECKED BY <u>RDM</u>	

[illegible]