

Law Environmental, Inc.
 Government Services Division
TEST BORING RECORD

BORING NUMBER	MW-13	REMARKS:	PAGE <u>1</u> OF <u>3</u>
JOB NUMBER	11-8531-01		
DATE STARTED	3-20-89	7 1/4" Hollow Stem Auger	
DATE COMPLETED	3-20-89	Split Spoon Sampling	
DRILLED BY	CN		
LOGGED BY	RM		
CHECKED BY	FT	0 - 25' sampler was hydraulically pushed, SPT N Values taken from 30 - 85"	

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
299.95	0.0	Brown silty CLAY, CL							
294.95									
289.95	10.5	Tan mottled CLAY, CL							
284.95									
279.95	19.0	Red sandy CLAY, CL							
274.95	23.0	Red clayey silty SAND, SC							
269.95	28.5	Dense orange fine grained well sorted silty SAND, SM							
264.95	35.0								

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER MW-13
JOB NUMBER 11-8531-01
DATE STARTED 3-20-89
DATE COMPLETED 3-20-89
DRILLED BY CN
LOGGED BY RM
CHECKED BY FT

REMARKS:

PAGE 2 OF 3

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	CR	S	LT	SPT N VALUE
	35.0	See previous page				
259.95	38.5	Dense to very dense orange silty gravelly SAND, SP				37
254.95						>50
249.95	48.5	Gravel, GM				>50
244.95	50.0	Dense tan fine grained well sorted SAND with some gravel, SP				35
239.95						30
234.95						33
229.95	70.0					27

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER MW-13
JOB NUMBER 11-8531-01
DATE STARTED 3-20-89
DATE COMPLETED 3-20-89
DRILLED BY CN
LOGGED BY RM
CHECKED BY FT

REMARKS:

PAGE 3 OF 3