

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION
TEST BORING RECORD

BORING NUMBER <u> MW-35 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 11-17-89 </u> DATE COMPLETED <u> 11-19-89 </u> DRILLED BY <u> E. FLEMMING </u> LOGGED BY <u> F. THOMAS </u> CHECKED BY <u> J. ABSALON </u>	REMARKS: PAGE <u> 1 </u> OF <u> 3 </u> 7 7/8" Hollow Stem Auger Split Spoon Sampling
---	--

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
301.65	0.0	Tan to brown mottled CLAY, CL				
	2.0	Gray CLAY, CL				
296.65	4.5	Brown to gray mottled CLAY, CL				
	7.5					
	9.0	Landfill debris-metal, packaged food remnants, CL				
291.65	10.5	Greenish gray CLAY, CL				
		Brown CLAY mixed with landfill debris, CL				
286.65						
	18.0	Brown mottled CLAY, CL				
281.65						
276.65	25.0	Brown sandy mottled CLAY, CL				
271.65						
266.65	35.0					

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER <u> MW-35 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 11-17-89 </u> DATE COMPLETED <u> 11-19-89 </u> DRILLED BY <u> E. FLEMMING </u> LOGGED BY <u> F. THOMAS </u> CHECKED BY <u> J. ABSALON </u>	REMARKS: PAGE <u> 2 </u> OF <u> 3 </u>
---	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	35.0	See previous page				
261.65	38.5	Red fine grained well sorted silty SAND with streaks of white, SM				>50
256.65	45.0	White to red silty SAND with minor gravel, SP				>50
251.65						>50
246.65	55.0	Orange fine grained well sorted silty SAND with minor gravel, SP				>50
241.65	60.0	Tan silty SAND with minor gravel, SP				>50
236.65						>50
231.65	70.0					>50


LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER MW-35
 JOB NUMBER 11-8531-01
 DATE STARTED 11-17-89
 DATE COMPLETED 11-19-89
 DRILLED BY E. FLEMMING
 LOGGED BY F. THOMAS
 CHECKED BY J. ABSALON

REMARKS:

PAGE 3 OF 3

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	70.0	See previous page				
226.65						
221.65						
216.65						
211.65	90.5					
209.65	92.0	Brownish yellow silty CLAY			GS AL W	43
		Boring Terminated				