

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER <u> MW-36 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 12-4-89 </u> DATE COMPLETED <u> 12-14-89 </u> DRILLED BY <u> T. TOMES </u> LOGGED BY <u> F. THOMAS </u> CHECKED BY <u> J. ABSALON </u>	REMARKS: PAGE <u> 1 </u> OF <u> 6 </u> TYPE III WELL 10" Mud Rotary (0 - 95') 5 7/8" Mud Rotary (95 - 210') Split Spoon Samples
---	--

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
311.15	0.0	Light Brown to reddish brown silty CLAY, CL				
306.15						14
301.15						7
296.15						7
291.15						8
286.15	25.0	Orangish brown very fine grained sandy silty CLAY, CL				10
281.15						7
276.15	35.0					21

SURFACE CASING →

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION
TEST BORING RECORD

BORING NUMBER <u> MW-36 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 12-4-89 </u> DATE COMPLETED <u> 12-14-89 </u> DRILLED BY <u> T. TOMES </u> LOGGED BY <u> F. THOMAS </u> CHECKED BY <u> J. ABSALON </u>	REMARKS: _____ PAGE <u> 2 </u> OF <u> 6 </u>
---	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	35.0	See previous page				
271.15	40.0	Bright orange clayey silty fine grained SAND, SP				48 -
266.15						46
261.15	50.0	Bright orange and yellowish orange gravelly silty SAND, SP				>50 -
256.15						>50
251.15	60.0	Light yellowish orange grading to bright orange fine grained well sorted SAND, SP				>50
246.15	65.0	Brownish orange gravelly poorly sorted SAND, SP				>50
241.15	70.0					>50

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER <u> MW-36 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 12-4-89 </u> DATE COMPLETED <u> 12-14-89 </u> DRILLED BY <u> T. TOMES </u> LOGGED BY <u> F. THOMAS </u> CHECKED BY <u> J. ABSALON </u>	REMARKS: PAGE <u> 3 </u> OF <u> 6 </u>
---	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	70.0	See previous page				
236.15						>50
231.15						>50
226.15						50
221.15	90.0	Brown and gray grading to a blue gray silty lignitic CLAY, CL				20
216.15						
211.15						22
206.15	105.0					23

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER MW-36
JOB NUMBER 11-8531-01
DATE STARTED 12-4-89
DATE COMPLETED 12-14-89
DRILLED BY T. TOMES
LOGGED BY F. THOMAS
CHECKED BY J. ABSALON

REMARKS:

PAGE 4 OF 6

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	105.0	See previous page				
-201.15					GS AL W	29
-196.15						
-191.15						29
-186.15						
-181.15						
-176.15						43
171.15	140.0					

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER <u> MW-36 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 12-4-89 </u> DATE COMPLETED <u> 12-14-89 </u> DRILLED BY <u> T. TOMES </u> LOGGED BY <u> F. THOMAS </u> CHECKED BY <u> J. ABSALON </u>	REMARKS: PAGE <u> 5 </u> OF <u> 6 </u>
---	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	140.0	See previous page				
166.15						
161.15						40
156.15						
151.15						42
146.15						
141.15	168.5	Blueish green fine grained sandy CLAY, SC		▼		>50
136.15	175.0					

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

BORING NUMBER	MW-36
JOB NUMBER	11-8531-01
DATE STARTED	12-4-89
DATE COMPLETED	12-14-89
DRILLED BY	T. TOMES
LOGGED BY	F. THOMAS
CHECKED BY	J. ABSALON

REMARKS:

PAGE 6 OF 6

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	175.0	See previous page				
131.15						
	182.0					43
128.15	183.0	GRAVEL, GP				
		Very dense gray very slightly clayey fine grained SAND, SP				>50
210.0		Boring Terminated at 212.0'		GS AL W		