LAW ENVIRONMENTAL, INC. GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER"	MW-39
JOB NUMBER	11-8531-01
DATE STARTED	11-20-89
DATE COMPLETED _	11-30-89
DRILLED BY	E. FLEMMING
LOGGED BY	F. THOMAS
CHECKED BY	J. ABSALON

REMARKS:

PAGE 1 OF 4

7 7/8" Hollow Stem Augers (0 - 90')

4 1/4" Mud Rotary (90 - 115")

Split Spoon Samples

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE	'
298.42 — 291.42	 	Stiff dark brown gravelly silty CLAY, CL				15 —	,
— 285.4 2	11.0	Still green to gray and brown clayey silty LOESS, Ct.			:	8	_
,—281.42 ,		·				15 -	
—276.4 2	·					16 -	
271.42	25.0	Stiff to very stiff orangish brown fine grained sandy silty CLAY, CL				12 -	
266. 42						19	
25 1.42	33.0 35.0	Dense brownish orange fine grained clayey SAND, SC			-	31	

LAW ENVIRONMENTAL, INC. GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

18 167 PAI SI MAI

BORING NUMBER	MW-39	REMARKS:	PAGE 2 OF 4
JOB NUMBER	11-8531-01	TEMATING:	PAGE 2 OF 4
DATE STARTED	11-20-89	1	<u> </u>
DATE COMPLETED	11-30-89	i	
DRILLED BY	E. FLEMMING	i	
LOGGED BY	F. THOMAS	•	
CHECKED BY	J. ABSALON		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	LAB TESTS	SPT N VALUE
	35.0	See previous page			
- 250.42					>50 —
—251.42	43.0	Very dense bright orange grading to a yellowish orange well sorted fine to medium grained SAND, SP			>50 -
—24 6 .42	50.5			ļ	>50 -
241.42		Very dense orange to tan medium grained gravelly SAND, SP			>50 -
—236.42 					>50 -
—231.42	:				>50 :
226.42	<u>7</u> 0.0				>50

LAW ENVIRONMENTAL, INC. GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER JOB NUMBER DATE STARTED	MW-39 11-8531-01 11-20-89	REMARKS:	PAGE 3 OF 4
DATE COMPLETED DRILLED BY	11-30-89 E. FLEMMING		
LOGGED BY	F. THOMAS J. ABSALON		

ELEV.						
FEET	IN FEET	and the second s	CONSTRUCTION	BOLS	TESTS	N VALUE
	70.0	See previous page				- "
		Medical Cosession	**************************************			
– 221.42			***************************************			>50
			5555555			200
				}		
	1					
<u>-216.42</u>						>50 (
						ĭ
	83.0	· ,				
		Very dense to firm tan well sorted medium grained				
211.42	.[SAND, SP				>50 -
		•			GS	
—206.42	90.0				- AL	29 -
		Very dense yellowish pink fine grained clayey silty SAND, SP			W	
		SAND, SP				
201.42	ļ					>50 -
	}					
196.42	100.0			,		
		Very Dense brownish crange coarse grained graveily SAND, SP				>50 🠧
		· · · · · · · · · · · · · · · · · · ·				· [
101 10	105.0			▼.		>50

LAW ENVIRONMENTAL, INC. GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

18 169

BORING NUMBER	MW-39	REMARKS:	PAGE_4 OF 4
JOB NUMBER	11-8531-01	HEMANINO,	PAGE _4 _ OF _4
DATE STARTED	11-20-89		
DATE COMPLETED _	11-30-89		
ORILLED BY	E. FLEMMING	·	
LOGGED BY	F. THOMAS	ŀ	
CHECKED BY	J, ABSALON	1	•
			<u> </u>

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION		MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
- 188.42	105.0	See previous page				GS	
181.42		•				- AL W	>50 —
180.42	116.0	Boring Terminated	Same Standard				
-							-
-						,	_
-							
 - 							-
						: }	