

183 531

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER <u>STB-8</u>	REMARKS:	PAGE <u>1</u> OF <u>7</u>
JOB NUMBER <u>11-8531-01</u>	4 1/4" Mud Rotary	
DATE STARTED <u>11-5-89</u>	Split Spoon Samples	
DATE COMPLETED <u>11-15-89</u>		
DRILLED BY <u>T. TOMES</u>		
LOGGED BY <u>P. VOGEL</u>		
CHECKED BY <u>F. THOMAS</u>		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION			SYM- BOLS	LAB TESTS	SPT N VALUE
298.51	0.0	Very stiff to firm brown with some gray and black silty CLAY, CL						
293.51								19
								19
288.51								5
283.51								5
278.51								10
273.51	25.0	Firm reddish orange and gray sandy CLAY, SC						24
	27.0	Dense orange slightly clayey fine to medium grained SAND, SP						
268.51								35
263.51	35.0							46

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION
TEST BORING RECORD

18

54

31

BORING NUMBER <u>STB-8</u> JOB NUMBER <u>11-8531-01</u> DATE STARTED <u>11-5-89</u> DATE COMPLETED <u>11-15-89</u> DRILLED BY <u>T. TOMES</u> LOGGED BY <u>P. VOGEL</u> CHECKED BY <u>F. THOMAS</u>	REMARKS: <div style="text-align: right;">PAGE <u>2</u> OF <u>7</u></div>
--	--

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	35.0	See previous page				
- 258.51						>50
	42.0	Very dense orange gravelly SAND, SP				
- 253.51						>50
	46.0	Very dense light brown to orange fine to coarse grained SAND, SP				
- 248.51						>50
	56.0	Very dense orange and brown gravelly SAND				
- 243.51						>50
- 238.51						>50
- 233.51						>50
- 228.51	70.0					>50

TEST BORING RECORD

BORING NUMBER	STB-8	REMARKS:	PAGE 3 OF 7
JOB NUMBER	11-8531-01		
DATE STARTED	11-5-89		
DATE COMPLETED	11-15-89		
DRILLED BY	T. TOMES		
LOGGED BY	P. VOGEL		
CHECKED BY	F. THOMAS		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION			SYM- BOLS	LAB TESTS	SPT N VALUE
	70.0	Very dense sandy GRAVEL, GP						
223.51								>50
218.51								
213.51								
208.51	90.0	Very dense orange clayey silty very fine grained SAND, SP					CHEMICAL SAMPLE	>50
203.51	95.0	Dense to very dense gray slightly sandy silty CLAY, CL					CHEMICAL SAMPLE	31
198.51								>50
193.51	105.0							30

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION
TEST BORING RECORD

18 56

BORING NUMBER <u>STB-8</u> JOB NUMBER <u>11-8531-01</u> DATE STARTED <u>11-5-89</u> DATE COMPLETED <u>11-15-89</u> DRILLED BY <u>T. TOMES</u> LOGGED BY <u>P. VOGEL</u> CHECKED BY <u>F. THOMAS</u>	REMARKS: PAGE <u>4</u> OF <u>7</u>
---	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION			SYM- BOLS	LAB TESTS	SPT N VALUE
	105.0	See previous page						
188.51								40
183.51								>50
178.51	120.0	Dense to very dense orange to white fine to medium grained SAND, SP						44
173.51								>50
168.51	130.0	Dense to very dense gray fine to medium grained SAND with thin lenses of sandy silty clay, SP					CHEMICAL SAMPLE	28
163.51								>50
158.51	140.0							>50

18 57

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION
TEST BORING RECORD

BORING NUMBER	STB-8	REMARKS:	PAGE 5 OF 7
JOB NUMBER	11-8531-01		
DATE STARTED	11-5-89		
DATE COMPLETED	11-15-89		
DRILLED BY	T. TOMES		
LOGGED BY	P. VOGEL		
CHECKED BY	F. THOMAS		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION			SYM- BOLS	LAB TESTS	SPT N VALUE
	140.0	See previous page						
153.51	145.0	Very dense white to gray fine to medium grained SAND, SP						>50
146.51								44
143.51								>50
138.51								>50
133.51								>50
128.51								50
123.51	175.0							>50

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

18 58

TEST BORING RECORD

02 01

BORING NUMBER	STB-8	REMARKS:	PAGE 6 OF 7
JOB NUMBER	11-8531-01		
DATE STARTED	11-5-89		
DATE COMPLETED	11-15-89		
DRILLED BY	T. TOMES		
LOGGED BY	P. VOGEL		
CHECKED BY	F. THOMAS		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION			SYM- BOLS	LAB TESTS	SPT N VALUE
	175.0	See previous page						
110.51	181.0	Very stiff gray sandy silty CLAY, CL						22
113.51	186.0	Very stiff and very dense thin interbedded layers of gray silty CLAY and fine grained orange and white SAND, CL-SP						26
108.51								>50
103.51	195.0	Very dense gray to white fine to medium grained SAND, SP						>50
98.51	200.0	Dense thin interbedded layers of tan to gray medium to fine grained SAND and gray sandy CLAY, SP-SC						45
93.51								39
88.51	210.0							24

[illegible]