

1

## **Appendix E**

2

### **Record of Non-Applicability (RONA)**

3

1

This page intentionally left blank.

1 **RECORD OF NON-APPLICABILITY**

2 **In Accordance with the Clean Air Act—General Conformity Rule for the**  
3 **Master Water Control Manual Updates for the**  
4 **Alabama–Coosa–Tallapoosa River Basin**

5 The U.S. Army Corps of Engineers proposes to update the *Master Water Control Manual* that outlines  
6 water management operations throughout the Alabama–Coosa–Tallapoosa River Basin (ACT Basin).  
7 Water control manuals outline the regulation schedules for each project and specifications for storage and  
8 releases from each reservoir. Water control manuals outline policies and data protocols for flood control  
9 operations and drought contingency operations. The updates to the water control manual are not expected  
10 to result in any reasonably foreseeable direct or indirect emissions. Such types of federal activities are  
11 specifically exempt from the general conformity regulations.

12 General Conformity under the Clean Air Act, section 176 has been evaluated according to the  
13 requirements of Title 40 of the *Code of Federal Regulations* Part 93, Subpart B. The requirements of that  
14 rule are not applicable to the proposed action or the alternatives because

15 The proposed activities would result would result in no emissions increase [40 CFR 93.153(c)  
16 (2)], and/or the emissions are not reasonably foreseeable, such as electric power marketing  
17 activities that involve the acquisition, sale, and transmission of electric energy [40 CFR  
18 93.153(c)(3)(ii)].

19 Supported documentation and emission estimates

- 20 ( ) Are Attached  
21 ( ) Appear in the NEPA Documentation  
22 (X) Other (Not Necessary)

23  
24  
25 \_\_\_\_\_  
26 Signature

27  
28 \_\_\_\_\_  
29 Printed

30  
31 \_\_\_\_\_  
32 Title and Agency

33  
34 \_\_\_\_\_  
35 Date

1

This page intentionally left blank.