

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBC-21-12

Date 12/15/2012

Water Depth 40.6'

Coordinate System

Latitude / Longitude

Start Time 11:30:38

End Time 11:31:02

Penetration 20.0'


Latitude 30 10.490

Total Time 00:00:23


Recovery 15.0

Longitude 088 32.885

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.5	2.2	82.4	14.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.5		
#20	98.7		
#40	97.3		
#60	82.2		
#100	29.9		
#140	17.8		
#200	14.9		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.2829 D₈₅= 0.2597 D₆₀= 0.2012

D₅₀= 0.1844 D₃₀= 0.1502 D₁₅= 0.0757

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-21-12 A
Sample Number: 6494 (27)

Depth: 0.0'

Date: 12/26/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.4	1.3	82.8	15.5	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.6		
#20	99.0		
#40	98.3		
#60	90.2		
#100	42.9		
#140	22.4		
#200	15.5		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.2492 D₈₅= 0.2322 D₆₀= 0.1789

D₅₀= 0.1620 D₃₀= 0.1252 D₁₅=

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-21-12 B
Sample Number: 6494 (28)

Depth: 5.0'

Date: 12/26/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBC-22-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Pascagoula Bar Channel			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBC-22-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,072,416 N = 243,379	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 41.7 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		BEARING	15. DATE BORING STARTED 12-15-12 COMPLETED 12-15-12	
8. TOTAL DEPTH OF BORING 14.4 Ft.		16. ELEVATION TOP OF BORING -41.7 Ft.		17. TOTAL RECOVERY FOR BORING 100%
18. SIGNATURE AND TITLE OF INSPECTOR Mark Green, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-41.7	0.0				
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, little shell fragments, greenish gray (SM)	A	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1715 mm % Fines: 13.2
-45.2	3.5				
-45.7	4.0		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, greenish gray (SC)	NS	
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, greenish gray (SM)	B	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1556 mm % Fines: 15.5
-50.7	9.0				
			SILT, inorganic-L, mostly silt, some fine-grained sand-sized quartz, trace shell fragments, greenish gray (ML)	NS	
-54.7	13.0				
-56.1	14.4		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, trace fat clay lenses, gray (SC)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBC-22-12

Date 12/15/2012

Water Depth 41.7'

Coordinate System

Latitude / Longitude

Start Time 09:30:44

End Time 09:31:05

Penetration 20.0'


Latitude 30 10.137

Total Time 00:00:21


Recovery 14.4'

Longitude 088 33.260

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	1.1	2.8	82.8	13.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	98.8		
#20	97.6		
#40	96.0		
#60	82.9		
#100	38.1		
#140	18.6		
#200	13.2		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.2886 D₈₅= 0.2588 D₆₀= 0.1904
D₅₀= 0.1715 D₃₀= 0.1343 D₁₅= 0.0902
D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)


Location: BI-PBC-22-12 A **Depth:** 0.0' **Date:** 12/26/12
Sample Number: 6494 (29)

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT
Project No: 1221110095 **Figure**

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.2	1.2	83.1	15.5	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.8		
#20	99.3		
#40	98.6		
#60	90.0		
#100	46.8		
#140	23.7		
#200	15.5		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.2501 D₈₅= 0.2309 D₆₀= 0.1732

D₅₀= 0.1556 D₃₀= 0.1197 D₁₅=

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-22-12 B
Sample Number: 6494 (30)

Depth: 4.0'

Date: 12/26/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBC-23-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Pascagoula Bar Channel			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBC-23-12		LOCATION COORDINATES E = 1,073,116 N = 241,417		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
3. DRILLING AGENCY Corps of Engineers - CESAM		CONTRACTOR FILE NO.		HORIZONTAL NAD83
4. NAME OF DRILLER American Vibracore Systems, Inc.			11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		DEG. FROM VERTICAL	BEARING	<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
6. THICKNESS OF OVERBURDEN N/A		7. DEPTH DRILLED INTO ROCK N/A		12. TOTAL SAMPLES
8. TOTAL DEPTH OF BORING 16.4 Ft.				DISTURBED
			13. TOTAL NUMBER CORE BOXES	
			14. WATER DEPTH 42 Ft.	
			15. DATE BORING	
			STARTED 12-15-12	
			COMPLETED 12-15-12	
			16. ELEVATION TOP OF BORING -42.0 Ft.	
			17. TOTAL RECOVERY FOR BORING 100%	
			18. SIGNATURE AND TITLE OF INSPECTOR Mark Green, Geotechnical Engineer	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-42.0	0.0				
		+	SAND, silty, mostly fine-grained sand-sized quartz, some silt, little shell fragments, trace clay, lt. to dark green-gray (SM)	A	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1679 mm % Fines: 15
		+		B	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1626 mm % Fines: 13.9
-52.0	10.0	+			
		+	SAND, clayey, mostly fine-grained sand-sized quartz, some clay, little shell fragments, lt. to dark greenish gray (SC)	NS	
-58.4	16.4	+			
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBC-23-12

Date 12/15/2012

Water Depth 42.0'

Coordinate System

Start Time 08:24:14

Latitude / Longitude

End Time 08:25:58

Penetration 20.0'


Latitude 30 09.813

Total Time 00:01:43


Recovery 16.3'

Longitude 088 33.128

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.5	2.7	81.8	15.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.5		
#20	98.4		
#40	96.8		
#60	84.2		
#100	40.2		
#140	20.4		
#200	15.0		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.2805 D₈₅= 0.2533 D₆₀= 0.1867

D₅₀= 0.1679 D₃₀= 0.1301 D₁₅= 0.0751

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks


* (no specification provided)

Location: BI-PBC-23-12 A Depth: 0.0' Date: 12/26/12

Sample Number: 6494 (31)

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.3	0.4	1.4	84.0	13.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.7		
#10	99.3		
#20	98.8		
#40	97.9		
#60	87.9		
#100	42.8		
#140	21.7		
#200	13.9		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.2720 D₈₅= 0.2392 D₆₀= 0.1804

D₅₀= 0.1626 D₃₀= 0.1257 D₁₅= 0.0806

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-23-12 B **Depth:** 5.0' **Date:** 12/26/12

Sample Number: 6494 (32)

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Boring Designation BI-PBC-24-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Pascagoula Bar Channel			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBC-24-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 40.3 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -40.2 Ft.		STARTED 12-15-12
8. TOTAL DEPTH OF BORING 15.3 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 12-15-12
18. SIGNATURE AND TITLE OF INSPECTOR Mark Green, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-40.2	0.0				
-40.7	0.5		SAND, poorly-graded, mostly fine-grained sand-sized quartz, little silt, trace shell fragments, gray (SP)	A	Classification: SP Color: 5Y 5/3-olive D50: 0.2062 mm % Fines: 4.2
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, little shell fragments, gray (SM)	B	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1763 mm % Fines: 15.1
				C	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1575 mm % Fines: 15.1
-51.2	11.0				
			SILT, inorganic-L, mostly silt, some fine-grained sand-sized quartz, trace shell fragments, gray (ML)	NS	
-53.7	13.5				
			SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, gray (SC)		
-55.5	15.3				
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBC-24-12

Date 12/15/2012

Water Depth 40.3'

Coordinate System

Latitude / Longitude

Start Time 10:34:24

End Time 10:34:52

Penetration 20.0'


Latitude 30 10.090

Total Time 00:00:28


Recovery 15.0'

Longitude 088 32.834

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.6	0.7	3.9	90.6	4.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.4		
#4	99.4		
#10	98.7		
#20	97.1		
#40	94.8		
#60	72.6		
#100	14.5		
#140	5.6		
#200	4.2		

Material Description

Fine grained, SAND

PL= **Atterberg Limits** LL= PI=

Coefficients

D₉₀= 0.3309 D₈₅= 0.2951 D₆₀= 0.2232
D₅₀= 0.2062 D₃₀= 0.1760 D₁₅= 0.1511
D₁₀= 0.1387 C_u= 1.61 C_c= 1.00

USCS= SP **Classification** AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-24-12 A
Sample Number: 6494 (33)

Depth: 0.0'

Date: 12/26/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	0.7	2.6	81.4	15.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	99.1		
#20	97.9		
#40	96.5		
#60	83.9		
#100	35.1		
#140	19.6		
#200	15.1		

Material Description
Fine grained, SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.2782 D₈₅= 0.2542 D₆₀= 0.1938
 D₅₀= 0.1763 D₃₀= 0.1392 D₁₅=
 D₁₀= C_u= C_c=

Classification
 USCS= SM AASHTO=


Remarks

* (no specification provided)

Location: BI-PBC-24-12 B **Depth:** 0.5' **Date:** 12/26/12
Sample Number: 6494 (34)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	1.5	83.1	15.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.7		
#20	98.9		
#40	98.2		
#60	89.1		
#100	45.8		
#140	24.2		
#200	15.1		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.2601 D₈₅= 0.2344 D₆₀= 0.1755

D₅₀= 0.1575 D₃₀= 0.1196 D₁₅=

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-24-12 C
Sample Number: 6494 (35)

Depth: 5.5'

Date: 12/26/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBC-25-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Pascagoula Bar Channel			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBC-25-12		LOCATION COORDINATES E = 1,076,601 N = 245,401		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
3. DRILLING AGENCY Corps of Engineers - CESAM		CONTRACTOR FILE NO.		HORIZONTAL NAD83
4. NAME OF DRILLER American Vibracore Systems, Inc.		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		DEG. FROM VERTICAL	BEARING	12. TOTAL SAMPLES DISTURBED 0
6. THICKNESS OF OVERBURDEN N/A		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
7. DEPTH DRILLED INTO ROCK N/A		14. WATER DEPTH 41.2 Ft.		15. DATE BORING STARTED 12-15-12 COMPLETED 12-15-12
8. TOTAL DEPTH OF BORING 14.3 Ft.		16. ELEVATION TOP OF BORING -40.9 Ft.		17. TOTAL RECOVERY FOR BORING 100%
18. SIGNATURE AND TITLE OF INSPECTOR Mark Green, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-40.9	0.0		SAND, silty, mostly fine-grained sand-sized quartz, trace shell fragments, trace clay lenses, gray (SM)	A	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1861 mm % Fines: 13.7
-49.9	9.0		SILT, inorganic-L, mostly silt, some fine-grained sand-sized quartz, trace shell fragments, gray (ML)	NS	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1801 mm % Fines: 12
-52.9	12.0		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, gray (SC)		
-53.9	13.0		CLAY, fat, mostly clay, gray (CH)		
-55.2	14.3		CLAY, fat, mostly clay, gray (CH)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBC-25-12

Date 12/15/2012

Water Depth 41.2'

Coordinate System

Start Time 11:57:13

Latitude / Longitude

End Time 11:57:43

Penetration 20.0'


Latitude 30 10.469

Total Time 00:00:30


Recovery 14.4'

Longitude 088 32.464

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.7	3.8	81.8	13.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.3		
#20	98.1		
#40	95.5		
#60	78.7		
#100	30.2		
#140	16.8		
#200	13.7		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.3087 D₈₅= 0.2754 D₆₀= 0.2046

D₅₀= 0.1861 D₃₀= 0.1496 D₁₅= 0.0913

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-25-12 A
Sample Number: 6494 (36)

Depth: 0.0'

Date: 12/26/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.5	1.6	85.8	12.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.4		
#20	98.6		
#40	97.8		
#60	88.3		
#100	30.0		
#140	16.3		
#200	12.0		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.2682 D₈₅= 0.2408 D₆₀= 0.1947

D₅₀= 0.1801 D₃₀= 0.1499 D₁₅= 0.0965

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-25-12 B
Sample Number: 6494 (37)

Depth: 5.0'

Date: 12/26/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBC-26-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Pascagoula Bar Channel			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBC-26-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 40.1 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 12-15-12 COMPLETED 12-15-12
8. TOTAL DEPTH OF BORING 15.7 Ft.		16. ELEVATION TOP OF BORING -39.3 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mark Green, Geotechnical Engineer		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-39.3	0.0				
-40.3	1.0		CLAY, fat, mostly clay, soft, gray (CH)	NS	
-41.1	1.8		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, little shell fragments, gray (SC)	A	Classification: SM Color: 5Y 5/2-olive gray D50: 0.2016 mm % Fines: 15.6
-43.3	4.0		SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, gray (SM)	B	Classification: SP-SM Color: 5Y 6/2-light olive gray D50: 0.2045 mm % Fines: 6.9
-45.3	6.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace silt, trace shell fragments, gray (SP)	C	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1841 mm % Fines: 13.5
-48.3	9.0		SAND, silty, mostly fine-grained sand-sized quartz, trace shell fragments, gray (SM)		
			SAND, clayey, mostly fine-grained sand-sized quartz, some clay, gray (SC)	NS	
-55.0	15.7				
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBC-26-12

Date 12/15/2012

Water Depth 40.1'

Coordinate System

Start Time 14:21:07

Latitude / Longitude

End Time 14:21:36

Penetration 20.0'


Latitude 30 10.855

Total Time 00:00:29


Recovery 15.9'

Longitude 088 32.072

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	3.6	0.9	5.8	74.1	15.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	98.6		
.375	97.5		
#4	96.4		
#10	95.5		
#20	94.1		
#40	89.7		
#60	67.8		
#100	27.8		
#140	19.2		
#200	15.6		

Material Description

Fine grained, SILTY SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4328 D₈₅= 0.3514 D₆₀= 0.2263

D₅₀= 0.2016 D₃₀= 0.1561 D₁₅=

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-26-12 A
Sample Number: 6494 (38)

Depth: 1.8'

Date: 12/26/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	1.0	3.7	88.4	6.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.0		
#20	97.5		
#40	95.3		
#60	74.4		
#100	14.9		
#140	8.3		
#200	6.9		

Material Description
Fine grained, SLIGHTLY SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.3174 D₈₅= 0.2861 D₆₀= 0.2206
 D₅₀= 0.2045 D₃₀= 0.1753 D₁₅= 0.1502
 D₁₀= 0.1197 C_u= 1.84 C_c= 1.16

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-26-12 B
Sample Number: 6494 (39)

Depth: 4.0'

Date: 12/26/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.8	2.0	83.6	13.5	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.1		
#20	98.2		
#40	97.1		
#60	83.5		
#100	29.2		
#140	17.1		
#200	13.5		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.3063 D₈₅= 0.2610 D₆₀= 0.2002

D₅₀= 0.1841 D₃₀= 0.1515 D₁₅= 0.0878

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-26-12 C Depth: 6.0' Date: 12/26/12

Sample Number: 6494 (40)

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Boring Designation BI-PBC-27-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Pascagoula Bar Channel			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBC-27-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 36.7 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -35.8 Ft.		STARTED 12-16-12
8. TOTAL DEPTH OF BORING 13.8 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 12-16-12
18. SIGNATURE AND TITLE OF INSPECTOR Mark Green, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-35.8	0.0				
-36.3	0.5		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace silt, lt. gray (SP)	A	Classification: SM Color: 5Y 5/3-olive D50: 0.1657 mm % Fines: 19.8
			SAND, clayey, mostly quartz, some clay, little shell fragments, gray (SC)	NS	
-46.8	11.0				
-47.8	12.0		SILT, inorganic-L, mostly silt, some fine-grained sand-sized quartz, lt. gray (ML)		
-49.6	13.8		CLAY, lean, mostly clay, trace fine-grained sand-sized quartz, mottled lt. gray and yellowish orange (CL)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBC-27-12

Date 12/16/2012

Water Depth 36.7'

Coordinate System

Latitude / Longitude

Start Time 13:57:54

End Time 13:58:35

Penetration 20.0'


Latitude 30 11.339

Total Time 00:00:40


Recovery 14.0'

Longitude 088 31.592

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	0.3	2.0	77.7	19.8	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	99.5		
#20	99.1		
#40	97.5		
#60	83.8		
#100	42.1		
#140	25.0		
#200	19.8		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.2825 D₈₅= 0.2549 D₆₀= 0.1857

D₅₀= 0.1657 D₃₀= 0.1218 D₁₅=

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-27-12 A
Sample Number: 6494 (41)

Depth: 0.0'

Date: 12/26/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBC-28-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Pascagoula Bar Channel			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBC-28-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,080,009 N = 249,417	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 37.8 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		BEARING	15. DATE BORING STARTED 12-16-12 COMPLETED 12-16-12	
8. TOTAL DEPTH OF BORING 15.3 Ft.		16. ELEVATION TOP OF BORING -37.3 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mark Green, Geotechnical Engineer		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-37.3	0.0				
		[diagonal lines]	SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, gray (SC)	NS	
-39.8	2.5				
		[vertical lines]	SAND, silty, mostly fine-grained sand-sized quartz, some silt, clayey lenses, gray (SM)	A	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1894 mm % Fines: 15.8
-41.3	4.0				
		[diagonal lines]	SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, gray (SC)	NS	
-43.3	6.0				
		[vertical lines]	SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, clayey lenses, gray (SM)	B	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1921 mm % Fines: 12.6
-46.3	9.0				
		[diagonal lines]	SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, gray (SC)	NS	
-51.3	14.0				
		[diagonal lines]	CLAY, fat, mostly clay, trace fine-grained sand-sized quartz, soft, gray and brown (CH)		
-52.6	15.3				
<p>NOTES:</p> <ol style="list-style-type: none"> 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor. 					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBC-28-12a

Date 12/16/2012

Water Depth 37.8

Coordinate System

Latitude / Longitude

Start Time 11:10:38

End Time 11:11:04

Penetration 20.0'


Latitude 30 11.130

Total Time 00:00:25


Recovery 15.5'

Longitude 088 31.815

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	1.2	5.8	77.0	15.8	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	98.6		
#20	97.1		
#40	92.8		
#60	72.6		
#100	32.8		
#140	21.7		
#200	15.8		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.3705 D₈₅= 0.3160 D₆₀= 0.2130
D₅₀= 0.1894 D₃₀= 0.1418 D₁₅=
D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-28-12 A
Sample Number: 6494 (42)

Depth: 2.5'

Date: 12/26/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.7	3.4	83.2	12.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.2		
#20	97.9		
#40	95.8		
#60	76.7		
#100	26.9		
#140	15.9		
#200	12.6		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.3158 D₈₅= 0.2825 D₆₀= 0.2105

D₅₀= 0.1921 D₃₀= 0.1566 D₁₅= 0.0980

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBC-28-12 B
Sample Number: 6494 (43)

Depth: 6.0'

Date: 12/26/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Appendix J

Petit Bois Pass-Mississippi Vibracores and Lab Results

This page was intentionally left blank for duplex printing.



2012 Petit Bois Pass-Mississippi Vibracore Locations

● 2012 PBP-MS Borings



This page was intentionally left blank for duplex printing.

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ² *D60)	
BI-PBP-19-12B	PETIT BOIS PASS - MISSISSIPPI	2012	12/22/2012	11:45 AM	30.19325	-88.39690	252372.61680	1122130.63600	20-ft Vibracore	30.5	17.7	3-7.9	4.9	SP	SP	SUBANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 6/2	6	LT GRAY	2.5Y 7/2	7		0.35	0.37	1.5	1.4	1.0	
BI-PBP-19-12C	PETIT BOIS PASS - MISSISSIPPI	2012	12/22/2012	11:45 AM	30.19325	-88.39690	252372.61680	1122130.63600	20-ft Vibracore	30.5	17.7	7.9-12	4.1	SP-SM	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.43	0.48	3.7	1.8	0.9	
BI-PBP-19-12D	PETIT BOIS PASS - MISSISSIPPI	2012	12/22/2012	11:45 AM	30.19325	-88.39690	252372.61680	1122130.63600	20-ft Vibracore	30.5	17.7	14.1-17.7	3.6	SP	SP	SUBANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 5/2	5	LT BROWNISH GRAY	2.5Y 6/2			0.34	0.35	3.0	1.6	1.0	
BI-PBP-20-12	PETIT BOIS PASS - MISSISSIPPI	2012	12/22/2012	12:49 PM	30.19337	-88.39377	252420.06100	1123119.32500	20-ft Vibracore	24.2	13.1																		
BI-PBP-20-12A	PETIT BOIS PASS - MISSISSIPPI	2012	12/22/2012	12:49 PM	30.19337	-88.39377	252420.06100	1123119.32500	20-ft Vibracore	24.2	13.1	0-5	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.33	0.36	0.9	1.9	1.0	
BI-PBP-20-12B	PETIT BOIS PASS - MISSISSIPPI	2012	12/22/2012	12:49 PM	30.19337	-88.39377	252420.06100	1123119.32500	20-ft Vibracore	24.2	13.1	5-10	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.23	0.25	4.3	1.6	1.0	
BI-PBP-20-12C	PETIT BOIS PASS - MISSISSIPPI	2012	12/22/2012	12:49 PM	30.19337	-88.39377	252420.06100	1123119.32500	20-ft Vibracore	24.2	13.1	10-13.1	3.1	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.30	0.31	3.1	1.8	1.0	
BI-PBP-21-12	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	11:30 AM	30.19468	-88.39438	252895.74690	1122924.77300	20-ft Vibracore	25.8	13.0																		
BI-PBP-21-12A	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	11:30 AM	30.19468	-88.39438	252895.74690	1122924.77300	20-ft Vibracore	25.8	13.0	0.0-2.5	2.5	SP	SP	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.31	0.34	1.4	1.9	1.0	
BI-PBP-21-12B	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	11:30 AM	30.19468	-88.39438	252895.74690	1122924.77300	20-ft Vibracore	25.8	13.0	2.5-7.5	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	LT GRAY	5Y 7/1	7	WHITE	5Y 8/1	8		0.30	0.31	1.6	1.6	1.0	
BI-PBP-21-12C	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	11:30 AM	30.19468	-88.39438	252895.74690	1122924.77300	20-ft Vibracore	25.8	13.0	7.5-13.0	5.5	SP	SP	SUBANGULAR TO SUBROUNDED	LT GRAY	5Y 7/1	7	WHITE	5Y 8/1	8		0.30	0.30	1.7	1.6	1.0	
BI-PBP-22-12	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	10:54 AM	30.19102	-88.39208	251567.46240	1123656.55500	20-ft Vibracore	24.2	18.8																		
BI-PBP-22-12A	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	10:54 AM	30.19102	-88.39208	251567.46240	1123656.55500	20-ft Vibracore	24.2	18.8	0.0-5.0	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.31	0.31	1.3	1.6	1.0	
BI-PBP-22-12B	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	10:54 AM	30.19102	-88.39208	251567.46240	1123656.55500	20-ft Vibracore	24.2	18.8	5.0-10.0	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.29	0.31	2.2	1.8	1.0	
BI-PBP-22-12C	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	10:54 AM	30.19102	-88.39208	251567.46240	1123656.55500	20-ft Vibracore	24.2	18.8	10.3-14.2	3.9	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.24	0.30	4.5	1.8	1.0	
BI-PBP-23-12	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	10:12 AM	30.18937	-88.39693	250961.47860	1122126.56300	20-ft Vibracore	35.4	14.9																		
BI-PBP-23-12A	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	10:12 AM	30.18937	-88.39693	250961.47860	1122126.56300	20-ft Vibracore	35.4	14.9	1.2-3.2	2.0	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.32	0.32	6.9	2.1	1.4	
BI-PBP-23-12B	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	10:12 AM	30.18937	-88.39693	250961.47860	1122126.56300	20-ft Vibracore	35.4	14.9	4.8-7.3	2.5	SC	SM	SUBANGULAR TO SUBROUNDED	DK GRAYISH BROWN	2.5Y 4/2	4	GRAYISH BROWN	2.5Y 5/2	5		0.13	0.15	13.0	#VALUE!	#VALUE!	
BI-PBP-23-12C	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	10:12 AM	30.18937	-88.39693	250961.47860	1122126.56300	20-ft Vibracore	35.4	14.9	9.3-11.3	2.0	SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.18	0.19	14.3	#VALUE!	#VALUE!	
BI-PBP-23-12D	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	10:12 AM	30.18937	-88.39693	250961.47860	1122126.56300	20-ft Vibracore	35.4	14.9	11.3-14.4	3.1	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.14	0.14	5.4	1.5	1.1	
BI-PBP-24-12	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	9:28 AM	30.18903	-88.38915	250847.32400	1124585.07000	20-ft Vibracore	27.1	19.9																		
BI-PBP-24-12A	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	9:28 AM	30.18903	-88.38915	250847.32400	1124585.07000	20-ft Vibracore	27.1	19.9	0.0-5.0	5.0	SP	SP-SM	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.33	0.35	5.1	1.9	1.0	
BI-PBP-24-12B	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	9:28 AM	30.18903	-88.38915	250847.32400	1124585.07000	20-ft Vibracore	27.1	19.9	5.0-8.6	3.6	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.25	0.29	2.0	1.8	0.9	
BI-PBP-24-12C	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	9:28 AM	30.18903	-88.38915	250847.32400	1124585.07000	20-ft Vibracore	27.1	19.9	8.6-11.2	2.6	SP-SM	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.30	0.30	6.2	2.1	1.2	
BI-PBP-24-12D	PETIT BOIS PASS - MISSISSIPPI	2012	1/4/2013	9:28 AM	30.18903	-88.38915	250847.32400	1124585.07000	20-ft Vibracore	27.1	19.9	13.6-18.1	4.5	SM	SM	SUBANGULAR TO SUBROUNDED	VERY DK GRAYISH BROWN	2.5Y 3/2	3	DK GRAYISH BROWN	2.5Y 4/2	4		0.12	0.13	13.6	#VALUE!	#VALUE!	

Cu: Coefficient of Uniformity

Cc: Coefficient of Curvature

The "#Value!" error message indicates that data was not available for that calculation.

Boring Designation BI-PBP-01-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-01-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 31.7 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 12-08-12 COMPLETED 12-08-12
8. TOTAL DEPTH OF BORING 16.3 Ft.		16. ELEVATION TOP OF BORING -31.1 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-31.1	0.0				
-31.7	0.6			A	Classification: SP Color: 5Y 6/3-pale olive D50: 0.2506 mm % Fines: 2.1
-32.1	1.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace silt, brownish gray (SP)	NS	
			CLAY, fat, mostly clay, medium to high plasticity, dark gray (CH)	C	Classification: SP Color: 5Y 7/2-light gray D50: 0.4777 mm % Fines: 1.4
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little shell fragments, trace silt, gray (SP) At El. -32.4 Ft., mostly fine to medium-grained sand-sized quartz, some shell fragments, trace silt, gray	B	Classification: SP Color: 5Y 8/1-white D50: 0.3651 mm % Fines: 1.6
-38.5	7.4		At El. -33.6 Ft., mostly fine-grained sand-sized quartz, trace silt, trace shell fragments, trace clay stringers, lt. gray to white	E	Classification: SP Color: 2.5Y 8.5/1- D50: 0.3686 mm % Fines: 0.9
-40.3	9.2		At El. -37.4 Ft., mostly fine to medium-grained sand-sized quartz, trace silt, lt. gray to white	D	Classification: SP-SM Color: 5Y 5/2-olive gray D50: 0.3369 mm % Fines: 8.2
-42.1	11.0		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, trace shell fragments, dark gray (SP-SM)	NS	
-42.4	11.3				
-42.8	11.7		SAND, silty, mostly fine-grained sand-sized quartz, trace shell fragments, dark gray (SM)	G	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.3452 mm % Fines: 4.1
			CLAY, fat, mostly clay, medium to high plasticity, dark gray (CH)		
			SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, clay banding, dark gray (SP-SM)	F	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.3004 mm % Fines: 3.2
-47.4	16.3				
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, some shell fragments, trace silt, clay nodules, gray (SP) At El. -44.2 Ft., mostly fine-grained sand-sized quartz, trace silt, trace clay, trace shell fragments, gray to light gray		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Sample intervals do not match up with lithologic intervals because the contractor</p>					

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2 OF 2 SHEETS	
PROJECT MsCIP Barrier Island Restoration			COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL NAVD88
LOCATION COORDINATES X = 1,122,455 Y = 251,890			ELEVATION TOP OF BORING -31.1 Ft.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS	
			<p>reversed the tubes on the table during sampling. This caused a disjointed sampling event because there were four five-foot tubes and the tops and bottoms did not match up correctly. The original log was redrawn to correct this situation, but the samples remained from the original, incorrect intervals. Their depths have been adjusted to account for the mix up. The lab sample intervals are incorrect; they match the original sample intervals.</p> <p>4. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>			



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-1-12

Date 12/08/2012

Water Depth 31.7'

Coordinate System

Latitude / Longitude

Start Time 11:08:23

End Time 11:13:58

Penetration 18.9'


Latitude 30 11.515

Total Time 00:05:34


Recovery 16.3'

Longitude 088 23.753

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	12.6	85.0	2.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.7		
#20	98.7		
#40	87.1		
#60	49.8		
#100	10.1		
#140	2.8		
#200	2.1		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4561 D₈₅= 0.4068 D₆₀= 0.2818

D₅₀= 0.2506 D₃₀= 0.1999 D₁₅= 0.1639

D₁₀= 0.1495 C_u= 1.88 C_c= 0.95

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-1-12 A
Sample Number: 6482 (20)

Depth: 0.7'

Date: 12/12/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.5	0.1	30.1	67.7	1.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.5		
#10	99.4		
#20	99.3		
#40	69.3		
#60	4.6		
#100	1.8		
#140	1.6		
#200	1.6		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5551 D₈₅= 0.5088 D₆₀= 0.3935
 D₅₀= 0.3651 D₃₀= 0.3160 D₁₅= 0.2801
 D₁₀= 0.2668 C_u= 1.47 C_c= 0.95

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-1-12 B
Sample Number: 6482 (21)

Depth: 1.3'

Date: 12/12/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	5.3	5.3	47.2	40.8	1.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	98.8		
.375	98.1		
#4	94.7		
#10	89.4		
#20	80.6		
#40	42.2		
#60	11.1		
#100	2.4		
#140	1.6		
#200	1.4		

Material Description

Fine to medium grained, SAND, with trace SHELL

PL= **Atterberg Limits** PI=

Coefficients

D₉₀= 2.3797 D₈₅= 1.0022 D₆₀= 0.5589

D₅₀= 0.4777 D₃₀= 0.3545 D₁₅= 0.2737

D₁₀= 0.2429 C_u= 2.30 C_c= 0.93

USCS= SP **Classification** AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-1-12 C
Sample Number: 6482 (22)

Depth: 5.1'

Date: 12/12/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.2	1.4	30.2	59.0	8.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.3		
#4	98.8		
#10	97.4		
#20	94.4		
#40	67.2		
#60	31.2		
#100	22.6		
#140	15.4		
#200	8.2		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND, with trace SHELL

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6960 D₈₅= 0.5977 D₆₀= 0.3843
 D₅₀= 0.3369 D₃₀= 0.2429 D₁₅= 0.1042
 D₁₀= 0.0820 C_u= 4.69 C_c= 1.87

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-1-12 D **Depth:** 8.4' **Date:** 12/12/12
Sample Number: 6482 (23)

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	31.4	67.7	0.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	100.0		
#20	99.9		
#40	68.6		
#60	2.4		
#100	1.1		
#140	1.0		
#200	0.9		

Material Description

Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5541 D₈₅= 0.5097 D₆₀= 0.3965
 D₅₀= 0.3686 D₃₀= 0.3204 D₁₅= 0.2855
 D₁₀= 0.2729 C_u= 1.45 C_c= 0.95

Classification
 USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-1-12 E **Depth:** 10.2' **Date:** 12/12/12
Sample Number: 6482 (24)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	15.9	80.9	3.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	100.0		
#20	99.3		
#40	84.1		
#60	31.7		
#100	6.5		
#140	3.5		
#200	3.2		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5226 D₈₅= 0.4377 D₆₀= 0.3296

D₅₀= 0.3004 D₃₀= 0.2450 D₁₅= 0.1946

D₁₀= 0.1719 C_u= 1.92 C_c= 1.06

Classification

USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-1-12 F Sample Number: 6482 (25) Depth: 11.3' Date: 12/12/12

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	2.1	2.7	29.6	61.5	4.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	97.9		
#10	95.2		
#20	90.3		
#40	65.6		
#60	25.8		
#100	8.2		
#140	5.7		
#200	4.1		

Material Description

Fine to medium grained, SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.8355 D₈₅= 0.6555 D₆₀= 0.3926
D₅₀= 0.3452 D₃₀= 0.2666 D₁₅= 0.1998
D₁₀= 0.1668 C_u= 2.35 C_c= 1.08

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-1-12 G Depth: 14.5' Date: 12/12/12
Sample Number: 6482 (26)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Boring Designation BI-PBP-02-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-02-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 25.8 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -24.1 Ft.		STARTED 12-08-12
8. TOTAL DEPTH OF BORING 15.0 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 12-08-12
18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-24.1	0.0				
		•••••	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, lt. gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.3198 mm % Fines: 1.1
-29.1	5.0				
-30.1	6.0		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, trace shell fragments, trace clay, lt. gray to gray (SP-SM)	NS	
		•••••	SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace shell fragments, silty bands at 7.2 ft. and 7.8 ft., lt. gray (SP)	B	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.2417 mm % Fines: 4.4
		•••••	At El. -32.7 Ft., mostly fine to medium-grained sand-sized quartz, little shell fragments, siltier at 10.8 ft. with a clay band at 10.9 ft., lt. gray to gray	C	Classification: SP Color: 5Y 7/2-light gray D50: 0.3588 mm % Fines: 1.7
		•••••	At El. -35.1 Ft., mostly fine to medium-grained sand-sized quartz, trace shell fragments, silty band at 12.3 to 12.5 ft., sand grades finer with depth, dense, lt. gray	D	Classification: SP Color: 5Y 7/2-light gray D50: 0.3187 mm % Fines: 2.7
-39.1	15.0				
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-2-12

Date 12/08/2012

Water Depth 25.8'

Coordinate System

Latitude / Longitude

Start Time 11:59:54

End Time 12:07:08

Penetration 18.5'


Latitude 30 11.519

Total Time 00:07:13


Recovery 15.0'

Longitude 088 23.561

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.4	0.9	17.0	80.6	1.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.6		
#4	99.6		
#10	98.7		
#20	96.6		
#40	81.7		
#60	22.4		
#100	2.4		
#140	1.2		
#200	1.1		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5836 D₈₅= 0.4771 D₆₀= 0.3468
D₅₀= 0.3198 D₃₀= 0.2699 D₁₅= 0.2269
D₁₀= 0.2073 C_u= 1.67 C_c= 1.01

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-2-12 A Sample Number: 6482 (27) Depth: 0.0' Date: 12/12/12


Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT
Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	0.9	15.1	79.4	4.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	98.9		
#20	96.2		
#40	83.8		
#60	52.9		
#100	11.6		
#140	6.2		
#200	4.4		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5272 D₈₅= 0.4402 D₆₀= 0.2734
D₅₀= 0.2417 D₃₀= 0.1943 D₁₅= 0.1600
D₁₀= 0.1443 C_u= 1.89 C_c= 0.96

Classification

USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-2-12 B **Depth:** 6.0' **Date:** 12/12/12
Sample Number: 6482 (28)

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.4	1.5	29.9	66.5	1.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.6		
#10	98.1		
#20	95.4		
#40	68.2		
#60	12.4		
#100	2.2		
#140	1.8		
#200	1.7		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6180 D₈₅= 0.5426 D₆₀= 0.3920
 D₅₀= 0.3588 D₃₀= 0.3020 D₁₅= 0.2589
 D₁₀= 0.2305 C_u= 1.70 C_c= 1.01

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-2-12 C
Sample Number: 6482 (29)

Depth: 8.6'

Date: 12/12/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.5	28.7	68.1	2.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.5		
#20	96.7		
#40	70.8		
#60	31.6		
#100	6.2		
#140	3.5		
#200	2.7		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6397 D₈₅= 0.5581 D₆₀= 0.3635
 D₅₀= 0.3187 D₃₀= 0.2443 D₁₅= 0.1908
 D₁₀= 0.1703 C_u= 2.13 C_c= 0.96

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-2-12 D
Sample Number: 6482 (30)

Depth: 11.0'

Date: 12/12/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-03-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-03-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 28.9 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 12-08-12 COMPLETED 12-08-12
8. TOTAL DEPTH OF BORING 19.0 Ft.		16. ELEVATION TOP OF BORING -27.4 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-27.4	0.0				
-29.2	1.8		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little shell fragments, trace fines, gray (SP)	B	Classification: SP Color: 5Y 7/2-light gray D50: 0.3817 mm % Fines: 1
-30.1	2.7		SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, dark gray (SM)	NS	
-30.5	3.1			A	Classification: SP Color: 5Y 7/1-light gray D50: 0.3418 mm % Fines: 1.6
			CLAY, fat, mostly clay, medium to high plasticity, dark gray (CH)	D	Classification: SP Color: 5Y 7/2-light gray D50: 0.3612 mm % Fines: 1.8
				C	Classification: SP Color: 2.5Y 8/1-white D50: 0.2873 mm % Fines: 2.1
-34.5	7.1		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few shell fragments, trace silt, lt. gray (SP)		
-36.0	8.6		At El. -31.4 Ft., mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, lt. gray		
-36.4	9.0		At El. -32.5 Ft., mostly fine-grained sand-sized quartz, trace fines, lt. gray to white		
-38.9	11.5		SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, trace clay stringers, brown (SM)		
-41.4	14.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little shell fragments, trace fines, lt. brown (SP)	NS	
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, brown (SM)		
			CLAY, lean, mostly clay, some fine-grained sand-sized quartz, trace shell fragments, dark brown to dark gray (CL)		
-46.4	19.0		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, with shelly bands throughout, gray (SC)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-3-12

Date 12/08/2012

Water Depth 28.9'

Coordinate System

Latitude / Longitude

Start Time 13:05:48

End Time 13:09:12

Penetration 20.0'


Latitude 30 11.519

Total Time 00:03:24


Recovery 19.0'

Longitude 088 23.396

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	0.6	28.1	69.5	1.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	99.2		
#20	96.2		
#40	71.1		
#60	20.7		
#100	6.0		
#140	3.2		
#200	1.6		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6013 D₈₅= 0.5284 D₆₀= 0.3767
 D₅₀= 0.3418 D₃₀= 0.2804 D₁₅= 0.2269
 D₁₀= 0.1978 C_u= 1.90 C_c= 1.05

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-3-12 A Sample Number: 6482 (31) Depth: 0.0' Date: 12/12/12


Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
 Project: MsCIP Barrier Island Restoration GT
 Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.8	2.7	36.8	58.7	1.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.2		
#10	96.5		
#20	92.1		
#40	59.7		
#60	12.8		
#100	1.6		
#140	1.1		
#200	1.0		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.7718 D₈₅= 0.6544 D₆₀= 0.4266

D₅₀= 0.3817 D₃₀= 0.3103 D₁₅= 0.2588

D₁₀= 0.2377 C_u= 1.79 C_c= 0.95

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-3-12 B
Sample Number: 6482 (32)

Depth: 2.2'

Date: 12/12/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	5.5	92.4	2.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	100.0		
#20	99.4		
#40	94.5		
#60	33.6		
#100	3.3		
#140	2.4		
#200	2.1		

Material Description

Fine grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.4028 D₈₅= 0.3828 D₆₀= 0.3107
 D₅₀= 0.2873 D₃₀= 0.2415 D₁₅= 0.2011
 D₁₀= 0.1841 C_u= 1.69 C_c= 1.02

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-3-12 C
Sample Number: 6482 (33)

Depth: 5.9'

Date: 12/12/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.4	0.8	33.8	63.2	1.8	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.6		
#10	98.8		
#20	94.6		
#40	65.0		
#60	17.1		
#100	3.7		
#140	2.3		
#200	1.8		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.6848 D₈₅= 0.5922 D₆₀= 0.4013
D₅₀= 0.3612 D₃₀= 0.2940 D₁₅= 0.2414
D₁₀= 0.2171 C_u= 1.85 C_c= 0.99

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-3-12 D
Sample Number: 6482 (34)

Depth: 7.9'

Date: 12/12/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-04-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-04-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,122,984 N = 250,768	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 32.3 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		BEARING	15. DATE BORING STARTED 12-22-12 COMPLETED 12-22-12	
8. TOTAL DEPTH OF BORING 15.0 Ft.		16. ELEVATION TOP OF BORING -31.6 Ft.		17. TOTAL RECOVERY FOR BORING 100%
18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-31.6	0.0				
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, slightly silty at 3.1 ft., gray (SP)	A	Classification: SP-SM Color: 5Y 6/2-light olive gray D50: 0.2498 mm % Fines: 5.6
-35.9	4.3		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, clay band at 5.1 ft., gray (SC)		
-38.9	7.3		SAND, silty, mostly fine-grained sand-sized quartz, some silt, gray (SM)	NS	
-41.6	10.0		SILT, inorganic-L, mostly silt, some fine-grained sand-sized quartz, little clay, brown grading to gray (ML)		
-43.4	11.8				
-46.6	15.0		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, some silt, few clay stringers, gray (SP-SM)		
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-4-12

Date 12/22/2012

Water Depth 32.3'

Coordinate System

Start Time 14:55:19

Latitude / Longitude

End Time 14:59:11

Penetration 20.0'


Latitude 30 11.330

Total Time 00:03:51


Recovery 15.0'

Longitude 088 23.653

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.7	1.6	15.5	76.6	5.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.3		
#10	97.7		
#20	94.6		
#40	82.2		
#60	50.1		
#100	17.8		
#140	10.5		
#200	5.6		

Material Description
Fine to medium grained, SLIGHTLY SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5525 D₈₅= 0.4583 D₆₀= 0.2877
 D₅₀= 0.2498 D₃₀= 0.1886 D₁₅= 0.1374
 D₁₀= 0.1021 C_u= 2.82 C_c= 1.21

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-4-12 A
Sample Number: 6495 (20)

Depth: 0.0'

Date: 12/31/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-05-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-05-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 31.2 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 12-08-12 COMPLETED 12-08-12
8. TOTAL DEPTH OF BORING 16.8 Ft.		16. ELEVATION TOP OF BORING -29.5 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-29.5	0.0				
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace shell fragments, lt. gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.2748 mm % Fines: 1.8
-34.0	4.5		SHELL, mostly shell fragments, clay band at 5.2 to 5.4 ft., gray	NS	
-35.7	6.2				
-36.7	7.2		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, lt. gray to gray (SP-SM)	B	Classification: SP-SM Color: 5Y 7/2-light gray D50: 0.2448 mm % Fines: 5.4
-39.5	10.0		CLAY, lean, mostly clay, some fine-grained sand-sized quartz, trace shell fragments, gray (CL)		
-42.1	12.6		SAND, silty, mostly fine-grained sand-sized quartz, some silt, lt. brown to gray (SM)	NS	
-42.9	13.4		CLAY, lean, mostly clay, some fine-grained sand-sized quartz, trace shell fragments, low to medium plasticity, dark gray (CL)		
-45.6	16.1		SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, dark gray (SM)		
-46.3	16.8		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace silt, lt. gray (SP)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-5-12

Date 12/08/2012

Water Depth 31.2'

Coordinate System

Start Time 14:51:14

Latitude / Longitude

End Time 14:53:06

Penetration 20.0'


Latitude 30 11.467

Total Time 00:01:51


Recovery 16.8'

Longitude 088 23.334

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.5	8.6	89.0	1.8	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.4		
#20	98.1		
#40	90.8		
#60	40.1		
#100	4.1		
#140	2.0		
#200	1.8		

Material Description

Fine grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4194 D₈₅= 0.3911 D₆₀= 0.3016
D₅₀= 0.2748 D₃₀= 0.2254 D₁₅= 0.1871
D₁₀= 0.1725 C_u= 1.75 C_c= 0.98

Classification

USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-5-12 A Sample Number: 6482 (35) Depth: 0.0' Date: 12/12/12

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.4	0.9	5.2	88.1	5.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.6		
#10	98.7		
#20	97.5		
#40	93.5		
#60	52.2		
#100	9.1		
#140	6.3		
#200	5.4		

Material Description
Fine grained, SLIGHTLY SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.3954 D₈₅= 0.3643 D₆₀= 0.2705
 D₅₀= 0.2448 D₃₀= 0.2008 D₁₅= 0.1675
 D₁₀= 0.1533 C_u= 1.76 C_c= 0.97

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-5-12 B Sample Number: 6482 (36) Depth: 6.2' Date: 12/12/12

Thompson Engineering
Mobile, Alabama

Client: CDM/Thompson Engineering JV
 Project: MsCIP Barrier Island Restoration GT
 Project No: 1221110095 Figure

Boring Designation BI-PBP-06-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS		9. SIZE AND TYPE OF BIT N/A		
2. BORING DESIGNATION BI-PBP-06-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,125,039 N = 251,911	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 33 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		DEG. FROM VERTICAL	15. DATE BORING	
8. TOTAL DEPTH OF BORING 6.8 Ft.		BEARING	STARTED 12-08-12	COMPLETED 12-08-12
		16. ELEVATION TOP OF BORING -31.5 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-31.5	0.0				
		•••••	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, some shell fragments, trace silt, clay pocket at 0.2, gray to lt. gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.3322 mm % Fines: 2.1
-34.9	3.4	//	CLAY, fat, mostly clay, some sand, trace shell fragments, medium to high plasticity, greenish gray (CH)	NS	
-36.2	4.7	↑↑↑↑↑	SAND, silty, mostly fine-grained sand-sized quartz, some silt, dark brown band at 5.3 ft., dense sand, pale brown (SM)	B	Classification: SP Color: 2.5Y 5/2-grayish brown D50: 0.24 mm % Fines: 2.7
-38.3	6.8				
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-6-12

Date 12/08/2012

Water Depth 33.0'

Coordinate System

Start Time 13:45:51

Latitude / Longitude

End Time 13:48:32

Penetration 8.0'


Latitude 30 11.517

Total Time 00:02:41


Recovery 6.8'

Longitude 088 23.262

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.3	1.1	17.5	79.0	2.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.7		
#10	98.6		
#20	96.7		
#40	81.1		
#60	15.1		
#100	3.3		
#140	2.4		
#200	2.1		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5883 D₈₅= 0.4841 D₆₀= 0.3569

D₅₀= 0.3322 D₃₀= 0.2869 D₁₅= 0.2492

D₁₀= 0.2126 C_u= 1.68 C_c= 1.08

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-6-12 A Depth: 0.0' Date: 12/12/12

Sample Number: 6482 (37)

Thompson Engineering

Mobile, Alabama


Client: CDM/Thompson Engineering JV

Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	17.0	80.3	2.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	100.0		
#20	97.8		
#40	83.0		
#60	53.3		
#100	13.0		
#140	4.6		
#200	2.7		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5320 D₈₅= 0.4495 D₆₀= 0.2733
 D₅₀= 0.2400 D₃₀= 0.1906 D₁₅= 0.1555
 D₁₀= 0.1400 C_u= 1.95 C_c= 0.95

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-6-12 B Sample Number: 6482 (38) Depth: 4.7' Date: 12/12/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
 Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-08-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-08-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,125,076 N = 250,555	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 27.1 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		BEARING	15. DATE BORING STARTED 12-22-12 COMPLETED 12-22-12	
8. TOTAL DEPTH OF BORING 16.7 Ft.		16. ELEVATION TOP OF BORING -27.3 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-27.3	0.0				
		•••••	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few shell fragments, trace fines, lt. gray to gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.3643 mm % Fines: 1
-33.6	6.3			B	Classification: SP Color: 5Y 7/2-light gray D50: 0.2361 mm % Fines: 1.7
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, little clay stringers, gray (SM)	NS	
-37.2	9.9				
			SILT, inorganic-L, mostly silt, some clay, little fine-grained sand-sized quartz, dark gray (ML)		
-39.6	12.3				
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, few clay stringers and a clay band at 14.8 ft., brown to gray (SM)		
-43.0	15.7				
-44.0	16.7				
			SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, gray (SP-SM)		
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-8-12

Date 12/22/2012

Water Depth 27.1'

Coordinate System

Latitude / Longitude

Start Time 13:47:50

End Time 13:49:21

Penetration 20.0'


Latitude 30 11.293

Total Time 00:01:31


Recovery 16.7'

Longitude 088 23.256

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.8	2.5	32.5	63.2	1.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.2		
#10	96.7		
#20	92.4		
#40	64.2		
#60	15.5		
#100	1.6		
#140	1.1		
#200	1.0		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.7379 D₈₅= 0.6142 D₆₀= 0.4048
 D₅₀= 0.3643 D₃₀= 0.2977 D₁₅= 0.2479
 D₁₀= 0.2268 C_u= 1.78 C_c= 0.97

Classification
 USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-8-12 A **Depth:** 0.0' **Date:** 12/31/12
Sample Number: 6495 (21)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	1.7	11.1	85.3	1.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	98.1		
#20	94.9		
#40	87.0		
#60	55.8		
#100	6.6		
#140	2.2		
#200	1.7		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4787 D₈₅= 0.3988 D₆₀= 0.2616

D₅₀= 0.2361 D₃₀= 0.1967 D₁₅= 0.1691

D₁₀= 0.1586 C_u= 1.65 C_c= 0.93

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-8-12 B
Sample Number: 6495 (22)

Depth: 5.0'

Date: 12/31/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095


Figure

Boring Designation BI-PBP-09-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-09-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 28.9 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 12-08-12 COMPLETED 12-08-12
8. TOTAL DEPTH OF BORING 18.0 Ft.		16. ELEVATION TOP OF BORING -27.4 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-27.4	0.0				
-29.6	2.2		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace shell fragments, pale lt. brown (SP)	A	Classification: SP Color: 2.5Y 7/2-light gray D50: 0.3314 mm % Fines: 1
-29.8	2.4		SHELL, mostly shell fragments, trace fine-grained sand-sized quartz, gray	NS	
-33.0	5.6		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few shell fragments, trace fines, lt. gray (SP)	B	Classification: SP Color: 5Y 7/2-light gray D50: 0.2559 mm % Fines: 1.7
-33.9	6.5		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, gray (SC)		
-34.9	7.5		CLAY, fat, mostly clay, medium to high plasticity, dark gray (CH)		
-36.5	9.1		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace fines, trace shell fragments, gray (SP)		
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, pale brown (SM)	NS	
-42.8	15.4		At El. -41.2 Ft., mostly fine-grained sand-sized quartz, some silt, trace clay, brown		
-43.3	15.9		CLAY, lean, mostly clay, trace fine-grained sand-sized quartz, low to medium plasticity, dark gray (CL)		
-45.1	17.7		SAND, silty, mostly fine-grained sand-sized quartz, some silt, gray (SM)		
-45.4	18.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace fines, lt. gray (SP)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE</p>					

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2
					OF 2 SHEETS
PROJECT MsCIP Barrier Island Restoration			COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)	HORIZONTAL NAD83	VERTICAL NAVD88
LOCATION COORDINATES X = 1,124,933 Y = 250,772			ELEVATION TOP OF BORING -27.4 Ft.		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			hydrographic survey completed April 2014.		



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-9-12

Date 12/08/2012

Water Depth 28.9'

Coordinate System

Latitude / Longitude

Start Time 14:17:46

End Time 14:18:59

Penetration 20.0'


Latitude 30 11.329

Total Time 00:01:12


Recovery 18.0'

Longitude 088 23.283

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.8	22.1	76.0	1.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.1		
#20	96.9		
#40	77.0		
#60	19.5		
#100	1.7		
#140	1.1		
#200	1.0		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5225 D₈₅= 0.4741 D₆₀= 0.3607
D₅₀= 0.3314 D₃₀= 0.2788 D₁₅= 0.2355
D₁₀= 0.2163 C_u= 1.67 C_c= 1.00

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-9-12 A
Sample Number: 6482 (39)

Depth: 0.0'

Date: 12/12/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.6	2.1	14.4	81.2	1.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=N)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.4		
#10	97.3		
#20	93.9		
#40	82.9		
#60	47.9		
#100	5.2		
#140	2.1		
#200	1.7		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5473 D₈₅= 0.4503 D₆₀= 0.2882

D₅₀= 0.2559 D₃₀= 0.2079 D₁₅= 0.1759

D₁₀= 0.1641 C_u= 1.76 C_c= 0.91

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-9-12 B
Sample Number: 6482 (40)

Depth: 2.4'

Date: 12/12/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-12-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-12-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 32.5 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 12-22-12 COMPLETED 12-22-12
8. TOTAL DEPTH OF BORING 8.6 Ft.		16. ELEVATION TOP OF BORING -31.0 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-31.0	0.0				
-33.1	2.1		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, gray (SP)	A	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.2788 mm % Fines: 2
-34.1	3.1		SAND, poorly-graded with silt, mostly fine to medium-grained sand-sized quartz, some shell fragments, few clay stringers, gray (SP-SM)	NS	
-36.7	5.7		SAND, silty, mostly fine-grained sand-sized quartz, some silt, little shell fragments, gray (SM)	B	Classification: SP-SM Color: 5Y 5/2-olive gray D50: 0.2942 mm % Fines: 7.3
-37.9	6.9		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, clay band at 6.6 ft., dark gray (SC)	NS	
-39.6	8.6		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, grades siltier with depth, gray grading to brown (SP-SM)	NS	
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Drilled depth was 16.3 ft. and return was 8.6 ft. Unsure of cause of poor return. Did not appear to be a mechanical issue.</p> <p>4. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-12-12

Date 12/22/2012

Water Depth 32.5'

Coordinate System

Latitude / Longitude

Start Time 14:20:05

End Time 14:22:54

Penetration 16.3'


Latitude 30 11.395

Total Time 00:02:49


Recovery 8.6'

Longitude 088 23.710

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.5	2.2	16.9	78.4	2.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.5		
#10	97.3		
#20	94.1		
#40	80.4		
#60	40.6		
#100	5.4		
#140	2.6		
#200	2.0		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5591 D₈₅= 0.4710 D₆₀= 0.3143
D₅₀= 0.2788 D₃₀= 0.2212 D₁₅= 0.1817
D₁₀= 0.1670 C_u= 1.88 C_c= 0.93

Classification

USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-12-12 A **Depth:** 0.0' **Date:** 12/31/12

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.8	1.7	20.5	68.7	7.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	98.2		
#10	96.5		
#20	94.6		
#40	76.0		
#60	38.2		
#100	14.3		
#140	8.9		
#200	7.3		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND, with trace SHELL

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6120 D₈₅= 0.5157 D₆₀= 0.3356
 D₅₀= 0.2942 D₃₀= 0.2192 D₁₅= 0.1541
 D₁₀= 0.1187 C_u= 2.83 C_c= 1.21

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-12-12 B
Sample Number: 6495 (24)

Depth: 3.1'

Date: 12/31/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.9	0.9	14.0	81.1	3.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.1		
#10	98.2		
#20	95.4		
#40	84.2		
#60	55.7		
#100	21.5		
#140	7.4		
#200	3.1		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5218 D₈₅= 0.4348 D₆₀= 0.2669
 D₅₀= 0.2302 D₃₀= 0.1723 D₁₅= 0.1319
 D₁₀= 0.1162 C_u= 2.30 C_c= 0.96

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-12-12 C
Sample Number: 6495 (25)

Depth: 6.9'

Date: 12/31/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-13-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-13-12		LOCATION COORDINATES E = 1,124,325 N = 252,847		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
3. DRILLING AGENCY Corps of Engineers - CESAM		CONTRACTOR FILE NO.		HORIZONTAL NAD83
4. NAME OF DRILLER American Vibracore Systems, Inc.		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		DEG. FROM VERTICAL	BEARING	12. TOTAL SAMPLES
6. THICKNESS OF OVERBURDEN N/A		13. TOTAL NUMBER CORE BOXES		DISTURBED
7. DEPTH DRILLED INTO ROCK N/A		14. WATER DEPTH 29 Ft.		UNDISTURBED (UD) 0
8. TOTAL DEPTH OF BORING 19.3 Ft.		15. DATE BORING		STARTED 12-22-12
		16. ELEVATION TOP OF BORING -28.9 Ft.		COMPLETED 12-22-12
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-28.9	0.0				
		•••••	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace shell fragments, shelly at 1.2 ft., dense, lt. gray (SP)	A	Classification: SP Color: 2.5Y 7/2-light gray D50: 0.2911 mm % Fines: 1.9
-33.7	4.8	•••••	SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, thick clay bands, gray (SM)	NS	
		•••••	At El. -34.9 Ft., mostly fine-grained sand-sized quartz, some silt, organic staining, trace clay bands, brown	B	Classification: SP-SM Color: 2.5Y 4/2-dark grayish brown D50: 0.2371 mm % Fines: 5.3
-38.4	9.5	•••••	SAND, clayey, mostly fine-grained sand-sized quartz, some clay, little silt, trace shell fragments, gray (SC)	NS	
-42.7	13.8	•••••	SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, trace clay bands, loose, gray (SM)	NS	
-48.2	19.3	•••••			
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-13-12

Date 12/22/2012

Water Depth 29.0'

Coordinate System

Latitude / Longitude

Start Time 10:47:16

End Time 10:48:41

Penetration 20.0'


Latitude 30 11.672 N

Total Time 00:01:25


Recovery 19.3'

Longitude 088 23.397 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	1.5	18.0	78.4	1.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	98.3		
#20	95.3		
#40	80.3		
#60	36.3		
#100	4.3		
#140	2.4		
#200	1.9		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5350 D₈₅= 0.4657 D₆₀= 0.3253

D₅₀= 0.2911 D₃₀= 0.2323 D₁₅= 0.1896

D₁₀= 0.1736 C_u= 1.87 C_c= 0.96

Classification

USCS= SP AASHTO=

Remarks


* (no specification provided)

Location: BI-PBP-13-12 A Depth: 0.0' Date: 12/31/12

Sample Number: 6495 (26)

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	16.2	78.2	5.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.7		
#20	97.6		
#40	83.5		
#60	53.3		
#100	24.2		
#140	10.5		
#200	5.3		

Material Description
Fine to medium grained, SLIGHTLY SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5121 D₈₅= 0.4409 D₆₀= 0.2783
 D₅₀= 0.2371 D₃₀= 0.1678 D₁₅= 0.1218
 D₁₀= 0.1040 C_u= 2.68 C_c= 0.97

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-13-12 B **Depth:** 6.0' **Date:** 12/31/12
Sample Number: 6495 (27)

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT
Project No: 1221110095

Figure

Boring Designation BI-PBP-14-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-14-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 27.3 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -27.8 Ft.		STARTED 12-22-12
8. TOTAL DEPTH OF BORING 15.5 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 12-22-12
18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-27.8	0.0				
-29.8	2.0	•••••	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, gray (SP)	A	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.2613 mm % Fines: 2.5
-43.3	15.5		SAND, silty, mostly fine-grained sand-sized quartz, some silt, alternating bands of silty, fine-grained sand and stiff, low to medium plasticity, silty clay up to 1 ft. thick, gray (SM)	NS	
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-14-12

Date 12/22/2012

Water Depth 27.3

Coordinate System

Latitude / Longitude

Start Time 11:14:48

End Time 11:17:15

Penetration 20.0'


Latitude 30 11.676 N

Total Time 00:02:27


Recovery 15.5'

Longitude 088 23.563 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.6	1.4	17.7	77.8	2.5	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=N)
1	100.0		
.75	100.0		
.5	99.8		
.375	99.8		
#4	99.4		
#10	98.0		
#20	94.9		
#40	80.3		
#60	46.8		
#100	15.0		
#140	5.1		
#200	2.5		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5732 D₈₅= 0.4779 D₆₀= 0.3012

D₅₀= 0.2613 D₃₀= 0.1962 D₁₅= 0.1501

D₁₀= 0.1315 C_u= 2.29 C_c= 0.97

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-14-12 A
Sample Number: 6495 (28)

Depth: 0.0'

Date: 12/31/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-15-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-15-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 29.4 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 12-22-12 COMPLETED 12-22-12
8. TOTAL DEPTH OF BORING 19.6 Ft.		16. ELEVATION TOP OF BORING -28.0 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-28.0	0.0				
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace coarse-grained sand-sized quartz, some shell fragments from 0.0 to 1.3 ft. and trace fines from 0.0 to 0.3 ft., gray to lt. gray to white (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.3401 mm % Fines: 1.2
-33.0	5.0		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, few shell fragments, gray (SP-SM)	B	Classification: SP-SM Color: 5Y 5/2-olive gray D50: 0.2343 mm % Fines: 6.9
-35.2	7.2		SAND, silty, mostly fine-grained sand-sized quartz, some silt, clay bands at 9.0 ft., gray (SM)		
			At El. -38.9 Ft., mostly fine-grained sand-sized quartz, some silt, trace clay, trace shell fragments, two 1-in. diameter cobbles within interval, gray	NS	
			At El. -42.6 Ft., mostly fine-grained sand-sized quartz, some silt, some clay, trace shell fragments, slightly plastic, greenish gray		
-47.6	19.6				
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USGS hydrographic survey.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-15-12

Date 12/22/2012

Water Depth 29.4'

Coordinate System

Latitude / Longitude

Start Time 10:16:56

End Time 10:18:32

Penetration 20.0'


Latitude 30 11.677 N

Total Time 00:01:35


Recovery 19.6'

Longitude 088 23.222 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.6	0.7	18.2	79.3	1.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.4		
#10	98.7		
#20	97.5		
#40	80.5		
#60	9.5		
#100	2.0		
#140	1.3		
#200	1.2		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5831 D₈₅= 0.4880 D₆₀= 0.3634
 D₅₀= 0.3401 D₃₀= 0.2976 D₁₅= 0.2646
 D₁₀= 0.2515 C_u= 1.45 C_c= 0.97

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-15-12 A
Sample Number: 6495 (29)

Depth: 0.0'

Date: 12/31/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.5	2.1	14.7	75.8	6.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.5		
#10	97.4		
#20	94.3		
#40	82.2		
#60	54.2		
#100	23.4		
#140	11.0		
#200	6.9		

Material Description
Fine to medium grained, SLIGHTLY SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5561 D₈₅= 0.4541 D₆₀= 0.2741
 D₅₀= 0.2343 D₃₀= 0.1699 D₁₅= 0.1227
 D₁₀= 0.1009 C_u= 2.72 C_c= 1.04

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-15-12 B
Sample Number: 6495 (30)

Depth: 5.0'

Date: 12/31/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-18-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-18-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 27 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 12-22-12 COMPLETED 12-22-12
8. TOTAL DEPTH OF BORING 19.1 Ft.		16. ELEVATION TOP OF BORING -27.5 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-27.5	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, lt. gray (SP)	A	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.2036 mm % Fines: 3.4
				B	Classification: SP Color: 5Y 7/2-light gray D50: 0.2137 mm % Fines: 3.2
-35.5	8.0			NS	
-36.2	8.7		CLAY, lean, mostly clay, some fine-grained sand-sized quartz, little silt, low to medium plasticity, dark gray (CL)		
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, few organic matter, trace clay, brown (SM)	C	Classification: SP-SM Color: 2.5Y 4/2-dark grayish brown D50: 0.2694 mm % Fines: 5.5
-40.6	13.1			NS	
-41.6	14.1		CLAY, lean, mostly clay, some fine-grained sand-sized quartz, medium plasticity, dark brown (CL)		
			SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace clay stringers, gray (SC)	NS	
-45.6	18.1				
-46.6	19.1		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace fines, lt. gray (SP)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-18-12

Date 12/22/2012

Water Depth 27.0'

Coordinate System

Latitude / Longitude

Start Time 13:16:44

End Time 13:19:25

Penetration 20.0'


Latitude 30 11.592 N

Total Time 00:02:41


Recovery 19.1'

Longitude 088 23.473 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.3	0.9	7.0	88.4	3.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.7		
#10	98.8		
#20	97.6		
#40	91.8		
#60	68.3		
#100	23.2		
#140	8.8		
#200	3.4		

Material Description

Fine grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.3927 D₈₅= 0.3353 D₆₀= 0.2265
 D₅₀= 0.2036 D₃₀= 0.1640 D₁₅= 0.1292
 D₁₀= 0.1115 C_u= 2.03 C_c= 1.06

Classification
 USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-18-12 A **Depth:** 0.0' **Date:** 12/31/12
Sample Number: 6495 (31)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.1	1.9	94.8	3.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.9		
#20	99.7		
#40	98.0		
#60	68.4		
#100	12.1		
#140	5.1		
#200	3.2		

Material Description

Fine grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.3339 D₈₅= 0.3053 D₆₀= 0.2318

D₅₀= 0.2137 D₃₀= 0.1817 D₁₅= 0.1563

D₁₀= 0.1446 C_u= 1.60 C_c= 0.98

Classification

USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-18-12 B Depth: 4.1' Date: 12/31/12

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	14.2	80.0	5.5	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.7		
#20	97.9		
#40	85.5		
#60	44.5		
#100	20.5		
#140	8.9		
#200	5.5		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5168 D₈₅= 0.4214 D₆₀= 0.3045
D₅₀= 0.2694 D₃₀= 0.1914 D₁₅= 0.1296
D₁₀= 0.1108 C_u= 2.75 C_c= 1.09

Classification

USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-18-12 C **Depth:** 8.7' **Date:** 12/31/12
Sample Number: 6495 (33)

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Boring Designation BI-PBP-19-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS		9. SIZE AND TYPE OF BIT N/A		
2. BORING DESIGNATION BI-PBP-19-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 30.5 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 12-22-12 COMPLETED 12-22-12
8. TOTAL DEPTH OF BORING 17.7 Ft.		16. ELEVATION TOP OF BORING -30.3 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-30.3	0.0				
-30.7	0.4		SILT, inorganic-L, mostly silt, trace clay, very soft, dark gray (ML)	NS	
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, gray (SP) At El. -33.3 Ft., mostly fine-grained sand-sized quartz, trace fines, 1-inch clayey band at 3.7 ft., lt. gray to white	A	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.3295 mm % Fines: 1.7
				B	Classification: SP Color: 2.5Y 7/2-light gray D50: 0.346 mm % Fines: 1.5
-38.2	7.9		SAND, poorly-graded with silt, mostly fine to medium-grained sand-sized quartz, few silt, trace shell fragments, siltier at 8.6 and 11.1 ft., shell hash at 12 ft., gray (SP-SM)	C	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.4269 mm % Fines: 3.7
-42.3	12.0				
-43.0	12.7		SAND, silty, mostly fine-grained sand-sized quartz, some silt, dark brown (SM)	NS	
-43.8	13.5				
-44.4	14.1		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, dark brown (SC)		
			CLAY, fat, mostly clay, medium to high plasticity, stiff, dark gray (CH)	D	Classification: SP Color: 2.5Y 6/2-light brownish gray D50: 0.3387 mm % Fines: 3
-48.0	17.7		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, gets siltier with depth, lt. gray (SP)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-19-12

Date 12/22/2012

Water Depth 30.5'

Coordinate System

Latitude / Longitude

Start Time 11:42:59

End Time 11:48:55

Penetration 20.0'


Latitude 30 11.676 N

Total Time 00:05:55


Recovery 17.7'

Longitude 088 23.814 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.9	3.2	23.2	71.0	1.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.1		
#10	95.9		
#20	91.7		
#40	72.7		
#60	24.6		
#100	4.0		
#140	2.0		
#200	1.7		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.6750 D₈₅= 0.5385 D₆₀= 0.3654
D₅₀= 0.3295 D₃₀= 0.2671 D₁₅= 0.2152
D₁₀= 0.1923 C_u= 1.90 C_c= 1.02

Classification

USCS= SP AASHTO=

Remarks


* (no specification provided)

Location: BI-PBP-19-12 A Depth: 0.4' Date: 12/31/12
Sample Number: 6495 (34)

Thompson Engineering
Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT
Project No: 1221110095 Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.1	21.8	76.6	1.5	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.9		
#20	99.8		
#40	78.1		
#60	7.7		
#100	1.9		
#140	1.6		
#200	1.5		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5759 D₈₅= 0.5008 D₆₀= 0.3700
 D₅₀= 0.3460 D₃₀= 0.3026 D₁₅= 0.2695
 D₁₀= 0.2567 C_u= 1.44 C_c= 0.96

Classification
 USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-19-12 B Depth: 3.0' Date: 12/31/12
 Sample Number: 6495 (35)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095
Figure	

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	3.2	1.6	45.6	45.9	3.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	98.1		
.375	98.1		
#4	96.8		
#10	95.2		
#20	91.4		
#40	49.6		
#60	7.6		
#100	4.5		
#140	3.9		
#200	3.7		

Material Description

Fine to medium grained, SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.8137 D₈₅= 0.7172 D₆₀= 0.4813

D₅₀= 0.4269 D₃₀= 0.3427 D₁₅= 0.2847

D₁₀= 0.2625 C_u= 1.83 C_c= 0.93

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-19-12 C
Sample Number: 6495 (36)

Depth: 7.9'

Date: 12/31/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	24.3	72.7	3.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	100.0		
#20	99.6		
#40	75.7		
#60	16.9		
#100	4.0		
#140	3.1		
#200	3.0		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5200 D₈₅= 0.4773 D₆₀= 0.3677
 D₅₀= 0.3387 D₃₀= 0.2866 D₁₅= 0.2434
 D₁₀= 0.2230 C_u= 1.65 C_c= 1.00

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-19-12 D Depth: 14.1' Date: 12/31/12
 Sample Number: 6495 (37)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Boring Designation BI-PBP-20-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-20-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 24.2 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -24.9 Ft.		STARTED 12-22-12
8. TOTAL DEPTH OF BORING 13.1 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 12-22-12
18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-24.9	0.0				
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, few shell fragments, trace fines, pale lt. brown (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.3285 mm % Fines: 0.9
-29.9	5.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace shell fragments, silty zone at 7.2 ft., dense, lt. gray (SP)	B	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.2316 mm % Fines: 4.3
-34.9	10.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace fines, trace shell fragments, very dense, lt. gray (SP)	C	Classification: SP Color: 5Y 7/2-light gray D50: 0.3013 mm % Fines: 3.1
-38.0	13.1				
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Refusal reached at 16 ft. 4. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-20-12

Date 12/22/2012

Water Depth 24.2'

Coordinate System

Latitude / Longitude

Start Time 12:47:35

End Time 12:53:58

Penetration 16.0'


Latitude 30 11.602 N

Total Time 00:06:22


Recovery 13.1'

Longitude 088 23.626 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.9	2.4	24.0	71.8	0.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.1		
#10	96.7		
#20	93.5		
#40	72.7		
#60	24.9		
#100	2.1		
#140	1.1		
#200	0.9		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.6353 D₈₅= 0.5335 D₆₀= 0.3649

D₅₀= 0.3285 D₃₀= 0.2658 D₁₅= 0.2165

D₁₀= 0.1967 C_u= 1.86 C_c= 0.98

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-20-12 A
Sample Number: 6495 (38)

Depth: 0.0'

Date: 12/31/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.4	1.1	3.1	91.1	4.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.6		
#10	98.5		
#20	97.5		
#40	95.4		
#60	58.4		
#100	8.4		
#140	4.8		
#200	4.3		

Material Description

Fine grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.3733 D₈₅= 0.3421 D₆₀= 0.2538
 D₅₀= 0.2316 D₃₀= 0.1941 D₁₅= 0.1661
 D₁₀= 0.1546 C_u= 1.64 C_c= 0.96

Classification
 USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-20-12 B **Depth:** 5.0' **Date:** 12/31/12
Sample Number: 6495 (39)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095
Figure	

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	13.5	83.1	3.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.7		
#20	98.5		
#40	86.2		
#60	29.9		
#100	4.4		
#140	3.6		
#200	3.1		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5003 D₈₅= 0.4185 D₆₀= 0.3282
D₅₀= 0.3013 D₃₀= 0.2503 D₁₅= 0.2049
D₁₀= 0.1850 C_u= 1.77 C_c= 1.03

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-20-12 C **Depth:** 10.0' **Date:** 12/31/12
Sample Number: 6495 (40)




Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT
Project No: 1221110095 **Figure**

Boring Designation BI-PBP-21-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-21-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,122,925 N = 252,896	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 25.8 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		BEARING	15. DATE BORING STARTED 01-04-13 COMPLETED 01-04-13	
8. TOTAL DEPTH OF BORING 13.0 Ft.		16. ELEVATION TOP OF BORING -25.8 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-25.8	0.0				
-28.3	2.5		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, pale brownish gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.314 mm % Fines: 1.4
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, 0.5-inch clayey band at 9.1 ft., very dense, lt. gray (SP)	B	Classification: SP Color: 5Y 8/1-white D50: 0.3034 mm % Fines: 1.5
				C	Classification: SP Color: 5Y 8/1-white D50: 0.2974 mm % Fines: 1.7
-38.8	13.0				
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-21-12

Date 01/04/2013

Water Depth 25.8'

Coordinate System

Latitude / Longitude

Start Time 11:28:15

End Time 11:34:12

Penetration 13.3'


Latitude 30 11.681 N

Total Time 00:05:57


Recovery 13.0'

Longitude 088 23.663 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	1.0	22.9	74.5	1.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	98.8		
#20	96.7		
#40	75.9		
#60	29.5		
#100	3.5		
#140	1.7		
#200	1.4		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5661 D₈₅= 0.4976 D₆₀= 0.3496
D₅₀= 0.3140 D₃₀= 0.2516 D₁₅= 0.2028
D₁₀= 0.1838 C_u= 1.90 C_c= 0.99

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-21-12 A
Sample Number: 6503 (1)

Depth: 0.0'

Date: 1/08/13

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	0.1	8.4	89.8	1.5	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	99.7		
#20	99.4		
#40	91.3		
#60	26.2		
#100	2.4		
#140	1.6		
#200	1.5		

Material Description

Fine grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4189 D₈₅= 0.3982 D₆₀= 0.3264
D₅₀= 0.3034 D₃₀= 0.2590 D₁₅= 0.2188
D₁₀= 0.2006 C_u= 1.63 C_c= 1.02

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-21-12 B
Sample Number: 6503 (2)

Depth: 2.5'

Date: 1/08/13

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	4.8	93.5	1.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	100.0		
#20	99.9		
#40	95.2		
#60	27.8		
#100	2.1		
#140	1.9		
#200	1.7		

Material Description

Fine grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4026 D₈₅= 0.3848 D₆₀= 0.3191

D₅₀= 0.2974 D₃₀= 0.2549 D₁₅= 0.2161

D₁₀= 0.1989 C_u= 1.60 C_c= 1.02

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-21-12 C
Sample Number: 6503 (3)

Depth: 7.5'

Date: 1/08/13

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-22-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-22-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 24.2 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 01-04-13 COMPLETED 01-04-13
8. TOTAL DEPTH OF BORING 18.8 Ft.		16. ELEVATION TOP OF BORING -23.7 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-23.7	0.0		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, lt. gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.3069 mm % Fines: 1.3
				B	Classification: SP Color: 5Y 7/2-light gray D50: 0.2872 mm % Fines: 2.2
-33.7	10.0		CLAY, fat, mostly clay, medium to high plasticity, gray (CH)	NS	
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace clay stringers, gray to lt. gray (SP)	C	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.2354 mm % Fines: 4.5
-37.9	14.2		CLAY, lean, mostly clay, some silt, trace shell fragments, sandy zone between 14.2 to 14.7 ft., low to medium plasticity, gray (CL)	NS	
-40.4	16.7		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, trace shell fragments, gray (SP-SM)		
-42.2	18.5		SAND, poorly-graded with clay, mostly fine-grained sand-sized quartz, few clay, clay band at 18.6 ft., gray (SP-SC)		
-42.5	18.8		NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval.		

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2
					OF 2 SHEETS
PROJECT MsCIP Barrier Island Restoration			COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)	HORIZONTAL NAD83	VERTICAL NAVD88
LOCATION COORDINATES X = 1,123,657 Y = 251,567			ELEVATION TOP OF BORING -23.7 Ft.		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-22-12

Date 01/04/2013

Water Depth 24.2'

Coordinate System

Latitude / Longitude

Start Time 10:52:09

End Time 10:54:10

Penetration 20.0'


Latitude 30 11.461 N

Total Time 00:02:00


Recovery 18.8'

Longitude 088 23.525 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.7	11.7	86.2	1.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.2		
#20	97.8		
#40	87.5		
#60	25.9		
#100	1.5		
#140	1.4		
#200	1.3		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4815 D₈₅= 0.4128 D₆₀= 0.3316

D₅₀= 0.3069 D₃₀= 0.2602 D₁₅= 0.2195

D₁₀= 0.2019 C_u= 1.64 C_c= 1.01

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-22-12 A Depth: 0.0' Date: 1/08/13

Sample Number: 6503 (4)

Thompson Engineering

Mobile, Alabama


Client: CDM/Thompson Engineering JV

Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.3	1.2	15.0	81.3	2.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.9		
#4	99.7		
#10	98.5		
#20	96.1		
#40	83.5		
#60	36.8		
#100	4.6		
#140	2.5		
#200	2.2		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5688 D₈₅= 0.4513 D₆₀= 0.3185

D₅₀= 0.2872 D₃₀= 0.2315 D₁₅= 0.1891

D₁₀= 0.1729 C_u= 1.84 C_c= 0.97

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-22-12 B
Sample Number: 6503 (5)

Depth: 5.0'

Date: 1/08/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	2.9	2.9	12.5	77.2	4.5	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	97.1		
#10	94.2		
#20	90.4		
#40	81.7		
#60	55.4		
#100	10.8		
#140	5.5		
#200	4.5		

Material Description

Fine to medium grained, SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.7955 D₈₅= 0.4955 D₆₀= 0.2650
D₅₀= 0.2354 D₃₀= 0.1919 D₁₅= 0.1609
D₁₀= 0.1443 C_u= 1.84 C_c= 0.96

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-22-12 C
Sample Number: 6503 (6)

Depth: 10.3'

Date: 1/08/13

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-23-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-23-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 35.4 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 01-04-13 COMPLETED 01-04-13
8. TOTAL DEPTH OF BORING 14.9 Ft.		16. ELEVATION TOP OF BORING -35.3 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-35.3	0.0				
-36.5	1.2		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, some silt, trace shells, dark gray (SC)	NS	
-38.5	3.2		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace fines, trace shell fragments, few silty bands, lt. gray (SP)	A	Classification: SP-SM Color: 5Y 5/2-olive gray D50: 0.3227 mm % Fines: 6.9
-40.1	4.8		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, gray (SC)	B	Classification: SM Color: 2.5Y 5/2-grayish brown D50: 0.1263 mm % Fines: 13
-42.6	7.3		SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, some medium grained sand between 4.8-5.3 ft., brown (SM)	NS	
-44.6	9.3		SILT, inorganic-L, mostly silt, some fine-grained sand-sized quartz, trace clay, trace shell fragments, gray (ML)	C	Classification: SM Color: 5Y 5/2-olive gray D50: 0.1847 mm % Fines: 14.3
-46.6	11.3		SAND, silty, mostly fine-grained sand-sized quartz, some silt, gray (SM)	D	Classification: SP-SM Color: 5Y 6/2-light olive gray D50: 0.1352 mm % Fines: 5.4
-49.7	14.4		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace fines, trace silty bands, dense, lt. gray (SP)		
-50.2	14.9		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, gray (SC)	NS	
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USGS hydrographic survey.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-23-12

Date 01/04/2013

Water Depth 35.4'

Coordinate System

Latitude / Longitude

Start Time 10:09:47

End Time 10:12:55

Penetration 20.0'


Latitude 30 11.362 N

Total Time 00:03:07


Recovery 14.9'

Longitude 088 23.816 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	1.2	11.5	80.2	6.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	98.6		
#20	97.1		
#40	87.1		
#60	17.7		
#100	9.0		
#140	7.6		
#200	6.9		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4967 D₈₅= 0.4166 D₆₀= 0.3450
D₅₀= 0.3227 D₃₀= 0.2800 D₁₅= 0.2220
D₁₀= 0.1646 C_u= 2.10 C_c= 1.38

Classification

USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-23-12 A
Sample Number: 6503 (7)

Depth: 1.2'

Date: 1/08/13

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.8	7.4	78.7	13.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.1		
#20	96.7		
#40	91.7		
#60	85.2		
#100	62.8		
#140	36.4		
#200	13.0		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.3404 D₈₅= 0.2478 D₆₀= 0.1441

D₅₀= 0.1263 D₃₀= 0.0971 D₁₅= 0.0774

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-23-12 B
Sample Number: 6503 (8)

Depth: 4.8'

Date: 1/08/13

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.2	3.1	82.3	14.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.7		
#20	99.3		
#40	96.6		
#60	75.2		
#100	34.3		
#140	21.1		
#200	14.3		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.3308 D₈₅= 0.2946 D₆₀= 0.2073

D₅₀= 0.1847 D₃₀= 0.1387 D₁₅= 0.0781

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-23-12 C
Sample Number: 6503 (9)

Depth: 9.3'

Date: 1/08/13

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	3.8	90.8	5.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	100.0		
#20	97.4		
#40	96.2		
#60	94.4		
#100	66.3		
#140	12.8		
#200	5.4		

Material Description
Fine grained, SLIGHTLY SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.2000 D₈₅= 0.1811 D₆₀= 0.1437
 D₅₀= 0.1352 D₃₀= 0.1202 D₁₅= 0.1081
 D₁₀= 0.0929 C_u= 1.55 C_c= 1.08

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-23-12 D Depth: 11.3' Date: 1/08/13
 Sample Number: 6503 (10)

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
 Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBP-24-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-MS			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBP-24-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 27.1 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 01-04-13 COMPLETED 01-04-13
8. TOTAL DEPTH OF BORING 19.9 Ft.		16. ELEVATION TOP OF BORING -26.3 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-26.3	0.0				
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, lt. pale brown to light gray (SP)	A	Classification: SP-SM Color: 5Y 7/2-light gray D50: 0.3327 mm % Fines: 5.1
				B	Classification: SP Color: 5Y 7/2-light gray D50: 0.2546 mm % Fines: 2
-34.9	8.6		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, trace shell fragments, gray (SP-SM)	C	Classification: SP-SM Color: 5Y 6/2-light olive gray D50: 0.2973 mm % Fines: 6.2
-37.5	11.2				
-39.9	13.6		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, little silt, trace shell fragments, gray (SC)	NS	
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, brown (SM)	D	Classification: SM Color: 2.5Y 4/2-dark grayish brown D50: 0.1227 mm % Fines: 13.6
-44.4	18.1				
-44.7	18.4				
-45.9	19.6		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, gray (SC)	NS	
-46.2	19.9				
			CLAY, lean, mostly clay, some fine-grained sand-sized quartz, gray (CL)		
			SAND, clayey, mostly fine-grained sand-sized quartz, some clay, gray (SC)		
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification		

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2 OF 2 SHEETS	
PROJECT MsCIP Barrier Island Restoration			COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL NAVD88
LOCATION COORDINATES X = 1,124,585 Y = 250,847			ELEVATION TOP OF BORING -26.3 Ft.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS	
			<p>System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>			



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBP-24-12

Date 01/04/2013

Water Depth 27.1'

Coordinate System

Latitude / Longitude

Start Time 09:25:47

End Time 09:28:44

Penetration 20.0'


Latitude 30 11.342 N

Total Time 00:02:57


Recovery 19.9'

Longitude 088 23.349 W

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	1.2	25.1	68.6	5.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	98.8		
#20	96.8		
#40	73.7		
#60	22.8		
#100	5.8		
#140	5.3		
#200	5.1		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5703 D₈₅= 0.5061 D₆₀= 0.3663
D₅₀= 0.3327 D₃₀= 0.2726 D₁₅= 0.2202
D₁₀= 0.1937 C_u= 1.89 C_c= 1.05

Classification

USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-24-12 A
Sample Number: 6503 (11)

Depth: 0.0'

Date: 1/08/13

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.4	1.8	14.4	81.4	2.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.6		
#10	97.8		
#20	94.7		
#40	83.4		
#60	48.4		
#100	7.5		
#140	3.1		
#200	2.0		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5288 D₈₅= 0.4432 D₆₀= 0.2873

D₅₀= 0.2546 D₃₀= 0.2049 D₁₅= 0.1710

D₁₀= 0.1580 C_u= 1.82 C_c= 0.93

Classification

USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBP-24-12 B **Depth:** 5.0' **Date:** 1/08/13

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	1.3	8.6	83.7	6.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	98.5		
#20	97.2		
#40	89.9		
#60	31.1		
#100	9.8		
#140	7.3		
#200	6.2		

Material Description
Fine grained, SLIGHTLY SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.4275 D₈₅= 0.4015 D₆₀= 0.3223
 D₅₀= 0.2973 D₃₀= 0.2470 D₁₅= 0.1917
 D₁₀= 0.1529 C_u= 2.11 C_c= 1.24

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBP-24-12 C Depth: 8.6' Date: 1/08/13
 Sample Number: 6503 (13)

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
 Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.0	1.4	85.0	13.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	100.0		
#20	99.7		
#40	98.6		
#60	95.3		
#100	65.3		
#140	38.9		
#200	13.6		

Material Description
Fine grained, SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.2194 D₈₅= 0.2000 D₆₀= 0.1399
 D₅₀= 0.1227 D₃₀= 0.0940 D₁₅= 0.0764
 D₁₀= C_u= C_c=

Classification
 USCS= SM AASHTO=

Remarks

* (no specification provided)


Location: BI-PBP-24-12 D **Depth:** 13.6' **Date:** 1/08/13
Sample Number: 6503 (14)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Appendix K

Petit Bois Pass-Outer Continental Shelf Vibracores and Lab Results

This page was intentionally left blank for duplex printing.



Petit Bois Pass-Outer Continental Shelf East
Vibracore Locations

- PBP-OCS_East_vibracores
- - - - known pipe lines

0 0.25 0.5 1 1.5 2 Miles

Disposal Area
50 Depths from surveys of 1987

SAFETY FAIRWAY
166.200
(see note A)

Obstn
(42 ft rep)

Obstn
(45 ft rep)

c Cy

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ² *D60)	
BI-PBS-1-12	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	1:22 AM	30.13475	-88.35205	231154.07510	1136389.87700	20-ft Vibracore	57.8	13.4																		
BI-PBS-1-12A	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	1:22 AM	30.13476	-88.35205	231157.71200	1136389.86200	20-ft Vibracore	57.8	13.4	0-0.4	0.4	SM	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 5.5/2	6		0.21	0.25	11.3	#VALUE!	#VALUE!	
BI-PBS-2-12	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	12:37 PM	30.13658	-88.34678	231826.68140	1138052.97400	20-ft Vibracore	50.9	20.0																		
BI-PBS-2-12A	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	12:37 PM	30.13657	-88.34678	231823.04450	1138052.99000	20-ft Vibracore	50.9	20.0	0-4.5	4.5	SP	SP	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.22	0.29	1.6	1.5	0.9	
BI-PBS-2-12B	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	12:37 PM	30.13657	-88.34678	231823.04450	1138052.99000	20-ft Vibracore	50.9	20.0	4.5-7.8	3.3	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.21	0.24	3.9	1.6	1.0	
BI-PBS-3-12	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	9:52 AM	30.13733	-88.34468	232102.28110	1138715.63900	20-ft Vibracore	59.7	19.5	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-4-12	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	10:36 AM	30.13822	-88.34212	232429.43460	1139523.48400	20-ft Vibracore	49.8	20.0																		
BI-PBS-4-12A	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	10:36 AM	30.13820	-88.34209	232422.20170	1139532.99900	20-ft Vibracore	49.8	20.0	0-5	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	LT GRAY	5Y 7/2	7	LT GRAY	5Y 7/2	7		0.26	0.30	1.2	1.8	0.9	
BI-PBS-4-12B	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	10:36 AM	30.13820	-88.34209	232422.20170	1139532.99900	20-ft Vibracore	49.8	20.0	5-8.6	3.6	SP	SP	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.23	0.25	2.4	1.6	1.0	
BI-PBS-5-12	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	3:55 PM	30.13940	-88.33877	232863.15650	1140580.57900	20-ft Vibracore	60.1	17.4																		
BI-PBS-5-12A	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	3:55 PM	30.13938	-88.33879	232855.85540	1140574.28800	20-ft Vibracore	60.1	17.4	4-6	2.8	SP	SM	ANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 4.5/2	5	LT BROWNISH GRAY	2.5Y 6/2	6		0.20	0.21	14.4	#VALUE!	#VALUE!	
BI-PBS-6-12	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	2:29 PM	30.14074	-88.33502	233355.65130	1141763.83300	20-ft Vibracore	55.0	19.7																		
BI-PBS-6-12A	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	2:29 PM	30.14074	-88.33502	233355.65130	1141763.83300	20-ft Vibracore	55.0	19.7	0-5	5.0	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.27	0.30	2.8	1.8	0.9	
BI-PBS-6-12B	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	2:29 PM	30.14074	-88.33502	233355.65130	1141763.83300	20-ft Vibracore	55.0	19.7	6.9-16.4	9.5	SP-SM	SM	ANGULAR TO SUBROUNDED	DK OLIVE GRAY	5Y 4/1.5	4	LT OLIVE GRAY	5Y 6/2	6		0.40	#VALUE!	18.0	#VALUE!	#VALUE!	
BI-PBS-7-12	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	11:39 AM	30.14197	-88.33118	233808.30520	1142975.68100	20-ft Vibracore	60.9	15.0																		
BI-PBS-7-12A	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	11:39 AM	30.14197	-88.33120	233808.27740	1142969.35900	20-ft Vibracore	60.9	15.0	3.5-10.4	6.9	SP	SM	SUBANGULAR TO SUBROUNDED	DK GRAYISH BROWN	2.5Y 4/2	4	GRAYISH BROWN	2.5Y 5/2	5		0.22	#VALUE!	18.1	#VALUE!	#VALUE!	
BI-PBS-7-12B	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	11:39 AM	30.14197	-88.33120	233808.27740	1142969.35900	20-ft Vibracore	60.9	15.0	10.4-15	4.6	SP	SP-SM	SUBANGULAR TO SUBROUNDED	LT OLIVE BROWN	2.5Y 5.5/3	6	LT GRAY	2.5Y 7/2	7		0.21	0.22	6.7	2.0	1.2	
BI-PBS-8-12	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	9:15 AM	30.14340	-88.32703	234334.17220	1144285.16400	20-ft Vibracore	57.0	18.1																		
BI-PBS-8-12A	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	9:15 AM	30.14339	-88.32705	234330.50720	1144278.85800	20-ft Vibracore	57.0	18.1	0.0 - 3.1	3.1	SP	SP-SM	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 5.5/2	6	LT GRAY	5Y 6.5/2	7		0.22	0.25	5.2	1.8	1.0	
BI-PBS-8-12B	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	9:15 AM	30.14339	-88.32705	234330.50720	1144278.85800	20-ft Vibracore	57.0	18.1	3.1-7.3	4.2	SP	SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.19	#VALUE!	19.2	#VALUE!	#VALUE!	
BI-PBS-9-12	PETIT BOIS PASS - OCS EAST	2012	11/19/2012	10:10 AM	30.14607	-88.31945	235315.92440	1146676.75100	20-ft Vibracore	59.4	17.3	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-10-12	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	3:45 PM	30.13897	-88.35172	232689.26250	1136487.71800	20-ft Vibracore	48.1	11.9																		
BI-PBS-10-12A	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	3:45 PM	30.13897	-88.35172	232689.26250	1136487.71800	20-ft Vibracore	48.1	11.9	0-5.9	5.9	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.33	0.43	1.3	2.1	0.9	
BI-PBS-10-12B	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	3:45 PM	30.13897	-88.35172	232689.26250	1136487.71800	20-ft Vibracore	48.1	11.9	5.9-8.4	2.5	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 6.5/2	7		0.28	0.29	2.5	1.8	1.0	
BI-PBS-11-12	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	3:08 PM	30.13808	-88.35015	232367.68150	1136985.37100	20-ft Vibracore	46.4	19.3																		
BI-PBS-11-12A	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	3:08 PM	30.13807	-88.35015	232364.04470	1136985.38600	20-ft Vibracore	46.4	19.3	0-8.6	8.6	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.28	0.36	1.6	1.9	0.9	
BI-PBS-11-12B	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	3:08 PM	30.13807	-88.35015	232364.04470	1136985.38600	20-ft Vibracore	46.4	19.3	8.6-10.4	1.8	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.24	0.26	3.2	1.7	0.9	
BI-PBS-12-12	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	2:20 PM	30.13727	-88.34887	232074.81270	1137391.23700	20-ft Vibracore	48.7	20.0																		
BI-PBS-12-12A	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	2:20 PM	30.13725	-88.34889	232067.51220	1137384.94600	20-ft Vibracore	48.7	20.0	0-5	5.0	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 5.5/2	6	LT GRAY	5Y 6.5/2	7		0.27	0.37	1.9	1.9	0.9	
BI-PBS-12-12B	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	2:20 PM	30.13725	-88.34889	232067.51220	1137384.94600	20-ft Vibracore	48.7	20.0	5-8.8	3.8	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.23	0.26	2.8	1.7	1.0	
BI-PBS-12-12C	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	2:20 PM	30.13725	-88.34889	232067.51220	1137384.94600	20-ft Vibracore	48.7	20.0	8.8-10	1.2	SP	SP-SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.21	0.27	9.9	3.1	1.5	
BI-PBS-13-12	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	1:41 PM	30.14040	-88.36032	233197.95960	1133767.07600	20-ft Vibracore	46.7	11.8																		
BI-PBS-13-12A	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	1:41 PM	30.14042	-88.36031	233205.24640	1133770.20700	20-ft Vibracore	46.7	11.8	0-5	5.0	SP	SP	ANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 6/2	6	LT GRAY	2.5Y 7/1	7		0.35	0.38	1.6	1.7	1.0	
BI-PBS-13-12B	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	1:41 PM	30.14042	-88.36031	233205.24640	1133770.20700	20-ft Vibracore	46.7	11.8	5-9.2	4.0	SP	SP	ANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 5.5/2	6	LT GRAY	2.5Y 6.5/2	7		0.25	0.28	2.9	1.7	0.9	
BI-PBS-14-12	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	9:50 AM	30.13645	-88.35283	231771.29910	1136140.70300	20-ft Vibracore	53.4	19.6																		
BI-PBS-14-12A	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	9:50 AM	30.13649	-88.35278	231785.91300	1136156.44700	20-ft Vibracore	53.4	19.6	0-3.2	3.2	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.25	0.28	3.7	2.0	1.0	
BI-PBS-14-12B	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	9:50 AM	30.13649	-88.35278	231785.91300	1136156.44700	20-ft Vibracore	53.4	19.6	3.2-6	2.8	SM	SP-SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.20	0.26	11.8	#VALUE!	#VALUE!	
BI-PBS-15-12	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	10:32 AM	30.13883	-88.35632	232632.23900	1135033.85700	20-ft Vibracore	48.9	19.9																		
BI-PBS-15-12A	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	10:32 AM	30.13884	-88.35632	232635.87580	1135033.84100	20-ft Vibracore	48.9	19.9	0-5.5	5.5	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/1.5	6	LT GRAY	5Y 7/2	7		0.29	0.31	2.0	1.8	1.0	
BI-PBS-15-12B	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	10:32 AM	30.13884	-88.35632	232635.87580	1135033.84100																					

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ^{*D60})
BI-PBS-19-12A	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	11:42 AM	30.13945	-88.34275	232875.90990	1139322.41400	20-ft Vibracore	50.6	18.6	0-5	5.0	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 5.5/2	6	LT GRAY	6.5/2	7		0.30	0.33	1.8	1.9	1.0
BI-PBS-20-12	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	1:01 PM	30.13082	-88.34532	229733.83110	1138523.45400	20-ft Vibracore	60.8	12.7																	
BI-PBS-20-12A	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	1:01 PM	30.13082	-88.34532	229733.83110	1138523.45400	20-ft Vibracore	60.8	12.7	4.1-6	1.9	SP	SP-SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.28	0.28	9.1	2.9	1.5
BI-PBS-20-12B	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	1:01 PM	30.13082	-88.34532	229733.83110	1138523.45400	20-ft Vibracore	60.8	12.7	12-12.7	0.7	SP-SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.29	0.29	12.8	#VALUE!	#VALUE!
BI-PBS-21-12	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	12:58 PM	30.13743	-88.33227	232155.66120	1142638.38900	20-ft Vibracore	52.0	20.0																	
BI-PBS-21-12A	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	12:58 PM	30.13743	-88.33227	232155.66120	1142638.38900	20-ft Vibracore	52.0	20.0	0-3.5	3.5	SP	SP	ANGULAR TO SUBROUNDED	LT GRAY	5Y 7/2	7	LT GRAY	2.5Y 7/2	7		0.38	0.52	1.3	2.1	0.9
BI-PBS-21-12B	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	12:58 PM	30.13744	-88.33227	232159.29800	1142638.37300	20-ft Vibracore	52.0	20.0	3.5-7.2	3.7	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 5.5/2	6	LT GRAY	5Y 6.5/2	7		0.24	0.30	3.0	1.8	0.9
BI-PBS-22-12	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	3:33 PM	30.14010	-88.33327	233125.31300	1142318.02500	20-ft Vibracore	56.0	20.0																	
BI-PBS-22-12A	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	3:33 PM	30.14006	-88.33331	233110.71020	1142305.44500	20-ft Vibracore	56.0	20.0	0-5.9	5.9	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/1	7		0.29	0.33	2.3	1.9	0.9
BI-PBS-23-12	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	9:00 AM	30.14163	-88.33627	233677.60740	1141367.30100	20-ft Vibracore	55.7	19.7																	
BI-PBS-23-12A	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	9:00 AM	30.14165	-88.33625	233684.90860	1141373.59100	20-ft Vibracore	55.7	19.7	0-3.6	3.6	SP	SP	SUBANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 6/2	6	LT GRAY	2.5Y 7/2	7		0.31	0.32	2.6	1.7	1.1
BI-PBS-23-12B	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	9:00 AM	30.14165	-88.33625	233684.90860	1141373.59100	20-ft Vibracore	55.7	19.7	7.9-9.7	1.8	SP-SM	SP-SM	ANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 5/2	5	LT BROWNISH GRAY	2.5Y 6/2	6		0.20	0.22	9.0	2.5	1.4
BI-PBS-23-12C	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	9:00 AM	30.14165	-88.33625	233684.90860	1141373.59100	20-ft Vibracore	55.7	19.7	18.7-19.7	1.0	SP-SM	SP-SM	ANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 6/2	6	LT GRAY	2.5Y 7/1.5	7		0.31	0.31	8.2	2.5	1.5
BI-PBS-24-12	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	2:54 PM	30.13875	-88.33477	232632.26370	1141846.02000	20-ft Vibracore	55.6	18.8																	
BI-PBS-24-12A	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	2:54 PM	30.13876	-88.33481	232635.84530	1141833.36000	20-ft Vibracore	55.6	18.8	0-3.6	3.6	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.29	0.29	3.4	2.0	1.1
BI-PBS-25-12	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	11:25 AM	30.14190	-88.35155	233755.08470	1136536.95600	20-ft Vibracore	49.8	18.8																	
BI-PBS-25-12A	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	11:25 AM	30.14189	-88.35155	233751.44780	1136536.97200	20-ft Vibracore	49.8	18.8	0-5.2	5.2	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.31	0.38	1.6	2.0	0.9
BI-PBS-25-12B	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	11:25 AM	30.14189	-88.35155	233751.44780	1136536.97200	20-ft Vibracore	49.8	18.8	5.2-6.6	1.4	SP	SP-SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4.5/2	5	LT GRAY	5Y 6/1	6		0.34	0.88	5.7	3.1	0.9
BI-PBS-25-12C	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	11:25 AM	30.14189	-88.35155	233751.44780	1136536.97200	20-ft Vibracore	49.8	18.8	13.4-15.7	2.3	SP-SM	SP-SM	SUBANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 5/2	5	LT BROWNISH GRAY	2.5Y 6/2	6		0.25	0.27	12.3	#VALUE!	#VALUE!
BI-PBS-26-12	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	9:45 AM	30.13513	-88.33902	231309.88100	1140508.28000	20-ft Vibracore	54.8	17.6																	
BI-PBS-26-12A	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	9:45 AM	30.13513	-88.33902	231309.88100	1140508.28000	20-ft Vibracore	54.8	17.6	0-3.6	3.6	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	2.5Y 7/2	7		0.31	0.35	2.1	2.0	1.1
BI-PBS-26-12B	PETIT BOIS PASS - OCS EAST	2012	11/23/2012	9:45 AM	30.13513	-88.33902	231309.88100	1140508.28000	20-ft Vibracore	54.8	17.6	3.6-4.3	2.5	SP	SP-SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.19	0.20	6.2	1.9	1.1
BI-PBS-27-12	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	2:12 PM	30.13462	-88.33377	231131.62850	1142168.70000	20-ft Vibracore	55.1	19.7																	
BI-PBS-27-12A	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	2:12 PM	30.13462	-88.33377	231131.62850	1142168.70000	20-ft Vibracore	55.1	19.7	0-6	6.0	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/1	7		0.37	0.43	1.5	1.6	1.0
BI-PBS-27-12B	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	2:12 PM	30.13462	-88.33377	231131.62850	1142168.70000	20-ft Vibracore	55.1	19.7	6-7.3	1.3	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.26	0.27	5.2	2.4	1.1
BI-PBS-27-12C	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	2:12 PM	30.13462	-88.33377	231131.62850	1142168.70000	20-ft Vibracore	55.1	19.7	10.6-12.6	2.0	SP	SP-SM	SUBANGULAR TO SUBROUNDED	GRAY	5Y 5/1	5	LT GRAY	5Y 7/2	7		0.30	0.34	9.2	2.9	1.2
BI-PBS-28-12	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	1:38 PM	30.13378	-88.33088	230830.14400	1143083.62400	20-ft Vibracore	56.4	12.4																	
BI-PBS-28-12A	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	1:38 PM	30.13377	-88.33088	230826.50720	1143083.64000	20-ft Vibracore	56.4	12.4	0-6.5	6.5	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.30	0.32	2.9	2.1	1.1
BI-PBS-28-12B	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	1:38 PM	30.13377	-88.33088	230826.50720	1143083.64000	20-ft Vibracore	56.4	12.4	11-12.4	1.4	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.28	0.32	8.5	2.5	1.1
BI-PBS-29-12	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	12:54 PM	30.13233	-88.32928	230305.03170	1143591.74600	20-ft Vibracore	62.0	7.2																	
BI-PBS-29-12A	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	12:54 PM	30.13234	-88.32928	230308.66850	1143591.73000	20-ft Vibracore	62.0	7.2	0-6	6.0	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.25	0.28	2.1	1.8	0.9
BI-PBS-29-12B	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	12:54 PM	30.13234	-88.32928	230308.66850	1143591.73000	20-ft Vibracore	62.0	7.2	6-6.6	0.6	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.19	0.21	10.9	#VALUE!	#VALUE!
BI-PBS-30-12	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	12:16 PM	30.13102	-88.32830	229829.97440	1143903.65600	20-ft Vibracore	62.7	15.6																	
BI-PBS-30-12A	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	12:16 PM	30.13102	-88.32829	229829.98840	1143906.81800	20-ft Vibracore	62.7	15.6	0-3.1	3.1	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT BROWNISH GRAY	2.5Y 6/2	6		0.29	0.33	3.0	2.1	1.1
BI-PBS-30-12B	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	12:16 PM	30.13102	-88.32829	229829.98840	1143906.81800	20-ft Vibracore	62.7	15.6	14.3-15.6	1.3	SP-SM	SM	ANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 5/2	5	LT BROWNISH GRAY	2.5Y 6/2	6		0.34	#VALUE!	22.5	#VALUE!	#VALUE!
BI-PBS-31-12	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	9:05 AM	30.13390	-88.34360	230856.30730	1139062.39000	20-ft Vibracore	55.1	19.7																	
BI-PBS-31-12A	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	9:05 AM	30.13391	-88.34359	230859.95770	1139065.53500	20-ft Vibracore	55.1	19.7	0-3.7	3.7	SP-SM	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.27	0.30	2.4	1.9	0.9
BI-PBS-32-12	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	9:24 AM	30.11697	-88.35372	224685.55930	1135889.13000	20-ft Vibracore	62.8	20.0																	
BI-PBS-32-12A	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	9:24 AM	30.11697	-88.35372	224685.55930	1135889.13000	20-ft Vibracore	62.8	20.0	4-9	5.0	SM	SP-SM	SUBANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 5/2	5	LT GRAY	2.5Y 7/2	7		0.25	0.26	6.		

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ² *D60)
BI-PBS-38-12	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	10:56 AM	30.11852	-88.37173	225225.79880	1130192.57500	20-ft Vibracore	50.6	19.1																	
BI-PBS-38-12A	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	10:56 AM	30.11852	-88.37173	225225.79880	1130192.57500	20-ft Vibracore	50.6	19.1	0-5	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.29	0.32	1.2	1.8	1.0
BI-PBS-38-12B	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	10:56 AM	30.11852	-88.37173	225225.79880	1130192.57500	20-ft Vibracore	50.6	19.1	5-9.1	4.1	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.22	0.25	3.7	1.5	1.0
BI-PBS-39-12	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	11:33 AM	30.12113	-88.37450	226171.48060	1129312.97500	20-ft Vibracore	49.2	15.0																	
BI-PBS-39-12A	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	11:33 AM	30.12113	-88.37450	226171.48060	1129312.97500	20-ft Vibracore	49.2	15.0	0-5	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.31	0.33	1.1	1.8	1.0
BI-PBS-39-12B	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	11:33 AM	30.12113	-88.37450	226171.48060	1129312.97500	20-ft Vibracore	49.2	15.0	5-8.1	3.1	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.26	0.28	1.6	1.7	0.9
BI-PBS-40-12	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	11:57 AM	30.11482	-88.35600	223900.62030	1135171.52300	20-ft Vibracore	66.9	15.9	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED													
BI-PBS-41-12	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	8:58 AM	30.11985	-88.36078	225723.65930	1133652.61200	20-ft Vibracore	62.0	16.3																	
BI-PBS-41-12A	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	8:58 AM	30.11985	-88.36078	225723.65930	1133652.61200	20-ft Vibracore	62.0	16.3	0-3.2	3.2	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.27	0.28	2.4	1.8	1.0
BI-PBS-41-12B	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	8:58 AM	30.11985	-88.36078	225723.65930	1133652.61200	20-ft Vibracore	62.0	16.3	5.6-6.9	1.3	SP-SM	SP-SM	SUBANGULAR TO SUBROUNDED	DK GRAY	2.5Y 4/1	4	GRAY	2.5Y 5/1	5		0.27	0.29	5.7	2.1	1.0
BI-PBS-41-12C	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	8:58 AM	30.11985	-88.36078	225723.65930	1133652.61200	20-ft Vibracore	62.0	16.3	7.6-10.2	2.6	SM	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.23	0.27	7.0	2.0	1.0
BI-PBS-41-12D	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	8:58 AM	30.11985	-88.36078	225723.65930	1133652.61200	20-ft Vibracore	62.0	16.3	10.2-11.3	1.1	SP-SM	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.26	0.26	4.8	1.7	1.0
BI-PBS-41-12E	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	8:58 AM	30.11985	-88.36078	225723.65930	1133652.61200	20-ft Vibracore	62.0	16.3	11.3-16.3	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	GRAY	2.5Y 6/1	6	LT GRAY	2.5Y 7/1	7		0.21	0.23	4.6	1.7	1.0
BI-PBS-42-12	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	1:52 PM	30.12407	-88.36487	227253.07290	1132353.20500	20-ft Vibracore	61.7	20.0																	
BI-PBS-42-12A	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	1:52 PM	30.12407	-88.36487	227253.07290	1132353.20500	20-ft Vibracore	61.7	20.0	0-1.6	1.6	SP-SC	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE	5Y 5/4	5	PALE OLIVE	5Y 6/4	6		0.22	0.28	9.7	2.7	1.3
BI-PBS-42-12B	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	1:52 PM	30.12407	-88.36487	227253.07290	1132353.20500	20-ft Vibracore	61.7	20.0	4.4-8	3.6	SP-SM	SP-SM	SUBANGULAR TO SUBROUNDED	DK GRAYISH BROWN	2.5Y 4/2	4	GRAYISH BROWN	2.5Y 5/2	5		0.22	0.24	7.9	2.0	1.1
BI-PBS-42-12C	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	1:52 PM	30.12407	-88.36487	227253.07290	1132353.20500	20-ft Vibracore	61.7	20.0	9.5-14.5	5.0	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.21	0.22	6.1	1.7	1.1
BI-PBS-43-12	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	1:17 PM	30.12673	-88.37410	228208.61330	1129431.24600	20-ft Vibracore	59.3	9.8																	
BI-PBS-43-12A	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	1:17 PM	30.12673	-88.37410	228208.61330	1129431.24600	20-ft Vibracore	59.3	9.8	0-1.5	1.5	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.32	0.32	1.4	1.6	1.0
BI-PBS-44-12	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	12:10 PM	30.12272	-88.36683	226759.56340	1131735.55600	20-ft Vibracore	60.1	18.7																	
BI-PBS-44-12A	PETIT BOIS PASS - OCS EAST	2012	12/9/2012	12:10 PM	30.12272	-88.36683	226759.56340	1131735.55600	20-ft Vibracore	60.1	18.7	0-1.2	1.2	SP	SP	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.28	0.29	2.5	1.8	1.0
BI-PBS-45-12	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	10:27 AM	30.11567	-88.35493	224211.16650	1135508.54100	20-ft Vibracore	60.5	17.2																	
BI-PBS-45-12A	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	10:27 AM	30.11567	-88.35493	224211.16650	1135508.54100	20-ft Vibracore	60.5	17.2	0-2.8	2.8	SP	SP	ANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 6/2	6	LT GRAY	2.5Y 7/1	7		0.50	1.85	1.4	2.6	0.9
BI-PBS-45-12B	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	10:27 AM	30.11567	-88.35493	224211.16650	1135508.54100	20-ft Vibracore	60.5	17.2	2.8-5	2.2	SP	SP	SUBANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 5/2	5	LT BROWNISH GRAY	2.5Y 6/2	6		0.22	0.23	3.4	1.6	1.0
BI-PBS-45-12C	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	10:27 AM	30.11567	-88.35493	224211.16650	1135508.54100	20-ft Vibracore	60.5	17.2	14-17.2	3.2	SP	SP	SUBANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 6/2	6	LT GRAY	2.5Y 7/2	7		0.25	0.27	4.9	1.9	1.0
BI-PBS-46-12	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	1:42 PM	30.11362	-88.35668	223463.30280	1134958.34300	20-ft Vibracore	60.9	20.0																	
BI-PBS-46-12A	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	1:42 PM	30.11362	-88.35668	223463.30280	1134958.34300	20-ft Vibracore	60.9	20.0	0-4.5	4.5	SP	SP	ANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 5.5/2	6	LT GRAY	2.5Y 7/2	7		0.26	0.30	2.3	1.8	0.9
BI-PBS-46-12B	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	1:42 PM	30.11362	-88.35668	223463.30280	1134958.34300	20-ft Vibracore	60.9	20.0	6.4-8.7	2.3	SP	SP-SM	SUBANGULAR TO SUBROUNDED	LT GRAY	2.5Y 6.5/2	7	LT GRAY	2.5Y 7/2	7		0.26	0.28	7.8	2.3	1.1
BI-PBS-46-12C	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	1:42 PM	30.11362	-88.35668	223463.30280	1134958.34300	20-ft Vibracore	60.9	20.0	8.7-10.0	1.3	SP-SM	SP-SM	SUBANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 5/1.5	5	LT BROWNISH GRAY	2.5Y 6/2	6		0.24	0.27	6.4	1.9	1.0
BI-PBS-46-12D	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	1:42 PM	30.11362	-88.35668	223463.30280	1134958.34300	20-ft Vibracore	60.9	20.0	10-11.4	1.4	SM	SP-SM	SUBANGULAR TO SUBROUNDED	DK GRAYISH BROWN	2.5Y 3.5/2	4	GRAYISH BROWN	2.5Y 5/2	5		0.22	0.25	7.0	2.1	1.1
BI-PBS-46-12E	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	1:42 PM	30.11362	-88.35668	223463.30280	1134958.34300	20-ft Vibracore	60.9	20.0	11.4-14.3	2.9	SP-SM	SP-SM	SUBANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 5/2	5	LT BROWNISH GRAY	2.5Y 6/2	6		0.19	0.21	6.3	1.8	1.1
BI-PBS-46-12F	PETIT BOIS PASS - OCS EAST	2012	12/1/2012	1:42 PM	30.11362	-88.35668	223463.30280	1134958.34300	20-ft Vibracore	60.9	20.0	16.7-20	3.3	SP-SM	SP-SM	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 5.5/2	6	LT GRAY	2.5Y 7/2	7		0.25	0.27	6.7	2.1	1.1
BI-PBS-47-12	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	2:22 PM	30.14375	-88.36252	234413.42560	1133066.63200	20-ft Vibracore	48.4	16.9																	
BI-PBS-47-12A	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	2:22 PM	30.14375	-88.36252	234413.42560	1133066.63200	20-ft Vibracore	48.4	16.9	0-3.7	3.7	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.28	0.32	1.7	1.8	0.9
BI-PBS-47-12B	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	2:22 PM	30.14375	-88.36252	234413.42560	1133066.63200	20-ft Vibracore	48.4	16.9	3.7-5.6	1.9	SP-SM	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.21	0.26	0.2	1.8	1.0
BI-PBS-48-12	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	11:21 AM	30.14258	-88.35732	233994.73490	1134712.06400	20-ft Vibracore	48.1	18.4																	
BI-PBS-48-12A	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	11:21 AM	30.14258	-88.35732	233994.73490	1134712.06400	20-ft Vibracore	48.1	18.4	0-1.3	1.2	SP	SP	ANGULAR TO SUBROUNDED	LT GRAY	5Y 7/2	7	LT GRAY	5Y 7/2	7		0.51	0.90	1.7	2.7	0.9
BI-PBS-48-12B	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	11:21 AM	30.14258	-88.35732	233994.73490	1134712.06400	20-ft Vibracore	48.1	18.4	1.3-3.9	2.7	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.22	0.26	0.4	1.5	0.9
BI-PBS-48-12C	PETIT BOIS PASS - OCS EAST	2012	11/28/2012	11:21 AM	30.14258	-88.35732	233994																					

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ² *P60)	
BI-PBS-54-12B	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	9:17 AM	30.15882	-88.36450	239891.57620	1132418.25200	20-ft Vibracore	45.7	20.0	5.6-6.8	1.2	SP-SM	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.39	0.50	3.2	1.9	1.0	
BI-PBS-54-12C	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	9:17 AM	30.15882	-88.36450	239891.57620	1132418.25200	20-ft Vibracore	45.7	20.0	7.5-9.5	2.0	SM	SP-SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.35	0.38	6.7	2.2	1.1	
BI-PBS-55-12	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	12:53 PM	30.16577	-88.36303	242421.10200	1132872.40500	20-ft Vibracore	47.2	15.0																		
BI-PBS-55-12A	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	12:53 PM	30.16578	-88.36302	242424.75190	1132875.55000	20-ft Vibracore	47.2	15.0	0-3.2	3.2	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.33	0.36	1.7	1.8	1.0	
BI-PBS-56-12	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	1:48 PM	30.16767	-88.36647	243107.63670	1131782.47600	20-ft Vibracore	48.3	14.8																		
BI-PBS-56-12A	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	1:48 PM	30.16766	-88.36638	243104.11630	1131810.93200	20-ft Vibracore	48.3	14.8	0-2.6	2.6	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.34	0.40	1.4	1.7	1.0	
BI-PBS-56-12B	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	1:48 PM	30.16766	-88.36638	243104.11630	1131810.93200	20-ft Vibracore	48.3	14.8	2.6-4.7	2.1	SC	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.25	0.28	13.8	#VALUE!	#VALUE!	
BI-PBS-56-12C	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	1:48 PM	30.16766	-88.36638	243104.11630	1131810.93200	20-ft Vibracore	48.3	14.8	4.7-7.4	2.7	SP-SM	SP-SM	SUBANGULAR TO SUBROUNDED	GRAYISH BROWN	2.5Y 5/2	5	LT BROWNISH GRAY	2.5Y 6/2	6		0.24	0.25	7.2	2.0	1.1	
BI-PBS-57-12	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	2:52 PM	30.16927	-88.37030	243684.59760	1130569.78900	20-ft Vibracore	47.4	14.0																		
BI-PBS-57-12A	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	2:52 PM	30.16927	-88.37030	243684.59760	1130569.78900	20-ft Vibracore	47.4	14.0	0-3.8	3.8	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.34	0.38	2.3	2.0	1.0	
BI-PBS-57-12C	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	2:52 PM	30.16927	-88.37030	243684.59760	1130569.78900	20-ft Vibracore	47.4	14.0	4.6-5.4	1.6	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.23	0.25	8.5	1.7	1.0	
BI-PBS-58-12	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	3:42 PM	30.17072	-88.37428	244206.85530	1129309.96200	20-ft Vibracore	47.2	19.9																		
BI-PBS-58-12A	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	3:42 PM	30.17072	-88.37428	244206.85530	1129309.96200	20-ft Vibracore	47.2	19.9	0-3.2	3.2	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 5.5/2	6	LT GRAY	5Y 7/2	7		0.34	0.39	1.6	1.7	1.0	
BI-PBS-58-12B	PETIT BOIS PASS - OCS EAST	2012	11/30/2012	3:42 PM	30.17072	-88.37428	244206.85530	1129309.96200	20-ft Vibracore	47.2	19.9	3.2-4.6	1.4	SC	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.24	#VALUE!	16.5	#VALUE!	#VALUE!	
BI-PBS-59-12	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	11:20 AM	30.14097	-88.34617	233424.07880	1138238.98600	20-ft Vibracore	53.4	19.5																		
BI-PBS-59-12A	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	11:20 AM	30.14097	-88.34617	233424.07880	1138238.98600	20-ft Vibracore	53.4	19.5	0-1.8	1.8	SP	SP	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/1	7		0.32	0.34	1.1	1.8	1.0	
BI-PBS-59-12B	PETIT BOIS PASS - OCS EAST	2012	11/26/2012	11:20 AM	30.14097	-88.34617	233424.07880	1138238.98600	20-ft Vibracore	53.4	19.5	1.8-2.6	0.8	SM	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.21	0.26	11.4	#VALUE!	#VALUE!	
BI-PBS-60-12	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	3:08 PM	30.14512	-88.33425	234949.65540	1142000.26100	20-ft Vibracore	61.3	16.8																		
BI-PBS-60-12A	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	3:08 PM	30.14512	-88.33428	234949.61390	1141990.77800	20-ft Vibracore	61.3	16.8	2.8-7.9	5.1	SP-SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT BROWNISH GRAY	2.5Y 6/2	6		0.20	#VALUE!	17.9	#VALUE!	#VALUE!	
BI-PBS-60-12B	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	3:08 PM	30.14512	-88.33428	234949.61390	1141990.77800	20-ft Vibracore	61.3	16.8	7.9-9.4	1.5	SP	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT BROWNISH GRAY	2.5Y 6/2	6		0.21	0.22	13.5	#VALUE!	#VALUE!	
BI-PBS-60-12C	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	3:08 PM	30.14512	-88.33428	234949.61390	1141990.77800	20-ft Vibracore	61.3	16.8	9.4-11.8	2.4	SP	SP	SUBANGULAR TO SUBROUNDED	LT YELLOWISH BROWN	2.5Y 6/3	6	PALE BROWN	2.5Y 7/3	7		0.25	0.27	4.3	1.9	1.0	
BI-PBS-60-12D	PETIT BOIS PASS - OCS EAST	2012	11/24/2012	3:08 PM	30.14512	-88.33428	234949.61390	1141990.77800	20-ft Vibracore	61.3	16.8	11.8-16.8	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	LT GRAY	2.5Y 7/2	7	PALE BROWN	2.5Y 7.5/1.5	8		0.26	0.30	1.4	1.9	0.9	
BI-PBS-61-12	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	4:30 PM	30.15042	-88.30715	236915.68050	1150557.25600	20-ft Vibracore	55.0	11.2																		
BI-PBS-61-12A	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	4:30 PM	30.15041	-88.30713	236912.07280	1150563.59400	20-ft Vibracore	55.0	11.2	0-2.2	2.2	SP	SP-SM	SUBANGULAR TO SUBROUNDED	GRAYISH BROWN	5Y 5/1.5	5	LT GRAY	5Y 6.5/2	7		0.23	0.26	5.2	1.8	1.0	
BI-PBS-62-12	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	1:13 PM	30.15325	-88.30730	237944.69400	1150505.09900	20-ft Vibracore	56.0	16.1																		
BI-PBS-62-12A	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	1:13 PM	30.15325	-88.30730	237944.69400	1150505.09900	20-ft Vibracore	56.0	16.1	0-0.8	0.8	SP	SP	SUBANGULAR TO SUBROUNDED	LT BROWNISH GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.24	0.26	3.0	1.8	1.0	
BI-PBS-62-12B	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	1:13 PM	30.15325	-88.30730	237944.69400	1150505.09900	20-ft Vibracore	56.0	16.1	3.1-5.9	2.8	SP	SP-SM	SUBANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 6/2	6	LT GRAY	2.5Y 7/2	7		0.18	0.18	11.6	#DIV/0!	#DIV/0!	
BI-PBS-62-12C	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	1:13 PM	30.15325	-88.30730	237944.69400	1150505.09900	20-ft Vibracore	56.0	16.1	5.9-11	5.1	SP	SP	SUBANGULAR TO SUBROUNDED	WHITE	2.5Y 8/1	8	WHITE	2.5Y 8/1	8		0.21	0.21	2.5	1.4	1.0	
BI-PBS-62-12D	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	1:13 PM	30.15325	-88.30730	237944.69400	1150505.09900	20-ft Vibracore	56.0	16.1	11-16.1	5.1	SP	SP	SUBANGULAR TO SUBROUNDED	WHITE	2.5Y 8/1	8	WHITE	2.5Y 8/1	8		0.28	0.29	2.3	1.7	1.0	
BI-PBS-63-12	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	2:16 PM	30.15448	-88.31182	238385.46790	1149074.46800	20-ft Vibracore	56.0	14.0																		
BI-PBS-63-12A	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	2:16 PM	30.15449	-88.31182	238389.10480	1149074.45200	20-ft Vibracore	56.0	14.0	0-1.5	1.5	SP	SP	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.28	0.29	2.3	1.8	1.0	
BI-PBS-63-12B	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	2:16 PM	30.15449	-88.31182	238389.10480	1149074.45200	20-ft Vibracore	56.0	14.0	6.4-9	2.6	SP	SP	SUBANGULAR TO SUBROUNDED	LT BROWNISH GRAY	2.5Y 6/2	6	LT GRAY	2.5Y 7/2	7		0.21	0.22	3.0	1.4	1.0	
BI-PBS-63-12C	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	2:16 PM	30.15449	-88.31182	238389.10480	1149074.45200	20-ft Vibracore	56.0	14.0	9-14	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	LT GRAY	2.5Y 6.5/2	7	PALE BROWN	2.5Y 7.5/2	8		0.24	0.25	2.0	1.6	0.9	
BI-PBS-64-12	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	11:50 AM	30.15155	-88.30387	237331.44310	1151592.05000	20-ft Vibracore	56.0	16.2																		
BI-PBS-64-12A	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	11:50 AM	30.15155	-88.30387	237331.44310	1151592.05000	20-ft Vibracore	56.0	16.2	0-1	1.0	SP	SP	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.30	0.30	1.6	1.7	1.1	
BI-PBS-64-12B	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	11:50 AM	30.15156	-88.30387	237335.08000	1151592.03400	20-ft Vibracore	56.0	16.2	15.2-16.2	1.0	SP	SP	SUBANGULAR TO SUBROUNDED	LT BROWNISH GRAY	10YR 6/2	6	LT GRAY	10YR 7/1	7		0.23	0.24	3.9	2.0	1.1	
BI-PBS-65-12	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	3:50 PM	30.15222	-88.31045	237565.51940	1149511.23100	20-ft Vibracore	54.0	13.4																		
BI-PBS-65-12A	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	3:50 PM	30.15217	-88.31046	237547.32060	1149508.15400	20-ft Vibracore	54.0	13.4	0-2.5	2.5	SP	SP-SM	SUBANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 5.5/2	6	LT GRAY	5Y 7/1	7		0.32	0.33	5.8	2.2	1.3	
BI-PBS-66-12	PETIT BOIS PASS - OCS EAST	2012	11/16/2012	3:00 PM	30.15385	-88.31358																							

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10*P60)	
BI-PBS-71-12A	PETIT BOIS PASS - OCS EAST	2012	11/19/2012	2:06 PM	30.13743	-88.31410	232181.33830	1148382.08500	20-ft Vibracore	57.6	18.4	0-3.4	3.4	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.25	0.28	3.4	1.9	1.0	
BI-PBS-71-12B	PETIT BOIS PASS - OCS EAST	2012	11/19/2012	2:06 PM	30.13743	-88.31410	232181.33830	1148382.08500	20-ft Vibracore	57.6	18.4	3.4-5.2	1.8	SC	SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.21	0.39	13.2	#DIV/0!	#DIV/0!	
BI-PBS-71-12C	PETIT BOIS PASS - OCS EAST	2012	11/19/2012	2:06 PM	30.13743	-88.31410	232181.33830	1148382.08500	20-ft Vibracore	57.6	18.4	5.9-10.5	4.6	SC	SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.20	#VALUE!	15.3	#VALUE!	#VALUE!	
BI-PBS-72-12	PETIT BOIS PASS - OCS EAST	2012	11/19/2012	2:45 PM	30.13947	-88.32075	232913.75230	1146276.62800	20-ft Vibracore	58.7	16.8																		
BI-PBS-72-12A	PETIT BOIS PASS - OCS EAST	2012	11/19/2012	2:45 PM	30.13947	-88.32075	232913.75230	1146276.62800	20-ft Vibracore	58.7	16.8	0-2.3	2.3	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.33	0.43	1.8	2.4	0.8	
BI-PBS-72-12B	PETIT BOIS PASS - OCS EAST	2012	11/19/2012	2:45 PM	30.13947	-88.32075	232913.75230	1146276.62800	20-ft Vibracore	58.7	16.8	2.3-9.5	7.2	SC	SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.20	0.32	13.6	#VALUE!	#VALUE!	
BI-PBS-73-12	PETIT BOIS PASS - OCS EAST	2012	11/20/2012	9:50 AM	30.14295	-88.32313	234176.00530	1145518.64600	20-ft Vibracore	55.4	19.4																		
BI-PBS-73-12A	PETIT BOIS PASS - OCS EAST	2012	11/20/2012	9:50 AM	30.14295	-88.32313	234176.00530	1145518.64600	20-ft Vibracore	55.4	19.4	0-2.9	2.9	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.26	0.29	2.8	1.8	0.9	
BI-PBS-73-12B	PETIT BOIS PASS - OCS EAST	2012	11/20/2012	9:50 AM	30.14295	-88.32313	234176.00530	1145518.64600	20-ft Vibracore	55.4	19.4	2.9-5.4	2.5	SP-SM	SM	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.20	0.27	13.4	#VALUE!	#VALUE!	
BI-PBS-74-12	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	10:01 AM	30.14787	-88.32930	235956.66850	1143560.45800	20-ft Vibracore	55.9	17.6																		
BI-PBS-74-12A	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	10:01 AM	30.14787	-88.32930	235956.66850	1143560.45800	20-ft Vibracore	55.9	17.6	0-2.2	2.2	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.28	0.30	2.5	1.9	1.0	
BI-PBS-74-12B	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	10:01 AM	30.14787	-88.32930	235956.66850	1143560.45800	20-ft Vibracore	55.9	17.6	2.2-4.4	2.2	SM	SM	ANGULAR TO SUBROUNDED	GRAY	5Y 5/1	5	LT OLIVE GRAY	5Y 6/2	6		0.18	#VALUE!	19.6	#VALUE!	#VALUE!	
BI-PBS-75-12	PETIT BOIS PASS - OCS EAST	2012	11/20/2012	9:06 AM	30.14127	-88.32180	233566.89630	1145941.78600	20-ft Vibracore	56.7	19.1																		
BI-PBS-75-12A	PETIT BOIS PASS - OCS EAST	2012	11/20/2012	9:06 AM	30.14127	-88.32180	233566.89630	1145941.78600	20-ft Vibracore	56.7	19.1	0-3	3.0	SP	SP	ANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4.5/2	5	LT GRAY	5Y 6.5/2	7		0.23	0.31	3.6	1.8	0.9	
BI-PBS-76-12	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	10:43 AM	30.14510	-88.32962	234948.81340	1143463.76200	20-ft Vibracore	52.8	19.4																		
BI-PBS-76-12A	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	10:43 AM	30.14510	-88.32962	234948.81340	1143463.76200	20-ft Vibracore	52.8	19.4	0-3.9	3.9	SP	SP	ANGULAR TO SUBROUNDED	LT OLIVE GRAY	5Y 6/2	6	LT GRAY	5Y 7/2	7		0.32	0.35	1.8	2.0	1.0	
BI-PBS-76-12B	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	10:43 AM	30.14510	-88.32962	234948.81340	1143463.76200	20-ft Vibracore	52.8	19.4	3.9-5.4	1.5	SP	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.20	0.26	14.4	#VALUE!	#VALUE!	
BI-PBS-76-12C	PETIT BOIS PASS - OCS EAST	2012	11/21/2012	10:43 AM	30.14510	-88.32962	234948.81340	1143463.76200	20-ft Vibracore	52.8	19.4	8-9	1.0	SP	SM	SUBANGULAR TO SUBROUNDED	DK GRAY	5Y 4/1	4	GRAYISH BROWN	2.5Y 5/2	5		0.21	#VALUE!	16.9	#VALUE!	#VALUE!	
BI-PBS-77-12	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	11:16 AM	30.15473	-88.31553	238471.04710	1147901.49300	20-ft Vibracore	55.8	20.0																		
BI-PBS-77-12A	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	11:16 AM	30.15473	-88.31553	238471.04710	1147901.49300	20-ft Vibracore	55.8	20.0	0-1.9	1.9	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.25	0.27	4.6	2.3	1.1	
BI-PBS-78-12	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	10:50 AM	30.15602	-88.32018	238933.56000	1146429.73200	20-ft Vibracore	53.9	18.2																		
BI-PBS-78-12A	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	10:50 AM	30.15602	-88.32018	238933.56000	1146429.73200	20-ft Vibracore	53.9	18.2	0-3.2	3.2	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.28	0.30	6.3	2.5	1.2	
BI-PBS-79-12	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	9:55 AM	30.15715	-88.32458	239338.29520	1145037.28100	20-ft Vibracore	52.3	16.4																		
BI-PBS-79-12A	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	9:55 AM	30.15715	-88.32458	239338.29520	1145037.28100	20-ft Vibracore	52.3	16.4	0-1.9	1.9	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.27	0.29	1.9	1.8	0.9	
BI-PBS-79-12C	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	9:55 AM	30.15715	-88.32458	239338.29520	1145037.28100	20-ft Vibracore	52.3	16.4	1.9-3.1	1.2	SP-SM	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.21	0.26	11.5	#VALUE!	#VALUE!	
BI-PBS-80-12	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	9:24 AM	30.15858	-88.32878	239852.46920	1143707.58700	20-ft Vibracore	52.3	19.4																		
BI-PBS-80-12A	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	9:24 AM	30.15858	-88.32878	239852.46920	1143707.58700	20-ft Vibracore	52.3	19.4	0-2	2.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.26	0.29	1.9	1.8	0.9	
BI-PBS-80-12B	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	9:24 AM	30.15858	-88.32878	239852.46920	1143707.58700	20-ft Vibracore	52.3	19.4	2-4.4	2.4	SC	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.23	0.32	11.6	#VALUE!	#VALUE!	
BI-PBS-81-12	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	10:20 AM	30.16100	-88.32153	240742.80020	1145994.93700	20-ft Vibracore	52.0	16.9																		
BI-PBS-81-12A	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	10:20 AM	30.16100	-88.32153	240742.80020	1145994.93700	20-ft Vibracore	52.0	16.9	0-1.9	1.9	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.22	0.25	2.4	1.6	1.0	
BI-PBS-81-12B	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	10:20 AM	30.16100	-88.32153	240742.80020	1145994.93700	20-ft Vibracore	52.0	16.9	1.9-3.6	1.7	SM	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.18	0.19	9.1	2.5	1.2	
BI-PBS-82-12	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	11:46 AM	30.13952	-88.31872	232934.82480	1146918.23400	20-ft Vibracore	59.6	19.0	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-83-12	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	12:23 PM	30.13843	-88.33307	232518.23640	1142383.90800	20-ft Vibracore	52.4	19.6																		
BI-PBS-83-12A	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	12:23 PM	30.13843	-88.33307	232518.23640	1142383.90800	20-ft Vibracore	52.4	19.6	0-5	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.35	0.43	1.0	2.1	0.9	
BI-PBS-83-12B	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	12:23 PM	30.13843	-88.33307	232518.23640	1142383.90800	20-ft Vibracore	52.4	19.6	5-7.7	2.7	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.24	0.34	5.2	2.0	1.0	
BI-PBS-84-12	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	1:24 PM	30.12767	-88.33970	228595.86620	1140305.05500	20-ft Vibracore	63.7	15.5																		
BI-PBS-84-12A	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	1:24 PM	30.12767	-88.33970	228595.86620	1140305.05500	20-ft Vibracore	63.7	15.5	0-4.1	4.1	SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.20	#VALUE!	16.7	#VALUE!	#VALUE!	
BI-PBS-84-12B	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	1:24 PM	30.12767	-88.33970	228595.86620	1140305.05500	20-ft Vibracore	63.7	15.5	4.1-6.2	2.1	SP	SP	SUBANGULAR TO SUBROUNDED	GRAY	2.5Y 5/1	5	GRAY	2.5Y 6/1	6		0.28	0.30	4.6	1.9	0.9	
BI-PBS-85-12	PETIT BOIS PASS - OCS EAST	2012	12/18/2012	3:27 PM	30.14058	-88.34798	233279.80360	1137667.45400	20-ft Vibracore	56.7	18.6																		
BI-PBS-85-12A	PETIT BOIS PASS - OCS EAST	2012	12/1																										

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10*P60)
BI-PBS-94-12A	PETIT BOIS PASS - OCS WEST	2012	1/5/2013	1:30 PM	30.14518	-88.46772	234811.60390	1099812.65500	20-ft Vibracore	40.0	19.5	0.0-4.5	4.5	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.24	0.27	5.4	1.8	1.0
BI-PBS-94-12B	PETIT BOIS PASS - OCS WEST	2012	1/5/2013	1:30 PM	30.14518	-88.46772	234811.60390	1099812.65500	20-ft Vibracore	40.0	19.5	4.5-7.0	2.5	SP-SM	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT GRAY	5Y 7/2	7		0.33	0.36	1.1	1.6	1.0
BI-PBS-94-12C	PETIT BOIS PASS - OCS WEST	2012	1/5/2013	1:30 PM	30.14518	-88.46772	234811.60390	1099812.65500	20-ft Vibracore	40.0	19.5	7.0-10.0	3.0	SM	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.21	0.23	7.7	2.0	1.1
BI-PBS-95-12	PETIT BOIS PASS - OCS WEST	2012	1/5/2013	2:58 PM	30.16208	-88.45838	240967.42130	1102744.64800	20-ft Vibracore	43.8	17.9																	
BI-PBS-95-12A	PETIT BOIS PASS - OCS WEST	2012	1/5/2013	2:58 PM	30.16208	-88.45838	240967.42130	1102744.64800	20-ft Vibracore	43.8	17.9	0.0-2.2	2.2	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.32	0.32	1.2	1.6	1.1
BI-PBS-95-12B	PETIT BOIS PASS - OCS WEST	2012	1/5/2013	2:58 PM	30.16208	-88.45838	240967.42130	1102744.64800	20-ft Vibracore	43.8	17.9	2.2-4.2	2.0	SM	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.20	0.21	10.5	#VALUE!	#VALUE!
BI-PBS-99-12	PETIT BOIS PASS - OCS WEST	2012	1/12/2013	9:21 AM	30.14097	-88.42232	233329.34110	1114168.26800	20-ft Vibracore	43.4	18.3																	
BI-PBS-99-12A	PETIT BOIS PASS - OCS WEST	2012	1/12/2013	9:21 AM	30.14097	-88.42232	233329.34110	1114168.26800	20-ft Vibracore	43.4	18.3	0-3.8	3.8	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.30	0.31	2.1	1.7	1.0
BI-PBS-99-12B	PETIT BOIS PASS - OCS WEST	2012	1/12/2013	9:21 AM	30.14097	-88.42232	233329.34110	1114168.26800	20-ft Vibracore	43.4	18.3	3.8-6.3	2.5	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.32	0.33	2.0	1.5	1.1
BI-PBS-99-12C	PETIT BOIS PASS - OCS WEST	2012	1/12/2013	9:21 AM	30.14097	-88.42232	233329.34110	1114168.26800	20-ft Vibracore	43.4	18.3	6.3-8.7	2.4	SP-SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.26	1.67	12.5	#VALUE!	#VALUE!
BI-PBS-101-12	PETIT BOIS PASS - OCS WEST	2012	1/12/2013	10:09 AM	30.13187	-88.39965	230046.35030	1121346.73100	20-ft Vibracore	47.3	15.0																	
BI-PBS-101-12A	PETIT BOIS PASS - OCS WEST	2012	1/12/2013	10:09 AM	30.13187	-88.39965	230046.35030	1121346.73100	20-ft Vibracore	47.3	15.0	0-5	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.31	0.33	1.8	1.7	1.0
BI-PBS-101-12B	PETIT BOIS PASS - OCS WEST	2012	1/12/2013	10:09 AM	30.13187	-88.39965	230046.35030	1121346.73100	20-ft Vibracore	47.3	15.0	5-6.8	1.8	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.30	0.30	1.9	1.6	1.0
BI-PBS-104-12	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	1:56 PM	30.13105	-88.34075	229823.68440	1139967.80400	20-ft Vibracore	60.1	18.2																	
BI-PBS-104-12A	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	1:56 PM	30.13105	-88.34075	229823.68440	1139967.80400	20-ft Vibracore	60.1	18.2	0.0-1.0	1.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.28	0.29	1.9	1.8	1.0
BI-PBS-104-12B	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	1:56 PM	30.13105	-88.34075	229823.68440	1139967.80400	20-ft Vibracore	60.1	18.2	1.0-4.1	3.1	SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.21	0.23	12.9	#VALUE!	#VALUE!
BI-PBS-104-12C	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	1:56 PM	30.13105	-88.34075	229823.68440	1139967.80400	20-ft Vibracore	60.1	18.2	4.1-6.7	2.6	SC	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.24	#VALUE!	21.9	#VALUE!	#VALUE!
BI-PBS-105-12	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	3:42 PM	30.13542	-88.33660	231418.67110	1141272.82100	20-ft Vibracore	59.8	18.5																	
BI-PBS-105-12A	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	3:42 PM	30.13542	-88.33660	231418.67110	1141272.82100	20-ft Vibracore	59.8	18.5	0.0-1.5	1.5	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.26	0.28	2.1	1.7	0.9
BI-PBS-106A-12	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	2:58 PM	30.13698	-88.33967	231981.80780	1140299.89400	20-ft Vibracore	58.4	20.2																	
BI-PBS-106A-12A	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	2:58 PM	30.13698	-88.33967	231981.80780	1140299.89400	20-ft Vibracore	58.4	20.2	0.0-1.1	1.1	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE	5Y 5/3	5	PALE OLIVE	5Y 6/3	6		0.50	0.65	2.5	3.1	1.2
BI-PBS-107-12	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	1:06 PM	30.11680	-88.36145	224613.55030	1133445.36700	20-ft Vibracore	62.5	17.3																	
BI-PBS-107-12A	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	1:06 PM	30.11680	-88.36145	224613.55030	1133445.36700	20-ft Vibracore	62.5	17.3	6.0-8.1	2.1	SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.22	#VALUE!	15.1	#VALUE!	#VALUE!
BI-PBS-107-12B	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	1:06 PM	30.11680	-88.36145	224613.55030	1133445.36700	20-ft Vibracore	62.5	17.3	8.7-11.1	2.4	SM	SM	SUBANGULAR TO SUBROUNDED	DK GRAY	5Y 4/1	4	GRAY	5Y 5/1	5		0.29	0.32	13.3	#VALUE!	#VALUE!
BI-PBS-107-12C	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	1:06 PM	30.11680	-88.36145	224613.55030	1133445.36700	20-ft Vibracore	62.5	17.3	11.1-17.3	6.2	SP	SP-SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.20	0.21	6.7	1.8	1.2
BI-PBS-108-12	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	3:13 PM	30.13308	-88.33728	230566.71450	1141061.56200	20-ft Vibracore	59.1	17.5																	
BI-PBS-108-12A	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	3:13 PM	30.13308	-88.33728	230566.71450	1141061.56200	20-ft Vibracore	59.1	17.5	0.0-2.7	2.7	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.24	0.28	4.4	1.8	0.9
BI-PBS-108-12B	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	3:13 PM	30.13308	-88.33728	230566.71450	1141061.56200	20-ft Vibracore	59.1	17.5	2.7-4.1	1.4	SC	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.23	#VALUE!	27.7	#VALUE!	#VALUE!
BI-PBS-109-12	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	2:37 PM	30.12998	-88.33345	229444.57560	1142277.24800	20-ft Vibracore	60.4	16.6																	
BI-PBS-109-12A	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	2:37 PM	30.12998	-88.33345	229444.57560	1142277.24800	20-ft Vibracore	60.4	16.6	0.0-2.3	2.3	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.24	0.27	3.5	1.7	0.9
BI-PBS-109-12B	PETIT BOIS PASS - OCS EAST	2012	1/4/2013	2:37 PM	30.12998	-88.33345	229444.57560	1142277.24800	20-ft Vibracore	60.4	16.6	2.3-5.9	3.6	SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.24	#VALUE!	22.2	#VALUE!	#VALUE!
BI-PBS-110-12	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	11:47 AM	30.15670	-88.35607	239131.61470	1135085.69300	20-ft Vibracore	51.4	18.3																	
BI-PBS-110-12A	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	11:47 AM	30.15670	-88.35607	239131.61470	1135085.69300	20-ft Vibracore	51.4	18.3	0.0-2.3	2.3	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.30	0.30	2.6	1.8	1.0
BI-PBS-110-12B	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	11:47 AM	30.15670	-88.35607	239131.61470	1135085.69300	20-ft Vibracore	51.4	18.3	2.3-12.5	10.2	SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.21	0.22	14.5	#VALUE!	#VALUE!
BI-PBS-111-12	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	12:21 PM	30.15215	-88.34733	237488.51180	1137854.99200	20-ft Vibracore	52.0	19.9																	
BI-PBS-111-12A	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	12:21 PM	30.15215	-88.34733	237488.51180	1137854.99200	20-ft Vibracore	52.0	19.9	0-4	4.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	LT OLIVE GRAY	5Y 6/2	6		0.30	0.34	3.7	2.1	1.0
BI-PBS-111-12B	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	12:21 PM	30.15215	-88.34733	237488.51180	1137854.99200	20-ft Vibracore	52.0	19.9	6.4-12.8	6.4	SM	SM	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 4/2	4	OLIVE GRAY	5Y 5/2	5		0.20	#VALUE!	15.7	#VALUE!	#VALUE!
BI-PBS-112-12	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	11:05 AM	30.15337	-88.36170	237913.14180	1133311.35900	20-ft Vibracore	49.0	20.2																	
BI-PBS-112-12A	PETIT BOIS PASS - OCS EAST	2012	1/12/2013	11:05 AM	30.15337	-88.36170	237913.14180	1133311.35900	20-ft Vibracore	49.0	20.2	0-5	5.0	SP	SP	SUBANGULAR TO SUBROUNDED	OLIVE GRAY	5Y 5/2	5	LT OLIVE GRAY	5Y 6/2	6		0.33	0.35	2.3		

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ² *D60)
BI-PBS-120-13	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	10:27 AM	30.14218	-88.35563	233851.49380	1135246.86700	20-ft Vibracore	49.0	18.4																	
BI-PBS-120-13A	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	10:27 AM	30.14218	-88.35563	233851.49380	1135246.86700	20-ft Vibracore	49.0	18.4	0-3.0	3.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Light Greenish Gray	GLE1 10Y 7/1	7		0.34	0.43	1.7	2.3	1.0
BI-PBS-120-13B	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	10:27 AM	30.14218	-88.35563	233851.49380	1135246.86700	20-ft Vibracore	49.0	18.4	3.0-6.0	3.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Greenish Gray	GLE1 10Y 6/1	6		0.31	0.40	1.9	2.3	0.9
BI-PBS-120-13C	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	10:27 AM	30.14218	-88.35563	233851.49380	1135246.86700	20-ft Vibracore	49.0	18.4	6.0-8.1	2.1	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 5/1	5		0.19	0.23	11.1	#DIV/0!	#DIV/0!
BI-PBS-121-13	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	4:03 PM	30.14771	-88.37157	235841.92400	1130200.21000	20-ft Vibracore	52.0	18.2																	
BI-PBS-121-13A	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	4:03 PM	30.14771	-88.37157	235841.92400	1130200.21000	20-ft Vibracore	52.0	18.2	0.0-2.0	2.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Greenish Gray	GLE1 10Y 6/1	6		0.22	0.26	3.6	1.6	0.9
BI-PBS-121-13B	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	4:03 PM	30.14771	-88.37157	235841.92400	1130200.21000	20-ft Vibracore	52.0	18.2	2.0-3.4	1.4	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 6/1	6		0.20	0.25	10.5	#DIV/0!	#DIV/0!
BI-PBS-122-13	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	8:30 AM	30.13935	-88.35336	232825.27830	1135968.72800	20-ft Vibracore	48.0	17.4																	
BI-PBS-122-13A	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	8:30 AM	30.13935	-88.35336	232825.27830	1135968.72800	20-ft Vibracore	48.0	17.4	0.0-5.0	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Greenish Gray	GLE1 10Y 6/1	6		0.25	0.29	2.5	1.9	0.9
BI-PBS-122-13B	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	8:30 AM	30.13935	-88.35336	232825.27830	1135968.72800	20-ft Vibracore	48.0	17.4	5.0-8.4	3.4	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Greenish Gray	10Y 3/1	3	Greenish Gray	GLE1 10Y 5/1	5		0.19	0.23	11.9	#DIV/0!	#DIV/0!
BI-PBS-123-13	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	1:39 PM	30.14610	-88.36832	235260.56480	1131229.84000	20-ft Vibracore	50.0	20.0																	
BI-PBS-123-13A	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	1:39 PM	30.14610	-88.36832	235260.56480	1131229.84000	20-ft Vibracore	50.0	20.0	0.0-2.3	2.3	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 6/1	6		0.21	0.25	6.1	2.0	1.1
BI-PBS-123-13B	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	1:39 PM	30.14610	-88.36832	235260.56480	1131229.84000	20-ft Vibracore	50.0	20.0	2.3-5.7	3.4	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.19	0.29	14.6	#DIV/0!	#DIV/0!
BI-PBS-124-13	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	12:18 PM	30.14296	-88.36259	234126.02370	1133045.69100	20-ft Vibracore	46.0	18.7																	
BI-PBS-124-13A	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	12:18 PM	30.14296	-88.36259	234126.02370	1133045.69100	20-ft Vibracore	46.0	18.7	0.0-4.0	4.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Light Greenish Gray	GLE1 10Y 7/1	7		0.31	0.38	1.8	2.1	0.9
BI-PBS-124-13B	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	12:18 PM	30.14296	-88.36259	234126.02370	1133045.69100	20-ft Vibracore	46.0	18.7	4.0-7.8	3.8	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Light Greenish Gray	GLE1 10Y 7/1	7		0.36	0.45	1.5	2.3	1.0
BI-PBS-124-13C	PETIT BOIS PASS - OCS EAST	2013	12/1/2013	12:18 PM	30.14296	-88.36259	234126.02370	1133045.69100	20-ft Vibracore	46.0	18.7	7.8-10.5	2.7	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 5/1	5		0.19	0.24	9.2	2.6	1.4
BI-PBS-127-13	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	1:05 PM	30.15206	-88.35036	237451.71240	1136897.46500	20-ft Vibracore	55.0	16.6																	
BI-PBS-127-13A	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	1:05 PM	30.15206	-88.35036	237451.71240	1136897.46500	20-ft Vibracore	55.0	16.6	0-1.0	1.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Gray	2.5Y 6/1	6		0.20	0.26	3.8	2.1	1.0
BI-PBS-127-13B	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	1:05 PM	30.15206	-88.35036	237451.71240	1136897.46500	20-ft Vibracore	55.0	16.6	1.0-4.2	3.2	SM-SC	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 5/1	5		0.16	0.21	23.4	#DIV/0!	#DIV/0!
BI-PBS-127-13C	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	1:05 PM	30.15206	-88.35036	237451.71240	1136897.46500	20-ft Vibracore	55.0	16.6	4.2-10.7	6.5	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.23	0.26	14.6	#DIV/0!	#DIV/0!
BI-PBS-127-13D	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	1:05 PM	30.15206	-88.35036	237451.71240	1136897.46500	20-ft Vibracore	55.0	16.6	10.7-12.7	2.0	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.17	0.17	8.7	2.3	1.2
BI-PBS-127-13E	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	1:05 PM	30.15206	-88.35036	237451.71240	1136897.46500	20-ft Vibracore	55.0	16.6	12.7-15.9	3.2	SM-SC	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.15	0.16	23.8	#DIV/0!	#DIV/0!
BI-PBS-127-13F	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	1:05 PM	30.15206	-88.35036	237451.71240	1136897.46500	20-ft Vibracore	55.0	16.6	15.9-16.6	0.7	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	5Y 5/1	5	Gray	2.5Y 6/1	6		0.39	0.42	10.8	#DIV/0!	#DIV/0!
BI-PBS-128-13	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	2:37 PM	30.15009	-88.34806	236738.33820	1137627.45500	20-ft Vibracore	57.0	19.2																	
BI-PBS-128-13A	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	2:37 PM	30.15009	-88.34806	236738.33820	1137627.45500	20-ft Vibracore	57.0	19.2	0.0-4.5	4.5	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.19	0.21	16.1	#DIV/0!	#DIV/0!
BI-PBS-128-13B	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	2:37 PM	30.15009	-88.34806	236738.33820	1137627.45500	20-ft Vibracore	57.0	19.2	4.5-8.8	4.3	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.24	0.38	11.8	#DIV/0!	#DIV/0!
BI-PBS-128-13C	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	2:37 PM	30.15009	-88.34806	236738.33820	1137627.45500	20-ft Vibracore	57.0	19.2	8.8-10.0	1.2	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.21	0.23	11.0	#DIV/0!	#DIV/0!
BI-PBS-131-13	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	9:10 AM	30.15479	-88.35113	238443.54320	1136649.90000	20-ft Vibracore	55.0	20.0																	
BI-PBS-131-13A	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	9:10 AM	30.15479	-88.35113	238443.54320	1136649.90000	20-ft Vibracore	55.0	20.0	0.0-3.0	3.0	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.20	0.19	15.6	#DIV/0!	#DIV/0!
BI-PBS-131-13B	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	9:10 AM	30.15479	-88.35113	238443.54320	1136649.90000	20-ft Vibracore	55.0	20.0	3.0-8.0	5.0	SP-SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.14	0.13	19.1	#DIV/0!	#DIV/0!
BI-PBS-131-13C	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	9:10 AM	30.15479	-88.35113	238443.54320	1136649.90000	20-ft Vibracore	55.0	20.0	8.0-11.0	3.0	SP	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	2.5Y 3/1	3	Gray	2.5Y 6/1	6		0.21	0.23	14.0	#DIV/0!	#DIV/0!
BI-PBS-131-13D	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	9:10 AM	30.15479	-88.35113	238443.54320	1136649.90000	20-ft Vibracore	55.0	20.0	11.0-14.0	3.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.34	0.40	3.0	2.2	1.1
BI-PBS-131-13E	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	9:10 AM	30.15479	-88.35113	238443.54320	1136649.90000	20-ft Vibracore	55.0	20.0	14.0-17.0	3.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.41	0.47	1.4	2.7	1.0
BI-PBS-131-13F	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	9:10 AM	30.15479	-88.35113	238443.54320	1136649.90000	20-ft Vibracore	55.0	20.0	17.0-20.0	3.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	10Y 4/1	4	Light Gray	2.5Y 7/1	7		0.49	0.53	1.5	2.5	0.9
BI-PBS-132-13	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	11:23 AM	30.15301	-88.35248	237794.38230	1136225.95800	20-ft Vibracore	55.0	16.1																	
BI-PBS-132-13A	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	11:23 AM	30.15301	-88.35248	237794.38230	1136225.95800	20-ft Vibracore	55.0	16.1	0.0-1.0	1.0	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 6/1	6		0.22	0.26	6.5	2.3	1.1
BI-PBS-132-13B	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	11:23 AM	30.15301	-88.35248	237794.38230	1136225.95800	20-ft Vibracore	55.0	16.1	1.0-5.0	4.0	SM</														

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ² *P60)	
BI-PBS-137-13C	PETIT BOIS PASS - OCS WEST	2013	12/30/2013	4:12 PM	30.15377	-88.46246	237941.00100	1101465.08500	20-ft Vibracore	48.0	11.4	1.5-2.4	0.9	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Greenish Gray	5GY 3/1	3	Greenish Gray	GLE1 10Y 6/1	6		0.16	0.19	13.8	#DIV/0!	#DIV/0!	
BI-PBS-138-13	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	10:29 AM	30.12693	-88.41882	228227.24260	1115293.14700	20-ft Vibracore	58.2	19.9	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-144-13	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	4:28 PM	30.14593	-88.36170	235207.32800	1133322.54600	20-ft Vibracore	50.0	18.7																		
BI-PBS-144-13A	PETIT BOIS PASS - OCS EAST	2013	11/30/2013	4:28 PM	30.14593	-88.36170	235207.32800	1133322.54600	20-ft Vibracore	50.0	18.7	0.0-4.2	4.2	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Light Greenish Gray	GLE1 10Y 7/1	7		0.33	0.49	1.4	2.3	0.9	
BI-PBS-153-13	PETIT BOIS PASS - OCS WEST	2013	12/8/2013	2:56 PM	30.12916	-88.41622	229041.24780	1116112.14800	20-ft Vibracore	56.3	19.2																		
BI-PBS-153-13A	PETIT BOIS PASS - OCS WEST	2013	12/8/2013	2:56 PM	30.12916	-88.41622	229041.24780	1116112.14800	20-ft Vibracore	56.3	19.2	0.0-0.8	0.8	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Greenish Gray	GLE1 10Y 6/1	6		0.21	0.26	7.0	2.1	1.2	
BI-PBS-154-13	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	4:03 PM	30.15989	-88.46614	240162.97550	1100294.84100	20-ft Vibracore	48.1	15.2																		
BI-PBS-154-13A	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	4:03 PM	30.15989	-88.46614	240162.97550	1100294.84100	20-ft Vibracore	48.1	15.2	0.0-0.5	0.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 6/1	6	Greenish Gray	GLE1 10Y 6/1	6		0.27	0.27	1.5	1.9	0.9	
BI-PBS-154-13B	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	4:03 PM	30.15989	-88.46614	240162.97550	1100294.84100	20-ft Vibracore	48.1	15.2	0.5-1.7	1.2	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	GLE1 10Y 6/1	6		0.25	0.27	5.7	2.0	0.9	
BI-PBS-154-13C	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	4:03 PM	30.15989	-88.46614	240162.97550	1100294.84100	20-ft Vibracore	48.1	15.2	1.7-6.0	4.3	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Greenish Gray	GLE1 10Y 5/1	5		0.15	0.14	18.1	#DIV/0!	#DIV/0!	
BI-PBS-155-13	PETIT BOIS PASS - OCS WEST	2013	12/30/2013	3:17 PM	30.16573	-88.46123	242291.91430	1101839.63800	20-ft Vibracore	47.1	12.1																		
BI-PBS-155-13A	PETIT BOIS PASS - OCS WEST	2013	12/30/2013	3:17 PM	30.16573	-88.46123	242291.91430	1101839.63800	20-ft Vibracore	47.1	12.1	0.0-1.7	1.7	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.19	0.22	8.8	2.7	1.3	
BI-PBS-160-13	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	2:40 PM	30.12543	-88.40632	227696.28540	1119246.94100	20-ft Vibracore	53.0	18.5																		
BI-PBS-160-13A	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	2:40 PM	30.12543	-88.40632	227696.28540	1119246.94100	20-ft Vibracore	53.0	18.5	0.0-5.6	5.6	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Greenish Gray	GLE1 10Y 6/1	6		0.33	0.41	1.6	2.2	0.9	
BI-PBS-160-13B	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	2:40 PM	30.12543	-88.40632	227696.28540	1119246.94100	20-ft Vibracore	53.0	18.5	5.6-6.2	0.6	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Greenish Gray	GLE1 10Y 6/1	6		0.26	0.35	3.9	2.0	0.8	
BI-PBS-160-13C	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	2:40 PM	30.12543	-88.40632	227696.28540	1119246.94100	20-ft Vibracore	53.0	18.5	6.2-8.9	2.7	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 5/1	5		0.20	0.23	10.4	#DIV/0!	#DIV/0!	
BI-PBS-161-13	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	9:14 AM	30.12661	-88.41508	228115.17720	1116475.93800	20-ft Vibracore	57.0	18.3																		
BI-PBS-161-13A	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	9:14 AM	30.12661	-88.41508	228115.17720	1116475.93800	20-ft Vibracore	57.0	18.3	0.0-1.5	1.5	SC-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 5/1	5		0.21	0.29	11.5	#DIV/0!	#DIV/0!	
BI-PBS-162-13	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	3:55 PM	30.12216	-88.40470	226508.96420	1119763.56100	20-ft Vibracore	57.0	19.3																		
BI-PBS-162-13A	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	3:55 PM	30.12216	-88.40470	226508.96420	1119763.56100	20-ft Vibracore	57.0	19.3	0.0-3.1	3.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 6/1	6		0.21	0.25	4.2	1.6	0.9	
BI-PBS-162-13B	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	3:55 PM	30.12216	-88.40470	226508.96420	1119763.56100	20-ft Vibracore	57.0	19.3	3.1-5.5	2.4	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.20	0.24	11.1	#DIV/0!	#DIV/0!	
BI-PBS-163-13	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	3:17 PM	30.11750	-88.39417	224826.85760	1123099.19900	20-ft Vibracore	54.6	16.7																		
BI-PBS-163-13A	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	3:17 PM	30.11750	-88.39417	224826.85760	1123099.19900	20-ft Vibracore	54.6	16.7	0.0-1.0	1.0	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.22	0.26	2.8	1.6	0.9	
BI-PBS-163-13B	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	3:17 PM	30.11750	-88.39417	224826.85760	1123099.19900	20-ft Vibracore	54.6	16.7	1.0-2.5	1.5	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 5/1	5		0.20	0.23	9.6	2.7	1.5	
BI-PBS-164-13	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	1:59 PM	30.11353	-88.39271	223384.81850	1123566.38000	20-ft Vibracore	54.3	19.2																		
BI-PBS-164-13A	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	1:59 PM	30.11353	-88.39271	223384.81850	1123566.38000	20-ft Vibracore	54.3	19.2	0.0-3.8	3.8	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Greenish Gray	GLE1 10Y 6/1	6		0.21	0.24	2.8	1.5	0.9	
BI-PBS-164-13B	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	1:59 PM	30.11353	-88.39271	223384.81850	1123566.38000	20-ft Vibracore	54.3	19.2	3.8-4.4	0.6	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.21	0.25	8.7	2.2	1.2	
BI-PBS-165-13	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	12:44 PM	30.11660	-88.39751	224495.49780	1122044.43900	20-ft Vibracore	55.6	15.0																		
BI-PBS-165-13A	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	12:44 PM	30.11660	-88.39751	224495.49780	1122044.43900	20-ft Vibracore	55.6	15.0	0.0-2.5	2.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 7/1	7	Light Greenish Gray	GLE1 10Y 7/1	7		0.21	0.24	4.0	1.6	1.0	
BI-PBS-165-13B	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	12:44 PM	30.11660	-88.39751	224495.49780	1122044.43900	20-ft Vibracore	55.6	15.0	2.5-2.8	0.3	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 5/1	5		0.26	0.35	11.3	#DIV/0!	#DIV/0!	
BI-PBS-166-13	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	10:06 AM	30.12222	-88.40137	226534.75310	1120816.27700	20-ft Vibracore	52.5	12.9																		
BI-PBS-166-13A	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	10:06 AM	30.12222	-88.40137	226534.75310	1120816.27700	20-ft Vibracore	52.5	12.9	0.0-3.6	3.6	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Light Greenish Gray	10Y 7/1	7	Light Greenish Gray	10Y 7/1	7		0.24	0.27	2.7	1.8	0.9	
BI-PBS-169-13	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	12:38 PM	30.16177	-88.46171	240851.23460	1101692.64500	20-ft Vibracore	45.1	17.7																		
BI-PBS-169-13A	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	12:38 PM	30.16177	-88.46171	240851.23460	1101692.64500	20-ft Vibracore	45.1	17.7	0.0-2.7	2.7	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 6/1	6	Light Greenish Gray	GLE1 10Y 7/1	7		0.26	0.27	1.2	1.8	0.9	
BI-PBS-169-13B	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	12:38 PM	30.16177	-88.46171	240851.23460	1101692.64500	20-ft Vibracore	45.1	17.7	2.7-7.5	4.8	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.22	0.38	9.7	3.4	1.4	
BI-PBS-170-13	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	2:47 PM	30.15808	-88.46185	239509.10060	1101652.77200	20-ft Vibracore	50.0	16.5																		
BI-PBS-170-13A	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	2:47 PM	30.15808	-88.46185	239509.10060	1101652.77200	20-ft Vibracore	50.0	16.5	0.0-3.2	3.2	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Greenish Gray	GLE1 10Y 5/1	5		0.17	0.16	16.4	#DIV/0!	#DIV/0!	
BI-PBS-171-13	PETIT BOIS PASS - OCS WEST	2013	12/27/2013	1:07 PM	30.15775	-88.45673	239394.39230	1103271.29400	20-ft Vibracore	46.8	9.8																		
BI-PBS-171-13A	PETIT BOIS PASS - OCS WEST	2013	12/27/2013	1:07 PM	30.15775	-88.45673	239394.39230	1103271.29400	20-ft Vibracore	46.8	9.8	0.0-0.8	0.8	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6										

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ² *P60)
BI-PBS-175-13A	PETIT BOIS PASS - OCS WEST	2013	12/27/2013	2:17 PM	30.15808	-88.45164	239519.75570	1104879.54200	20-ft Vibracore	44.8	16.6	0.0-2.7	2.7	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 6/1	6	Light Greenish Gray	GLE1 10Y 7/1	7		0.32	0.32	0.8	1.8	1.1
BI-PBS-175-13B	PETIT BOIS PASS - OCS WEST	2013	12/27/2013	2:17 PM	30.15808	-88.45164	239519.75570	1104879.54200	20-ft Vibracore	44.8	16.6	2.7-5.4	2.7	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 6/1	6	Light Greenish Gray	GLE1 10Y 7/1	7		0.33	0.43	0.8	1.9	1.1
BI-PBS-175-13C	PETIT BOIS PASS - OCS WEST	2013	12/27/2013	2:17 PM	30.15808	-88.45164	239519.75570	1104879.54200	20-ft Vibracore	44.8	16.6	5.4-9.0	3.6	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	GLE1 10Y 5/1	5		0.18	0.17	15.4	#DIV/0!	#DIV/0!
BI-PBS-176-13	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	9:34 AM	30.16060	-88.44859	240439.47610	1105840.37200	20-ft Vibracore	50.1	19.8																	
BI-PBS-176-13A	PETIT BOIS PASS - OCS WEST	2013	12/29/2013	9:34 AM	30.16060	-88.44859	240439.47610	1105840.37200	20-ft Vibracore	50.1	19.8	0.0-3.2	3.2	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 5/1	5		0.14	0.14	22.4	#DIV/0!	#DIV/0!
BI-PBS-177-13	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	12:09 PM	30.15762	-88.44303	239361.67130	1107601.22100	20-ft Vibracore	50.4	11.5																	
BI-PBS-177-13A	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	12:09 PM	30.15762	-88.44303	239361.67130	1107601.22100	20-ft Vibracore	50.4	11.5	0.0-0.3	0.3	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray & Light Greenish Gray	10Y 5/1	5	Greenish Gray	GLE1 10Y 5/1	5		0.21	0.25	17.1	#DIV/0!	#DIV/0!
BI-PBS-178-13	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	1:38 PM	30.15356	-88.44260	237885.58350	1107742.17700	20-ft Vibracore	44.8	19.3																	
BI-PBS-178-13A	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	1:38 PM	30.15356	-88.44260	237885.58350	1107742.17700	20-ft Vibracore	44.8	19.3	0.0-5.0	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 6/1	6	Greenish Gray	GLE1 10Y 6/1	6		0.31	0.31	1.8	1.9	1.1
BI-PBS-178-13B	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	1:38 PM	30.15356	-88.44260	237885.58350	1107742.17700	20-ft Vibracore	44.8	19.3	5.0-6.5	1.5	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 6/1	6		0.16	0.17	18.1	#DIV/0!	#DIV/0!
BI-PBS-179-13	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	2:56 PM	30.15021	-88.43943	236670.69180	1108748.27800	20-ft Vibracore	47.4	13.6																	
BI-PBS-179-13A	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	2:56 PM	30.15021	-88.43943	236670.69180	1108748.27800	20-ft Vibracore	47.4	13.6	0.0-4.2	4.2	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	6	Gray	2.5Y 6/1	6		0.31	0.34	1.5	2.0	1.1
BI-PBS-180-13	PETIT BOIS PASS - OCS WEST	2013	12/19/2013	9:29 AM	30.14772	-88.44211	235762.20690	1107904.32800	20-ft Vibracore	48.4	14.8																	
BI-PBS-180-13A	PETIT BOIS PASS - OCS WEST	2013	12/19/2013	9:29 AM	30.14772	-88.44211	235762.20690	1107904.32800	20-ft Vibracore	48.4	14.8	0.0-1.6	1.6	SP-SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 5/1	5		0.19	0.22	14.1	#DIV/0!	#DIV/0!
BI-PBS-181-13	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	11:13 AM	30.15365	-88.43690	237924.53140	1109543.57600	20-ft Vibracore	49.4	18.8																	
BI-PBS-181-13A	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	11:13 AM	30.15365	-88.43690	237924.53140	1109543.57600	20-ft Vibracore	49.4	18.8	0.0-1.5	1.5	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 5/1	5		0.26	0.28	11.3	#DIV/0!	#DIV/0!
BI-PBS-182-13	PETIT BOIS PASS - OCS WEST	2013	12/18/2013	3:50 PM	30.14708	-88.43591	235536.22360	1109864.79500	20-ft Vibracore	49.0	18.7																	
BI-PBS-182-13A	PETIT BOIS PASS - OCS WEST	2013	12/18/2013	3:50 PM	30.14708	-88.43591	235536.22360	1109864.79500	20-ft Vibracore	49.0	18.7	0.0-2.9	2.9	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Greenish Gray	GLE1 10Y 6/1	6		0.27	0.28	3.3	2.0	0.9
BI-PBS-182-13B	PETIT BOIS PASS - OCS WEST	2013	12/18/2013	3:50 PM	30.14708	-88.43591	235536.22360	1109864.79500	20-ft Vibracore	49.0	18.7	4.5-5.0	0.5	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.31	0.39	4.8	2.3	0.9
BI-PBS-184-13	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	9:00 AM	30.12897	-88.46291	228921.22950	1101352.14100	20-ft Vibracore	52.0	12.9																	
BI-PBS-184-13A	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	9:00 AM	30.12897	-88.46291	228921.22950	1101352.14100	20-ft Vibracore	52.0	12.9	0.0-1.5	1.5	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Greenish Gray	GLE1 10Y 5/1	5		0.19	0.22	7.7	2.4	1.3
BI-PBS-184-13B	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	9:00 AM	30.12897	-88.46291	228921.22950	1101352.14100	20-ft Vibracore	52.0	12.9	1.5-3.0	1.5	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 6/1	6		0.14	0.13	15.4	#DIV/0!	#DIV/0!
BI-PBS-185-13	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	10:11 AM	30.15086	-88.43270	236914.49370	1110874.56900	20-ft Vibracore	50.0	20.0																	
BI-PBS-185-13A	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	10:11 AM	30.15086	-88.43270	236914.49370	1110874.56900	20-ft Vibracore	50.0	20.0	0.0-4.9	4.9	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 5/1	5		0.23	0.21	20.5	#DIV/0!	#DIV/0!
BI-PBS-185-13B	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	10:11 AM	30.15086	-88.43270	236914.49370	1110874.56900	20-ft Vibracore	50.0	20.0	4.9-9.9	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 6/1	6	Gray	2.5Y 6/1	6		0.37	0.43	3.2	1.6	0.9
BI-PBS-185-13C	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	10:11 AM	30.15086	-88.43270	236914.49370	1110874.56900	20-ft Vibracore	50.0	20.0	9.9-14.9	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 6/1	6	Gray	2.5Y 6/1	6		0.35	0.39	2.7	1.5	0.9
BI-PBS-185-13D	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	10:11 AM	30.15086	-88.43270	236914.49370	1110874.56900	20-ft Vibracore	50.0	20.0	14.9-18.3	3.4	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Light Gray	2.5Y 7/1	7	Light Gray	2.5Y 7/1	7		0.37	0.43	3.2	1.9	1.0
BI-PBS-185-13E	PETIT BOIS PASS - OCS WEST	2013	12/16/2013	10:11 AM	30.15086	-88.43270	236914.49370	1110874.56900	20-ft Vibracore	50.0	20.0	18.3-20.0	1.7	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 5/1	5		0.32	0.34	9.0	3.3	1.9
BI-PBS-186-13	PETIT BOIS PASS - OCS WEST	2013	12/18/2013	3:00 PM	30.14391	-88.43901	234379.94980	1108888.94500	20-ft Vibracore	48.4	16.4																	
BI-PBS-186-13A	PETIT BOIS PASS - OCS WEST	2013	12/18/2013	3:00 PM	30.14391	-88.43901	234379.94980	1108888.94500	20-ft Vibracore	48.4	16.4	0.0-1.1	1.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Greenish Gray	GLE1 10Y 6/1	6		0.25	0.38	2.3	1.9	0.8
BI-PBS-188-13	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	2:01 PM	30.13259	-88.45892	230241.87130	1102609.19200	20-ft Vibracore	48.1	18.8																	
BI-PBS-188-13A	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	2:01 PM	30.13259	-88.45892	230241.87130	1102609.19200	20-ft Vibracore	48.1	18.8	0.0-1.0	1.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Black	10Y 2.5/1	3	Greenish Gray	GLE1 10Y 6/1	6		0.20	0.23	4.1	1.7	1.1
BI-PBS-188-13B	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	2:01 PM	30.13259	-88.45892	230241.87130	1102609.19200	20-ft Vibracore	48.1	18.8	1.0-2.4	1.4	SP-SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Black	10Y 2.5/1	3	Gray	2.5Y 5/1	5		0.16	0.18	13.7	#DIV/0!	#DIV/0!
BI-PBS-188-13C	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	2:01 PM	30.13259	-88.45892	230241.87130	1102609.19200	20-ft Vibracore	48.1	18.8	11.7-15.0	3.3	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Grayish Brown	10YR 5/2	5	Light Gray	2.5Y 7/2	7		0.22	0.24	3.4	1.5	0.9
BI-PBS-190-13	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	4:27 PM	30.14489	-88.42474	234752.23010	1113398.21200	20-ft Vibracore	51.3	17.3																	
BI-PBS-190-13A	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	4:27 PM	30.14489	-88.42474	234752.23010	1113398.21200	20-ft Vibracore	51.3	17.3	0.0-3.0	3.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Light Greenish Gray	10Y 7/1	7	Light Greenish Gray	GLE1 10Y 7/1	7		0.37	0.43	1.5	1.7	0.9
BI-PBS-190-13B	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	4:27 PM	30.14489	-88.42474	234752.23010	1113398.21200	20-ft Vibracore	51.3	17.3	3.0-4.6	1.6	SM-SC	SM	SUB-ANGULAR TO SUB-ROUNDED	Light Greenish Gray	10Y 7/1	7	Light Gray	2.5Y 7/1	7		0.24	0.24	13.8	#DIV/0!	#DIV/0!
BI-PBS-190-13C	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	4:27 PM	30.14489	-88.42474	234752.23010	1113398.21200	20-ft Vibracore	51.3	17.3	4.6-9.6	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.31	0.34	2.6	2.1	1.1
BI-PBS-190-13D	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	4:27 PM	30.14489	-88.42																						

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10*P60)	
BI-PBS-198-13	PETIT BOIS PASS - OCS WEST	2013	12/4/2013	3:05 PM	30.13575	-88.40772	231447.83540	1118790.34200	20-ft Vibracore	49.0	9.6																		
BI-PBS-198-13A	PETIT BOIS PASS - OCS WEST	2013	12/4/2013	3:05 PM	30.13575	-88.40772	231447.83540	1118790.34200	20-ft Vibracore	49.0	9.6	0.0-1.5	1.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Light Greenish Gray	10Y 7/1	7	Light Gray	2.5Y 7/1	7		0.31	0.37	1.6	2.0	1.0	
BI-PBS-200-13	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	9:36 AM	30.13842	-88.39909	232429.14640	1121514.69700	20-ft Vibracore	57.0	18.8	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-201-13	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	1:40 PM	30.13235	-88.40438	230215.26730	1119850.80500	20-ft Vibracore	52.0	19.4																		
BI-PBS-201-13A	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	1:40 PM	30.13235	-88.40438	230215.26730	1119850.80500	20-ft Vibracore	52.0	19.4	0.0-2.4	2.4	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Greenish Gray	GLE Y1 10Y 6/1	6		0.28	0.28	2.8	1.9	1.0	
BI-PBS-201-13B	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	1:40 PM	30.13235	-88.40438	230215.26730	1119850.80500	20-ft Vibracore	52.0	19.4	2.4-3.9	1.5	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.18	0.18	29.6	#DIV/0!	#DIV/0!	
BI-PBS-202-13	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	11:40 AM	30.13580	-88.40302	231471.59110	1120276.00100	20-ft Vibracore	50.0	16.0																		
BI-PBS-202-13A	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	11:40 AM	30.13580	-88.40302	231471.59110	1120276.00100	20-ft Vibracore	50.0	16.0	0.0-1.2	1.2	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Greenish Gray	GLE Y1 10Y 6/1	6		0.31	0.35	1.6	2.0	1.1	
BI-PBS-205-13	PETIT BOIS PASS - OCS WEST	2013	12/8/2013	11:45 AM	30.12754	-88.40919	228460.27230	1118336.75300	20-ft Vibracore	54.3	20.0																		
BI-PBS-205-13A	PETIT BOIS PASS - OCS WEST	2013	12/8/2013	11:45 AM	30.12754	-88.40919	228460.27230	1118336.75300	20-ft Vibracore	54.3	20.0	0.0-1.0	1.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Greenish Gray	GLE Y1 10Y 6/1	6		0.23	0.30	4.7	1.7	0.9	
BI-PBS-205-13B	PETIT BOIS PASS - OCS WEST	2013	12/8/2013	11:45 AM	30.12754	-88.40919	228460.27230	1118336.75300	20-ft Vibracore	54.3	20.0	1.0-3.2	2.2	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Greenish Gray	GLE Y1 10Y 6/1	6		0.21	0.27	6.8	2.1	1.1	
BI-PBS-206-13	PETIT BOIS PASS - OCS WEST	2013	12/3/2013	10:38 AM	30.13893	-88.40418	232608.53780	1119905.03000	20-ft Vibracore	55.5	20.0	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-207-13	PETIT BOIS PASS - OCS WEST	2013	12/8/2013	1:36 PM	30.12876	-88.41234	228900.27810	1117339.28100	20-ft Vibracore	55.0	19.7																		
BI-PBS-207-13A	PETIT BOIS PASS - OCS WEST	2013	12/8/2013	1:36 PM	30.12876	-88.41234	228900.27810	1117339.28100	20-ft Vibracore	55.0	19.7	0.0-1.1	1.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Greenish Gray	GLE Y1 10Y 6/1	6		0.24	0.34	3.6	1.9	0.8	
BI-PBS-207-13B	PETIT BOIS PASS - OCS WEST	2013	12/8/2013	1:36 PM	30.12876	-88.41234	228900.27810	1117339.28100	20-ft Vibracore	55.0	19.7	1.1-2.5	1.4	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Greenish Gray	GLE Y1 10Y 6/1	6		0.21	0.28	13.7	#DIV/0!	#DIV/0!	
BI-PBS-210-13	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	10:17 AM	30.13365	-88.39303	230701.71850	1123436.98000	20-ft Vibracore	56.0	19.8																		
BI-PBS-210-13A	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	10:17 AM	30.13365	-88.39303	230701.71850	1123436.98000	20-ft Vibracore	56.0	19.8	0.0-1.5	1.5	SC-SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	5Y 5/1	5	Gray	2.5Y 6/1	6		0.21	0.20	24.4	#DIV/0!	#DIV/0!	
BI-PBS-210-13B	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	10:17 AM	30.13365	-88.39303	230701.71850	1123436.98000	20-ft Vibracore	56.0	19.8	1.5-3.4	1.9	SC	SC	SUB-ANGULAR TO SUB-ROUNDED	Gray	5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.09	0.11	48.2	#DIV/0!		
BI-PBS-210-13C	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	10:17 AM	30.13365	-88.39303	230701.71850	1123436.98000	20-ft Vibracore	56.0	19.8	5.4-10.0	4.6	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.23	0.25	8.5	2.2	1.1	
BI-PBS-210-13D	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	10:17 AM	30.13365	-88.39303	230701.71850	1123436.98000	20-ft Vibracore	56.0	19.8	11.0-13.0	2.0	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	5Y 5/1	5	Gray	2.5Y 6/1	6		0.21	0.24	6.8	2.0	1.1	
BI-PBS-210-13E	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	10:17 AM	30.13365	-88.39303	230701.71850	1123436.98000	20-ft Vibracore	56.0	19.8	13.0-14.0	1.0	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.19	0.21	9.2	2.5	1.4	
BI-PBS-210-13F	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	10:17 AM	30.13365	-88.39303	230701.71850	1123436.98000	20-ft Vibracore	56.0	19.8	14.0-19.0	5.0	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.18	0.17	12.4	#DIV/0!	#DIV/0!	
BI-PBS-212-13	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	12:04 PM	30.13495	-88.41465	231148.78590	1116600.75200	20-ft Vibracore	53.0	11.9																		
BI-PBS-212-13A	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	12:04 PM	30.13495	-88.41465	231148.78590	1116600.75200	20-ft Vibracore	53.0	11.9	0.0-1.0	1.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Light Greenish Gray	10Y 7/1	7	Light Gray	2.5Y 7/1	7		0.30	0.32	1.5	2.0	1.0	
BI-PBS-212-13B	PETIT BOIS PASS - OCS WEST	2013	12/9/2013	12:04 PM	30.13495	-88.41465	231148.78590	1116600.75200	20-ft Vibracore	53.0	11.9	1.0-1.7	0.7	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.22	0.27	13.5	#DIV/0!	#DIV/0!	
BI-PBS-214-13	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	11:31 AM	30.12965	-88.39583	229243.58340	1122557.42200	20-ft Vibracore	49.0	19.8																		
BI-PBS-214-13A	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	11:31 AM	30.12965	-88.39583	229243.58340	1122557.42200	20-ft Vibracore	49.0	19.8	0.0-5.0	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Greenish Gray	GLE Y1 10Y 6/1	6		0.28	0.29	3.9	2.0	0.9	
BI-PBS-214-13B	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	11:31 AM	30.12965	-88.39583	229243.58340	1122557.42200	20-ft Vibracore	49.0	19.8	5.0-7.2	2.2	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 5/2	5	Greenish Gray	GLE Y1 10Y 6/1	6		0.30	0.33	1.9	2.0	1.0	
BI-PBS-214-13C	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	11:31 AM	30.12965	-88.39583	229243.58340	1122557.42200	20-ft Vibracore	49.0	19.8	7.2-9.0	1.8	SM-SC	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE Y1 10Y 5/1	5		0.21	0.26	16.7	#DIV/0!	#DIV/0!	
BI-PBS-215-13	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	1:05 PM	30.12876	-88.40077	228913.95380	1120996.95700	20-ft Vibracore	56.5	18.7																		
BI-PBS-215-13A	PETIT BOIS PASS - OCS WEST	2013	12/2/2013	1:05 PM	30.12876	-88.40077	228913.95380	1120996.95700	20-ft Vibracore	56.5	18.7	0.0-1.3	1.3	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Greenish Gray	GLE Y1 10Y 6/1	6		0.21	0.23	8.5	2.1	1.2	
BI-PBS-216-13	PETIT BOIS PASS - OCS WEST	2013	12/18/2013	10:45 AM	30.12966	-88.39019	229254.09840	1124340.39200	20-ft Vibracore	50.0	19.7																		
BI-PBS-216-13A	PETIT BOIS PASS - OCS WEST	2013	12/18/2013	10:45 AM	30.12966	-88.39019	229254.09840	1124340.39200	20-ft Vibracore	50.0	19.7	0.0-3.4	3.4	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Light Greenish Gray	10Y 7/1	7	Light Gray	2.5Y 7/1	7		0.29	0.32	2.2	2.0	0.9	
BI-PBS-216-13B	PETIT BOIS PASS - OCS WEST	2013	12/18/2013	10:45 AM	30.12966	-88.39019	229254.09840	1124340.39200	20-ft Vibracore	50.0	19.7	3.4-3.7	0.3	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 5/1	5		0.24	0.37	8.3	2.2	1.0	
BI-PBS-217-13	PETIT BOIS PASS - OCS WEST	2013	12/4/2013	1:36 PM	30.13755	-88.41171	232097.78240	1117526.63600	20-ft Vibracore	48.7	11.5																		
BI-PBS-217-13A	PETIT BOIS PASS - OCS WEST	2013	12/4/2013	1:36 PM	30.13755	-88.41171	232097.78240	1117526.63600	20-ft Vibracore	48.7	11.5	0.0-3.4	3.4	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Light Greenish Gray	10Y 7/1	7	Light Greenish Gray	GLE Y1 10Y 7/1	7		0.28	0.29	1.3	1.9	0.9	
BI-PBS-218-13	PETIT BOIS PASS - OCS WEST	2013	12/4/2013	4:27 PM	30.13291	-88.41034	230411.89760	1117965.95600	20-ft Vibracore	55.0	19.5																		
BI-PBS-218-13A	PETIT BOIS PASS - OCS WEST	2013	12/4/2013	4:27 PM	30.13291	-88.41034	230411.89760	1117965.95600	20-ft Vibracore	55.0	19.5	0.0-0.3	0.3	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 6/1	6	Gray	2.5Y 6/1	6		0.24	0.62	9.9	4.0	1.4	
BI-PBS-219-13	PETIT BOIS PASS - OCS WEST	2013	12/17/2013	11:08 AM	30.11952	-88.39940	225555.17330	1121442.83500	20-ft Vibracore	53.0	17.5																		

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10*P60)
BI-PBS-243-13B	PETIT BOIS PASS - OCS WEST	2013	1/13/2014	12:24 PM	30.12275	-88.43571	226688.05960	1109958.83900	20-ft Vibracore	47.7	12.2	3.7-5.2	1.5	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Greenish Gray	10Y 3/1	3	Greenish Gray	GLE1 10Y 5/1	5		0.19	0.21	5.0	1.9	1.0
BI-PBS-243-13C	PETIT BOIS PASS - OCS WEST	2013	1/13/2014	12:24 PM	30.12275	-88.43571	226688.05960	1109958.83900	20-ft Vibracore	47.7	12.2	5.2-5.8	0.6	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Greenish Gray	10Y 3/1	3	Gray	2.5Y 5/1	5		0.18	0.17	16.4	#DIV/0!	#DIV/0!
BI-PBS-244-13	PETIT BOIS PASS - OCS WEST	2013	1/12/2014	2:15 PM	30.12671	-88.43241	228131.88730	1110997.08600	20-ft Vibracore	53.3	10.7																	
BI-PBS-244-13A	PETIT BOIS PASS - OCS WEST	2013	1/12/2014	2:15 PM	30.12671	-88.43241	228131.88730	1110997.08600	20-ft Vibracore	53.3	10.7	0.0-0.9	0.9	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.21	0.24	5.0	2.1	1.0
BI-PBS-245-13	PETIT BOIS PASS - OCS WEST	2013	1/12/2014	12:56 PM	30.12940	-88.43568	229106.57500	1109959.89800	20-ft Vibracore	52.0	18.3																	
BI-PBS-245-13A	PETIT BOIS PASS - OCS WEST	2013	1/12/2014	12:56 PM	30.12940	-88.43568	229106.57500	1109959.89800	20-ft Vibracore	52.0	18.3	0.0-1.3	1.3	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Greenish Gray	5GY 3/1	3	Gray	2.5Y 5/1	5		0.26	0.32	4.0	2.5	1.0
BI-PBS-248-13	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	1:49 PM	30.15620	-88.47290	238814.17130	1098162.69200	20-ft Vibracore	46.1	18.1																	
BI-PBS-248-13A	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	1:49 PM	30.15620	-88.47290	238814.17130	1098162.69200	20-ft Vibracore	46.1	18.1	0.0-4.8	4.8	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 5/1	5		0.17	0.19	11.7	#DIV/0!	#DIV/0!
BI-PBS-248-13B	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	1:49 PM	30.15620	-88.47290	238814.17130	1098162.69200	20-ft Vibracore	46.1	18.1	4.8-6.5	1.7	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Greenish Gray	GLE1 10Y 5/1	5		0.13	0.12	21.7	#DIV/0!	#DIV/0!
BI-PBS-250-13	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	4:11 PM	30.15038	-88.47808	236692.40450	1096532.16700	20-ft Vibracore	44.5	15.7																	
BI-PBS-250-13A	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	4:11 PM	30.15038	-88.47808	236692.40450	1096532.16700	20-ft Vibracore	44.5	15.7	0.0-2.8	2.8	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Greenish Gray	GLE1 10Y 6/1	6		0.24	0.27	1.6	1.8	0.9
BI-PBS-250-13B	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	4:11 PM	30.15038	-88.47808	236692.40450	1096532.16700	20-ft Vibracore	44.5	15.7	2.8-4.2	1.4	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Greenish Gray	GLE1 10Y 5/1	5		0.20	0.22	7.2	2.0	1.1
BI-PBS-251-13	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	11:29 AM	30.12536	-88.44421	227628.00830	1107268.30300	20-ft Vibracore	48.4	14.8																	
BI-PBS-251-13A	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	11:29 AM	30.12536	-88.44421	227628.00830	1107268.30300	20-ft Vibracore	48.4	14.8	0.0-2.5	2.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	5Y 4/1	4	Gray	2.5Y 6/1	6		0.23	0.26	2.0	1.6	0.9
BI-PBS-251-13B	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	11:29 AM	30.12536	-88.44421	227628.00830	1107268.30300	20-ft Vibracore	48.4	14.8	2.5-4.6	2.1	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 5/1	5		0.20	0.24	7.0	2.2	1.1
BI-PBS-252-13	PETIT BOIS PASS - OCS WEST	2013	1/13/2014	2:10 PM	30.12580	-88.43832	227794.42340	1109129.84100	20-ft Vibracore	48.1	15.5																	
BI-PBS-252-13A	PETIT BOIS PASS - OCS WEST	2013	1/13/2014	2:10 PM	30.12580	-88.43832	227794.42340	1109129.84100	20-ft Vibracore	48.1	15.5	0.0-1.9	1.9	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Light Gray	2.5Y 7/1	7		0.24	0.27	1.7	1.8	0.9
BI-PBS-252-13B	PETIT BOIS PASS - OCS WEST	2013	1/13/2014	2:10 PM	30.12580	-88.43832	227794.42340	1109129.84100	20-ft Vibracore	48.1	15.5	1.9-2.8	0.9	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 5/1	5		0.19	0.22	8.0	2.4	1.2
BI-PBS-253-13	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	4:03 PM	30.12892	-88.44182	228925.29780	1108019.44800	20-ft Vibracore	48.1	11.7																	
BI-PBS-253-13A	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	4:03 PM	30.12892	-88.44182	228925.29780	1108019.44800	20-ft Vibracore	48.1	11.7	0.0-1.1	1.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.32	0.50	0.8	2.1	0.9
BI-PBS-253-13B	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	4:03 PM	30.12892	-88.44182	228925.29780	1108019.44800	20-ft Vibracore	48.1	11.7	1.1-1.7	0.6	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Greenish Gray	GLE1 10Y 6/1	6		0.23	0.35	4.9	2.2	1.0
BI-PBS-253-13C	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	4:03 PM	30.12892	-88.44182	228925.29780	1108019.44800	20-ft Vibracore	48.1	11.7	1.7-2.4	0.7	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Greenish Gray	GLE1 10Y 6/1	6		0.22	0.27	5.6	2.2	1.0
BI-PBS-254-13	PETIT BOIS PASS - OCS WEST	2013	1/12/2014	11:20 AM	30.13194	-88.43935	230026.30340	1108796.50600	20-ft Vibracore	52.0	16.4																	
BI-PBS-254-13A	PETIT BOIS PASS - OCS WEST	2013	1/12/2014	11:20 AM	30.13194	-88.43935	230026.30340	1108796.50600	20-ft Vibracore	52.0	16.4	0.0-0.6	0.6	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 5/1	5		0.20	0.24	9.1	2.8	1.1
BI-PBS-255-13	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	10:25 AM	30.12651	-88.45049	228039.52880	1105281.51200	20-ft Vibracore	49.0	16.7																	
BI-PBS-255-13A	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	10:25 AM	30.12651	-88.45049	228039.52880	1105281.51200	20-ft Vibracore	49.0	16.7	0.0-2.2	2.2	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 6/1	6		0.21	0.25	2.4	1.5	0.9
BI-PBS-255-13B	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	10:25 AM	30.12651	-88.45049	228039.52880	1105281.51200	20-ft Vibracore	49.0	16.7	2.2-4.2	2.0	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 5/1	5		0.18	0.19	12.5	#DIV/0!	#DIV/0!
BI-PBS-257-13	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	2:51 PM	30.13078	-88.44780	229595.31070	1106126.68600	20-ft Vibracore	47.1	9.3																	
BI-PBS-257-13A	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	2:51 PM	30.13078	-88.44780	229595.31070	1106126.68600	20-ft Vibracore	47.1	9.3	0.0-2.0	2.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Gray	2.5Y 6/1	6		0.25	0.28	1.7	1.8	0.9
BI-PBS-257-13B	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	2:51 PM	30.13078	-88.44780	229595.31070	1106126.68600	20-ft Vibracore	47.1	9.3	2.0-2.5	0.5	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Greenish Gray	GLE1 10Y 6/1	6		0.21	0.25	4.8	2.0	1.1
BI-PBS-258-13	PETIT BOIS PASS - OCS WEST	2013	1/12/2014	9:58 AM	30.13528	-88.44379	231236.18280	1107388.77100	20-ft Vibracore	51.7	18.1	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED													
BI-PBS-259-13	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	8:43 AM	30.14268	-88.47501	233895.08900	1097511.28000	20-ft Vibracore	46.8	14.2																	
BI-PBS-259-13A	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	8:43 AM	30.14268	-88.47501	233895.08900	1097511.28000	20-ft Vibracore	46.8	14.2	0.0-1.3	1.3	SP	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Gray	2.5Y 5/1	5		0.16	0.17	12.1	#DIV/0!	#DIV/0!
BI-PBS-260-13	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	10:54 AM	30.13656	-88.46674	231677.66140	1100132.48600	20-ft Vibracore	47.4	16.9																	
BI-PBS-260-13A	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	10:54 AM	30.13656	-88.46674	231677.66140	1100132.48600	20-ft Vibracore	47.4	16.9	0.0-1.5	1.5	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	5GY 4/1	4	Greenish Gray	GLE1 10Y 6/1	6		0.19	0.21	6.8	2.1	1.2
BI-PBS-260-13B	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	10:54 AM	30.13656	-88.46674	231677.66140	1100132.48600	20-ft Vibracore	47.4	16.9	1.5-3.6	2.1	SP-SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	5GY 4/1	4	Greenish Gray	GLE1 10Y 5/1	5		0.12	0.12	19.7	#DIV/0!	#DIV/0!
BI-PBS-261-13	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	12:16 PM	30.13361	-88.46355	230608.05450	1101144.34900	20-ft Vibracore	48.1	12.4																	
BI-PBS-261-13A	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	12:16 PM	30.13361	-88.46355	230608.05450	1101144.34900	20-ft Vibracore	48.1	12.4	0.0-1.7	1.7	SP	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Greenish Gray	10Y 3/1	3	Gray	2.5Y 5/1	5		0.17	0.17	12.2	#DIV/0!	#DIV/0!
BI-PBS-262-13	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	4:07 PM	30.12777	-88.45716	228490.75680	1103171.34300	20-ft Vibracore	49.4	14.0																	
BI-PBS-262-13A	PETIT BOIS PASS - OCS WEST	2013																										

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ² *P60)
BI-PBS-265-13B	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	1:33 PM	30.14667	-88.47398	235347.20320	1097832.28100	20-ft Vibracore	44.1	14.4	3.1-4.0	0.9	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 5/1	5		0.20	0.22	6.7	2.0	1.1
BI-PBS-265-13C	PETIT BOIS PASS - OCS WEST	2013	1/20/2014	1:33 PM	30.14667	-88.47398	235347.20320	1097832.28100	20-ft Vibracore	44.1	14.4	5.3-8.0	2.7	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 5/1	5		0.14	0.13	19.5	#DIV/0!	#DIV/0!
BI-PBS-266-13	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	3:00 PM	30.15605	-88.47837	238754.19710	1096434.09200	20-ft Vibracore	44.5	17.7																	
BI-PBS-266-13A	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	3:00 PM	30.15605	-88.47837	238754.19710	1096434.09200	20-ft Vibracore	44.5	17.7	0.0-1.0	1.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 6/1	6		0.30	0.41	1.2	2.2	0.8
BI-PBS-266-13B	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	3:00 PM	30.15605	-88.47837	238754.19710	1096434.09200	20-ft Vibracore	44.5	17.7	1.0-6.0	5.0	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Black	10Y 2.5/1	3	Greenish Gray	GLE1 10Y 5/1	5		0.19	0.21	9.1	2.6	1.3
BI-PBS-266-13C	PETIT BOIS PASS - OCS WEST	2013	1/8/2014	3:00 PM	30.15605	-88.47837	238754.19710	1096434.09200	20-ft Vibracore	44.5	17.7	6.0-10.7	4.7	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Black	10Y 2.5/1	3	Gray	2.5Y 5/1	5		0.14	0.13	19.2	#DIV/0!	#DIV/0!
BI-PBS-267-13	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	10:00 AM	30.14638	-88.46361	235252.20880	1101110.33400	20-ft Vibracore	50.0	20.0																	
BI-PBS-267-13A	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	10:00 AM	30.14638	-88.46361	235252.20880	1101110.33400	20-ft Vibracore	50.0	20.0	0.0-0.9	0.9	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Greenish Gray	10Y 3/1	3	Light Gray	2.5Y 7/1	7		0.32	0.40	1.0	2.2	1.0
BI-PBS-267-13B	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	10:00 AM	30.14638	-88.46361	235252.20880	1101110.33400	20-ft Vibracore	50.0	20.0	0.9-2.0	1.1	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Black	10Y 2.5/1	3	Greenish Gray	GLE1 10Y 5/1	5		0.19	0.23	8.4	2.5	1.1
BI-PBS-267-13C	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	10:00 AM	30.14638	-88.46361	235252.20880	1101110.33400	20-ft Vibracore	50.0	20.0	2.0-5.0	3.0	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Black	10Y 2.5/1	3	Greenish Gray	GLE1 10Y 6/1	6		0.15	0.16	14.4	#DIV/0!	#DIV/0!
BI-PBS-268-13	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	9:06 AM	30.14156	-88.46340	233499.47690	1101182.39400	20-ft Vibracore	42.5	14.6																	
BI-PBS-268-13A	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	9:06 AM	30.14156	-88.46340	233499.47690	1101182.39400	20-ft Vibracore	42.5	14.6	0.0-4.5	4.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Light Greenish Gray	GLE1 10Y 7/1	7		0.28	0.29	0.9	1.9	0.9
BI-PBS-268-13B	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	9:06 AM	30.14156	-88.46340	233499.47690	1101182.39400	20-ft Vibracore	42.5	14.6	4.5-5.3	0.8	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 6/1	6		0.25	0.28	3.4	1.9	0.9
BI-PBS-268-13C	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	9:06 AM	30.14156	-88.46340	233499.47690	1101182.39400	20-ft Vibracore	42.5	14.6	5.3-6.4	1.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 6/1	6		0.25	0.28	2.2	1.9	0.9
BI-PBS-268-13D	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	9:06 AM	30.14156	-88.46340	233499.47690	1101182.39400	20-ft Vibracore	42.5	14.6	6.4-8.3	1.9	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Gray	2.5Y 5/1	5		0.20	0.23	6.3	2.0	1.1
BI-PBS-269-13	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	9:46 AM	30.13999	-88.47020	232921.59210	1099034.78100	20-ft Vibracore	46.8	16.0																	
BI-PBS-269-13A	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	9:46 AM	30.13999	-88.47020	232921.59210	1099034.78100	20-ft Vibracore	46.8	16.0	0.0-0.8	0.8	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Gray	2.5Y 6/1	6		0.20	0.23	5.1	1.7	1.0
BI-PBS-269-13B	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	9:46 AM	30.13999	-88.47020	232921.59210	1099034.78100	20-ft Vibracore	46.8	16.0	0.8-3.4	2.6	SP-SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 6/1	6		0.14	0.12	16.3	#DIV/0!	#DIV/0!
BI-PBS-270-13	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	2:10 PM	30.14457	-88.45954	234598.13610	1102398.92500	20-ft Vibracore	51.0	8.5																	
BI-PBS-270-13A1	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	2:10 PM	30.14457	-88.45954	234598.13610	1102398.92500	20-ft Vibracore	51.0	8.5	0.0-0.1	0.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	10Y 4/1	4	Greenish Gray	GLE1 10Y 6/1	6		0.29	0.34	1.2	2.0	0.9
BI-PBS-270-13A2	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	2:10 PM	30.14457	-88.45954	234598.13610	1102398.92500	20-ft Vibracore	51.0	8.5	0.1-1.3	1.2	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Black	10Y 2.5/1	3	Greenish Gray	GLE1 10Y 5/1	5		0.19	0.23	8.1	2.5	1.1
BI-PBS-271-13	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	11:52 AM	30.13536	-88.45524	231253.10430	1103769.18100	20-ft Vibracore	45.1	8.6																	
BI-PBS-271-13A1	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	11:52 AM	30.13536	-88.45524	231253.10430	1103769.18100	20-ft Vibracore	45.1	8.6	-2.1-0	2.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	5Y 4/1	4	Light Greenish Gray	GLE1 10Y 7/1	7		0.27	0.28	1.3	1.8	0.9
BI-PBS-271-13A2	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	11:52 AM	30.13536	-88.45524	231253.10430	1103769.18100	20-ft Vibracore	45.1	8.6	0.0-1.3	1.3	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	5Y 4/1	4	Gray	2.5Y 6/1	6		0.25	0.29	2.0	1.9	0.9
BI-PBS-271-13B	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	11:52 AM	30.13536	-88.45524	231253.10430	1103769.18100	20-ft Vibracore	45.1	8.6	1.3-2.4	1.1	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Gray	2.5Y 6/1	6		0.20	0.23	6.3	2.0	1.1
BI-PBS-272-13	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	11:00 AM	30.13871	-88.45901	232467.50930	1102573.44100	20-ft Vibracore	44.1	13.9																	
BI-PBS-272-13A	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	11:00 AM	30.13871	-88.45901	232467.50930	1102573.44100	20-ft Vibracore	44.1	13.9	0.0-2.8	2.8	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 5/1	5		0.26	0.29	1.8	1.9	0.9
BI-PBS-272-13B	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	11:00 AM	30.13871	-88.45901	232467.50930	1102573.44100	20-ft Vibracore	44.1	13.9	2.8-5.3	2.5	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 4/2	4	Gray	2.5Y 5/1	5		0.20	0.22	8.4	2.3	1.2
BI-PBS-273-13	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	4:20 PM	30.14173	-88.45402	233571.03750	1104147.13800	20-ft Vibracore	50.0	14.5																	
BI-PBS-273-13A	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	4:20 PM	30.14173	-88.45402	233571.03750	1104147.13800	20-ft Vibracore	50.0	14.5	0.0-2.9	2.9	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	10Y 5/1	5	Gray	2.5Y 6/1	6		0.34	0.45	0.8	2.1	1.1
BI-PBS-273-13B	PETIT BOIS PASS - OCS WEST	2013	1/9/2014	4:20 PM	30.14173	-88.45402	233571.03750	1104147.13800	20-ft Vibracore	50.0	14.5	2.9-3.3	0.4	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Greenish Gray	GLE1 10Y 6/1	6		0.23	0.33	9.1	3.4	1.2
BI-PBS-274-13	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	1:37 PM	30.13506	-88.44935	231150.21640	1105631.45200	20-ft Vibracore	46.8	8.9																	
BI-PBS-274-13A	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	1:37 PM	30.13506	-88.44935	231150.21640	1105631.45200	20-ft Vibracore	46.8	8.9	0.0-1.4	1.4	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Olive Gray	5Y 4/2	4	Light Gray	2.5Y 7/1	7		0.33	0.57	0.9	2.2	1.0
BI-PBS-274-13B	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	1:37 PM	30.13506	-88.44935	231150.21640	1105631.45200	20-ft Vibracore	46.8	8.9	1.4-2.6	1.2	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Greenish Gray	GLE1 10Y 6/1	6		0.21	0.25	3.9	1.9	1.0
BI-PBS-274-13C	PETIT BOIS PASS - OCS WEST	2013	1/16/2014	1:37 PM	30.13506	-88.44935	231150.21640	1105631.45200	20-ft Vibracore	46.8	8.9	2.6-3.5	0.9	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Olive Gray	5Y 3/2	3	Greenish Gray	GLE1 10Y 6/1	6		0.20	0.23	8.3	2.4	1.2
BI-PBS-275-13	PETIT BOIS PASS - OCS WEST	2013	1/12/2014	8:42 AM	30.13948	-88.44976	232757.25440	1105496.44200	20-ft Vibracore	50.7	16.9																	
BI-PBS-275-13A	PETIT BOIS PASS - OCS WEST	2013	1/12/2014	8:42 AM	30.13948	-88.44976	232757.25440	1105496.44200	20-ft Vibracore	50.7	16.9	0.0-1.6	1.6	SP-SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 5/1	5		0.17	0.20	14.1	#DIV/0!	#DIV/0!
BI-PBS-276-13	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	3:15 PM	30.13115	-88.45413	229723.16910	1104125.15400	20-ft Vibracore	47.7	14.6																	
BI-PBS-276-13A	PETIT BOIS PASS - OCS WEST	2013	1/18/2014	3:15 PM	30.13115																							

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ^{*D60})
BI-PBS-281-13	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	4:43 PM	30.12434	-88.48810	227212.42470	1093393.85400	20-ft Vibracore	48.7	12.5																	
BI-PBS-281-13A	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	4:43 PM	30.12434	-88.48810	227212.42470	1093393.85400	20-ft Vibracore	48.7	12.5	0.0-3.3	3.3	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 8/1	8		0.23	0.27	2.1	1.6	0.9
BI-PBS-281-13B	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	4:43 PM	30.12434	-88.48810	227212.42470	1093393.85400	20-ft Vibracore	48.7	12.5	3.3-8.2	4.9	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	GLE1 3/N	3	Light Greenish Gray	10Y 7/1	7		0.14	0.16	12.2	#DIV/0!	#DIV/0!
BI-PBS-282-13	PETIT BOIS PASS - OCS WEST	2013	2/18/2014	10:33 AM	30.11787	-88.49464	224853.22110	1091333.23300	20-ft Vibracore	49.3	7.4																	
BI-PBS-282-13A	PETIT BOIS PASS - OCS WEST	2013	2/18/2014	10:33 AM	30.11787	-88.49464	224853.22110	1091333.23300	20-ft Vibracore	49.3	7.4	0.0-2.2	2.2	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.18	0.20	6.9	2.2	1.2
BI-PBS-283-13	PETIT BOIS PASS - OCS WEST	2013	1/27/2014	2:17 PM	30.12025	-88.50005	225713.74610	1089620.24000	20-ft Vibracore	50.4	19.9																	
BI-PBS-283-13A	PETIT BOIS PASS - OCS WEST	2013	1/27/2014	2:17 PM	30.12025	-88.50005	225713.74610	1089620.24000	20-ft Vibracore	50.4	19.9	0.0-2.0	2.0	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	GLE1 3/N	3	Gray	2.5Y 5/1	5		0.18	0.20	6.0	1.9	1.1
BI-PBS-283-13B	PETIT BOIS PASS - OCS WEST	2013	1/27/2014	2:17 PM	30.12025	-88.50005	225713.74610	1089620.24000	20-ft Vibracore	50.4	19.9	2.0-6.0	4.0	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	GLE1 3/N	3	Gray	2.5Y 5/1	5		0.15	0.17	11.0	#DIV/0!	#DIV/0!
BI-PBS-283-13C	PETIT BOIS PASS - OCS WEST	2013	1/27/2014	2:17 PM	30.12025	-88.50005	225713.74610	1089620.24000	20-ft Vibracore	50.4	19.9	6.0-9.5	3.5	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	GLE1 3/N	3	Gray	2.5Y 5/1	5		0.11	0.11	19.0	#DIV/0!	#DIV/0!
BI-PBS-284-13	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	4:04 PM	30.12266	-88.49679	226593.23840	1090648.33800	20-ft Vibracore	48.4	17.5																	
BI-PBS-284-13A	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	4:04 PM	30.12266	-88.49679	226593.23840	1090648.33800	20-ft Vibracore	48.4	17.5	0.0-2.9	2.9	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.20	0.22	1.8	1.6	1.0
BI-PBS-284-13B	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	4:04 PM	30.12266	-88.49679	226593.23840	1090648.33800	20-ft Vibracore	48.4	17.5	2.9-7.5	4.6	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Gray	2.5Y 6/1	6		0.19	0.22	5.6	2.0	1.1
BI-PBS-284-13C	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	4:04 PM	30.12266	-88.49679	226593.23840	1090648.33800	20-ft Vibracore	48.4	17.5	7.5-10.5	3.0	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Gray	2.5Y 6/1	6		0.13	0.15	13.0	#DIV/0!	#DIV/0!
BI-PBS-285-13	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	3:50 PM	30.12563	-88.49289	227677.02460	1091878.11100	20-ft Vibracore	47.7	16.7																	
BI-PBS-285-13A	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	3:50 PM	30.12563	-88.49289	227677.02460	1091878.11100	20-ft Vibracore	47.7	16.7	0.0-3.5	3.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 8/1	8		0.22	0.25	2.2	1.6	0.9
BI-PBS-285-13B	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	3:50 PM	30.12563	-88.49289	227677.02460	1091878.11100	20-ft Vibracore	47.7	16.7	3.5-8.2	4.7	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 7/1	7		0.14	0.16	12.2	#DIV/0!	#DIV/0!
BI-PBS-286-13	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	3:07 PM	30.12609	-88.49854	227839.03480	1090091.41300	20-ft Vibracore	47.7	19.2																	
BI-PBS-286-13A	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	3:07 PM	30.12609	-88.49854	227839.03480	1090091.41300	20-ft Vibracore	47.7	19.2	0.0-3.5	3.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Gray	2.5Y 6/1	6		0.20	0.22	1.9	1.5	0.9
BI-PBS-286-13B	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	3:07 PM	30.12609	-88.49854	227839.03480	1090091.41300	20-ft Vibracore	47.7	19.2	3.5-7.0	3.5	SP	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Gray	2.5Y 6/1	6		0.19	0.22	5.1	2.0	1.0
BI-PBS-286-13C	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	3:07 PM	30.12609	-88.49854	227839.03480	1090091.41300	20-ft Vibracore	47.7	19.2	7.0-12.0	5.0	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Gray	2.5Y 6/1	6		0.12	0.11	15.7	#DIV/0!	#DIV/0!
BI-PBS-287-13	PETIT BOIS PASS - OCS WEST	2013	2/18/2014	12:22 PM	30.12197	-88.50527	226334.49580	1087968.08800	20-ft Vibracore	50.0	8.2																	
BI-PBS-287-13A	PETIT BOIS PASS - OCS WEST	2013	2/18/2014	12:22 PM	30.12197	-88.50527	226334.49580	1087968.08800	20-ft Vibracore	50.0	8.2	0.0-4.3	4.3	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.18	0.19	7.4	2.2	1.1
BI-PBS-288-13	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	2:36 PM	30.12950	-88.49541	229082.10070	1091077.26400	20-ft Vibracore	47.7	14.7																	
BI-PBS-288-13A	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	2:36 PM	30.12950	-88.49541	229082.10070	1091077.26400	20-ft Vibracore	47.7	14.7	0.0-0.9	0.9	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 8/1	8		0.25	0.38	1.4	1.9	0.8
BI-PBS-288-13B	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	2:36 PM	30.12950	-88.49541	229082.10070	1091077.26400	20-ft Vibracore	47.7	14.7	0.9-2.0	1.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 7/1	7		0.23	0.28	3.1	1.7	0.9
BI-PBS-288-13C	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	2:36 PM	30.12950	-88.49541	229082.10070	1091077.26400	20-ft Vibracore	47.7	14.7	2.0-3.5	1.5	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 7/1	7		0.19	0.21	6.5	2.2	1.1
BI-PBS-288-13D	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	2:36 PM	30.12950	-88.49541	229082.10070	1091077.26400	20-ft Vibracore	47.7	14.7	3.5-6.0	2.5	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 7/1	7		0.14	0.15	9.5	2.0	1.0
BI-PBS-288-13E	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	2:36 PM	30.12950	-88.49541	229082.10070	1091077.26400	20-ft Vibracore	47.7	14.7	10.3-14.7	4.4	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 8/1	8		0.15	0.16	12.7	#DIV/0!	#DIV/0!
BI-PBS-290-13	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	2:02 PM	30.12964	-88.50214	229126.78010	1088949.55800	20-ft Vibracore	47.4	15.9																	
BI-PBS-290-13A	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	2:02 PM	30.12964	-88.50214	229126.78010	1088949.55800	20-ft Vibracore	47.4	15.9	0.0-1.9	1.9	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Gray	2.5Y 5/1	5		0.21	0.24	3.0	1.5	0.9
BI-PBS-290-13B	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	2:02 PM	30.12964	-88.50214	229126.78010	1088949.55800	20-ft Vibracore	47.4	15.9	1.9-2.5	0.6	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 5/1	5		0.20	0.23	4.8	1.8	1.1
BI-PBS-290-13C	PETIT BOIS PASS - OCS WEST	2013	1/26/2014	2:02 PM	30.12964	-88.50214	229126.78010	1088949.55800	20-ft Vibracore	47.4	15.9	2.5-7.5	5.0	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Gray	2.5Y 5/1	5		0.18	0.21	5.8	2.1	1.0
BI-PBS-291-13	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	1:28 PM	30.13295	-88.49887	230333.57700	1089979.77600	20-ft Vibracore	47.7	17.6																	
BI-PBS-291-13A	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	1:28 PM	30.13295	-88.49887	230333.57700	1089979.77600	20-ft Vibracore	47.7	17.6	0.0-2.2	2.2	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 8/1	8		0.23	0.29	3.0	1.9	0.9
BI-PBS-291-13B	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	1:28 PM	30.13295	-88.49887	230333.57700	1089979.77600	20-ft Vibracore	47.7	17.6	2.2-4.0	1.8	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 7/1	7		0.16	0.17	9.1	2.4	1.1
BI-PBS-291-13C	PETIT BOIS PASS - OCS WEST	2013	1/22/2014	1:28 PM	30.13295	-88.49887	230333.57700	1089979.77600	20-ft Vibracore	47.7	17.6	4.0-7.4	3.4	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Light Greenish Gray	10Y 7/1	7		0.12	0.11	18.0	#DIV/0!	#DIV/0!
BI-PBS-292-13	PETIT BOIS PASS - OCS WEST	2013	2/18/2014	4:01 PM	30.12912	-88.51067	228929.94280	1086253.50500	20-ft Vibracore	48.5	19.0																	
BI-PBS-292-13A	PETIT BOIS PASS - OCS WEST	2013	2/18/2014	4:01 PM	30.12912	-88.51067	228929.94280	1086253.50500	20-ft Vibracore	48.5	19.0	0.0-5.0	5.0	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.18	0.20	7.2	2.2	1.1
BI-PBS-292-13B	PETIT BOIS PASS - OCS WEST	2013	2/18/2014	4:01 PM	30.12912	-88.51067	2																					

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ^{*D60})
BI-PBS-312-13D	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	9:49 AM	30.14838	-88.42062	236026.17120	1114695.88200	20-ft Vibracore	55.3	17.7	10.1-11.6	1.5	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Light Greenish Gray	10Y 7/1	7		0.19	0.21	4.8	1.8	1.1
BI-PBS-313-13	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	8:29 AM	30.15098	-88.42560	236966.08700	1113118.46500	20-ft Vibracore	54.0	20.0																	
BI-PBS-313-13A	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	8:29 AM	30.15098	-88.42560	236966.08700	1113118.46500	20-ft Vibracore	54.0	20.0	0.6-4.2	3.6	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	GLE1 3/N	3	Gray	2.5Y 5/1	5		0.20	0.22	4.9	1.9	1.1
BI-PBS-313-13B	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	8:29 AM	30.15098	-88.42560	236966.08700	1113118.46500	20-ft Vibracore	54.0	20.0	4.2-5.0	0.8	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Gray	2.5Y 5/1	5		0.20	0.23	6.8	2.0	1.1
BI-PBS-313-13C	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	8:29 AM	30.15098	-88.42560	236966.08700	1113118.46500	20-ft Vibracore	54.0	20.0	5.0-9.7	4.7	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Light Greenish Gray	10Y 7/1	7		0.22	0.25	3.9	1.7	0.9
BI-PBS-313-13D	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	8:29 AM	30.15098	-88.42560	236966.08700	1113118.46500	20-ft Vibracore	54.0	20.0	9.7-12.7	3.0	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Light Greenish Gray	10Y 7/1	7		0.20	0.23	3.7	1.6	1.0
BI-PBS-313-13E	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	8:29 AM	30.15098	-88.42560	236966.08700	1113118.46500	20-ft Vibracore	54.0	20.0	12.7-14.4	1.7	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	GLE1 4/N	4	Light Greenish Gray	10Y 7/1	7		0.19	0.19	5.6	1.8	1.1
BI-PBS-314-13	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	4:02 PM	30.14427	-88.41615	234536.57270	1116114.18800	20-ft Vibracore	57.9	10.7																	
BI-PBS-314-13A	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	4:02 PM	30.14427	-88.41615	234536.57270	1116114.18800	20-ft Vibracore	57.9	10.7	2.5-4.0	1.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 7/1	7		0.20	0.21	2.9	1.6	1.0
BI-PBS-314-13B	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	4:02 PM	30.14427	-88.41615	234536.57270	1116114.18800	20-ft Vibracore	57.9	10.7	4.0-5.3	1.3	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 7/1	7		0.22	0.24	4.5	1.7	1.0
BI-PBS-314-13C	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	4:02 PM	30.14427	-88.41615	234536.57270	1116114.18800	20-ft Vibracore	57.9	10.7	5.3-6.0	0.7	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 7/1	7		0.24	0.26	3.9	1.8	0.9
BI-PBS-314-13D	PETIT BOIS PASS - OCS WEST	2013	1/31/2014	4:02 PM	30.14427	-88.41615	234536.57270	1116114.18800	20-ft Vibracore	57.9	10.7	6.0-8.0	2.0	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Light Greenish Gray	10Y 7/1	7		0.20	0.21	6.5	1.9	1.1
BI-PBS-315-13	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	8:46 AM	30.14680	-88.42223	235449.71460	1114189.07700	20-ft Vibracore	55.3	18.6																	
BI-PBS-315-13A	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	8:46 AM	30.14680	-88.42223	235449.71460	1114189.07700	20-ft Vibracore	55.3	18.6	5.5-10.5	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.22	0.25	2.3	1.6	0.9
BI-PBS-316-13	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	8:38 AM	30.14694	-88.42554	235496.87530	1113142.68100	20-ft Vibracore	54.0	19.4																	
BI-PBS-316-13A	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	8:38 AM	30.14694	-88.42554	235496.87530	1113142.68100	20-ft Vibracore	54.0	19.4	0.0-4.1	4.1	SC-SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Greenish Gray	10Y 5/1	5		0.22	0.21	15.4	#DIV/0!	#DIV/0!
BI-PBS-316-13B	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	8:38 AM	30.14694	-88.42554	235496.87530	1113142.68100	20-ft Vibracore	54.0	19.4	5.2-6.3	1.1	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Greenish Gray	10Y 5/1	5		0.22	0.24	10.9	#DIV/0!	#DIV/0!
BI-PBS-316-13C	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	8:38 AM	30.14694	-88.42554	235496.87530	1113142.68100	20-ft Vibracore	54.0	19.4	7.3-12.5	5.2	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Greenish Gray	10Y 5/1	5		0.22	0.24	4.7	1.6	0.9
BI-PBS-316-13D	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	8:38 AM	30.14694	-88.42554	235496.87530	1113142.68100	20-ft Vibracore	54.0	19.4	12.5-19.4	6.9	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 6/1	6		0.20	0.22	4.2	1.6	1.0
BI-PBS-317-13	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	1:53 PM	30.15002	-88.42889	236613.24940	1112079.85500	20-ft Vibracore	53.0	18.7	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED													
BI-PBS-318-13	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	11:37 AM	30.15199	-88.42986	237328.61940	1111770.73600	20-ft Vibracore	54.3	19.1																	
BI-PBS-318-13A	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	11:37 AM	30.15199	-88.42986	237328.61940	1111770.73600	20-ft Vibracore	54.3	19.1	3.0-8.0	5.0	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 7/1	7		0.22	0.24	2.9	1.5	0.9
BI-PBS-318-13B	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	11:37 AM	30.15199	-88.42986	237328.61940	1111770.73600	20-ft Vibracore	54.3	19.1	8.0-13.0	5.0	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 7/1	7		0.19	0.20	2.7	1.6	1.0
BI-PBS-319-13	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	11:19 AM	30.14777	-88.41046	235816.08520	1117907.99400	20-ft Vibracore	55.3	16.9																	
BI-PBS-319-13A	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	11:19 AM	30.14777	-88.41046	235816.08520	1117907.99400	20-ft Vibracore	55.3	16.9	0.0-1.1	1.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.23	0.25	2.8	1.7	0.9
BI-PBS-319-13B	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	11:19 AM	30.14777	-88.41046	235816.08520	1117907.99400	20-ft Vibracore	55.3	16.9	1.1-3.5	2.4	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.21	0.25	3.7	1.7	1.0
BI-PBS-319-13C	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	11:19 AM	30.14777	-88.41046	235816.08520	1117907.99400	20-ft Vibracore	55.3	16.9	3.5-5.5	2.0	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.19	0.21	4.8	1.8	1.1
BI-PBS-321-13	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	10:21 AM	30.15270	-88.42722	237589.79550	1112604.21500	20-ft Vibracore	54.0	19.6																	
BI-PBS-321-13A	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	10:21 AM	30.15270	-88.42722	237589.79550	1112604.21500	20-ft Vibracore	54.0	19.6	0.0-3.0	3.0	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 7/1	7		0.22	0.24	6.5	2.1	1.1
BI-PBS-321-13B	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	10:21 AM	30.15270	-88.42722	237589.79550	1112604.21500	20-ft Vibracore	54.0	19.6	3.0-6.3	3.3	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 7/1	7		0.19	0.20	4.5	1.8	1.0
BI-PBS-321-13C	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	10:21 AM	30.15270	-88.42722	237589.79550	1112604.21500	20-ft Vibracore	54.0	19.6	6.3-11.0	4.7	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 7/1	7		0.22	0.25	3.8	1.6	0.9
BI-PBS-321-13D	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	10:21 AM	30.15270	-88.42722	237589.79550	1112604.21500	20-ft Vibracore	54.0	19.6	11.0-16.0	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 7/1	7		0.22	0.24	2.2	1.5	0.9
BI-PBS-321-13E	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	10:21 AM	30.15270	-88.42722	237589.79550	1112604.21500	20-ft Vibracore	54.0	19.6	16.0-19.6	3.6	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Greenish Gray	10Y 7/1	7		0.19	0.19	4.6	1.8	1.1
BI-PBS-322-13	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	12:03 PM	30.15169	-88.42242	237227.90870	1114122.61600	20-ft Vibracore	55.0	20.0																	
BI-PBS-322-13A	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	12:03 PM	30.15169	-88.42242	237227.90870	1114122.61600	20-ft Vibracore	55.0	20.0	1.4-4.7	3.3	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 5/1	5		0.23	0.26	4.8	1.8	0.9
BI-PBS-322-13B	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	12:03 PM	30.15169	-88.42242	237227.90870	1114122.61600	20-ft Vibracore	55.0	20.0	4.7-9.0	4.3	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 5/1	5		0.24	0.27	3.8	1.8	0.9
BI-PBS-322-13C	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	12:03 PM	30.15169	-88.42242	237227.90870	1114122.61600	20-ft Vibracore	55.0	20.0	9.0-11.0	2.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 5/1	5		0.24	0.26	2.6	1.7	0.9
BI-PBS-322-13D	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	12:03 PM	30.15169	-88.42242	237227.90870	1114122.61600	20-ft Vibracore	55.0	20.0	11.0-13.0	2.0	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	1							

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10*P60)	
BI-PBS-325-13B	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	2:52 PM	30.15540	-88.36524	238646.81300	1132189.48800	20-ft Vibracore	50.7	18.4	6.0-7.0	1.0	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Gray	2.5Y 6/1	6		0.27	0.28	6.8	2.2	1.0	
BI-PBS-326-13	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	11:25 AM	30.15794	-88.36787	239567.17070	1131354.50500	20-ft Vibracore	53.3	17.6																		
BI-PBS-326-13A	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	11:25 AM	30.15794	-88.36787	239567.17070	1131354.50500	20-ft Vibracore	53.3	17.6	0.0-1.5	1.5	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	GLE Y1 10Y 4/1	4	Gray	2.5Y 5/1	5		0.20	0.23	10.0	#DIV/0!	#DIV/0!	
BI-PBS-327-13	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	8:49 AM	30.15978	-88.37115	240232.13500	1130315.17400	20-ft Vibracore	52.3	19.8	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-328-13	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	9:55 AM	30.15801	-88.37082	239588.83550	1130422.07700	20-ft Vibracore	50.0	19.9																		
BI-PBS-328-13A	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	9:55 AM	30.15801	-88.37082	239588.83550	1130422.07700	20-ft Vibracore	50.0	19.9	0.0-0.8	0.8	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.30	0.33	1.8	2.0	1.0	
BI-PBS-328-13B	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	9:55 AM	30.15801	-88.37082	239588.83550	1130422.07700	20-ft Vibracore	50.0	19.9	0.8-3.5	2.7	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	GLE Y1 10Y 4/1	4	Gray	2.5Y 5/1	5		0.23	0.27	3.9	2.0	0.9	
BI-PBS-329-13	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	1:18 PM	30.15611	-88.36813	238901.29210	1131275.04900	20-ft Vibracore	50.4	17.6																		
BI-PBS-329-13A	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	1:18 PM	30.15611	-88.36813	238901.29210	1131275.04900	20-ft Vibracore	50.4	17.6	0.0-1.7	1.7	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	GLE Y1 10Y 4/1	4	Greenish Gray	GLE Y1 10Y 6/1	6		0.22	0.24	9.1	3.1	1.3	
BI-PBS-329-13B	PETIT BOIS PASS - OCS EAST	2013	2/10/2014	1:18 PM	30.15611	-88.36813	238901.29210	1131275.04900	20-ft Vibracore	50.4	17.6	14.3-17.6	3.3	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 6/1	6	Gray	2.5Y 6/1	6		0.28	0.28	2.7	1.9	1.0	
BI-PBS-330-13	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	11:36 AM	30.14180	-88.41808	233636.05040	1115507.41400	20-ft Vibracore	50.7	12.2																		
BI-PBS-330-13A	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	11:36 AM	30.14180	-88.41808	233636.05040	1115507.41400	20-ft Vibracore	50.7	12.2	0.0-2.1	2.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 6/1	6		0.33	0.38	0.7	2.0	1.1	
BI-PBS-331-13	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	2:26 PM	30.14522	-88.41590	234882.36060	1116191.94500	20-ft Vibracore	57.2	16.1																		
BI-PBS-331-13A	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	2:26 PM	30.14522	-88.41590	234882.36060	1116191.94500	20-ft Vibracore	57.2	16.1	3.8-5.3	1.5	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Greenish Gray	10Y 5/1	5		0.22	0.24	5.1	1.8	1.0	
BI-PBS-331-13B	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	2:26 PM	30.14522	-88.41590	234882.36060	1116191.94500	20-ft Vibracore	57.2	16.1	5.3-7.9	2.6	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 6/1	6		0.28	0.28	2.0	1.9	0.9	
BI-PBS-331-13C	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	2:26 PM	30.14522	-88.41590	234882.36060	1116191.94500	20-ft Vibracore	57.2	16.1	7.9-13.5	5.6	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Greenish Gray	10Y 5/1	5		0.19	0.21	8.4	2.2	1.2	
BI-PBS-332-13	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	3:59 PM	30.14725	-88.41745	235618.84800	1115699.32700	20-ft Vibracore	56.3	18.9																		
BI-PBS-332-13A	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	3:59 PM	30.14725	-88.41745	235618.84800	1115699.32700	20-ft Vibracore	56.3	18.9	0.0-4.5	4.5	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 5/1	5		0.27	0.28	5.4	2.0	0.9	
BI-PBS-332-13B	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	3:59 PM	30.14725	-88.41745	235618.84800	1115699.32700	20-ft Vibracore	56.3	18.9	4.5-9.0	4.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 5/1	5		0.29	0.30	1.6	2.0	0.9	
BI-PBS-332-13C	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	3:59 PM	30.14725	-88.41745	235618.84800	1115699.32700	20-ft Vibracore	56.3	18.9	9.0-10.5	1.5	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 5/1	5		0.26	0.28	2.2	1.9	0.9	
BI-PBS-332-13D	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	3:59 PM	30.14725	-88.41745	235618.84800	1115699.32700	20-ft Vibracore	56.3	18.9	10.5-16.5	6.0	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 5/1	5		0.19	0.21	5.8	1.9	1.1	
BI-PBS-333-13	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	10:21 AM	30.15020	-88.41975	236689.07050	1114968.46400	20-ft Vibracore	55.0	16.5																		
BI-PBS-333-13A	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	10:21 AM	30.15020	-88.41975	236689.07050	1114968.46400	20-ft Vibracore	55.0	16.5	0.0-3.0	3.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 6/1	6		0.27	0.29	2.4	1.9	0.9	
BI-PBS-333-13B	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	10:21 AM	30.15020	-88.41975	236689.07050	1114968.46400	20-ft Vibracore	55.0	16.5	3.0-7.8	4.8	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 6/1	6		0.23	0.26	2.7	1.6	0.9	
BI-PBS-333-13C	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	10:21 AM	30.15020	-88.41975	236689.07050	1114968.46400	20-ft Vibracore	55.0	16.5	7.8-9.6	1.8	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Greenish Gray	10Y 6/1	6		0.21	0.24	5.3	1.7	1.0	
BI-PBS-333-13D	PETIT BOIS PASS - OCS WEST	2013	2/3/2014	10:21 AM	30.15020	-88.41975	236689.07050	1114968.46400	20-ft Vibracore	55.0	16.5	9.6-12.5	2.9	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Greenish Gray	10Y 5/1	5		0.19	0.21	4.9	1.8	1.1	
BI-PBS-334-13	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	9:04 AM	30.14900	-88.41639	236256.51660	1116032.04100	20-ft Vibracore	55.3	17.8																		
BI-PBS-334-13A	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	9:04 AM	30.14900	-88.41639	236256.51660	1116032.04100	20-ft Vibracore	55.3	17.8	0.0-4.5	4.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 6/1	6	Light Gray	2.5Y 7/1	7		0.24	0.27	2.2	1.8	0.9	
BI-PBS-334-13B	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	9:04 AM	30.14900	-88.41639	236256.51660	1116032.04100	20-ft Vibracore	55.3	17.8	4.5-9.0	4.5	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.22	0.25	2.3	1.6	0.9	
BI-PBS-334-13C	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	9:04 AM	30.14900	-88.41639	236256.51660	1116032.04100	20-ft Vibracore	55.3	17.8	9.0-10.8	1.8	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.21	0.23	4.1	1.6	1.0	
BI-PBS-334-13D	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	9:04 AM	30.14900	-88.41639	236256.51660	1116032.04100	20-ft Vibracore	55.3	17.8	10.8-16.0	5.2	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.18	0.19	6.0	1.9	1.1	
BI-PBS-335-13	PETIT BOIS PASS - OCS WEST	2013	2/17/2014	1:43 PM	30.14676	-88.40765	235452.06820	1118797.53200	20-ft Vibracore	56.2	15.7	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-337-13	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	10:12 AM	30.14851	-88.41352	236081.63860	1116939.81700	20-ft Vibracore	55.6	19.9																		
BI-PBS-337-13A	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	10:12 AM	30.14851	-88.41352	236081.63860	1116939.81700	20-ft Vibracore	55.6	19.9	0.2-2.4	2.2	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.25	0.27	4.1	1.8	0.9	
BI-PBS-337-13B	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	10:12 AM	30.14851	-88.41352	236081.63860	1116939.81700	20-ft Vibracore	55.6	19.9	2.4-6.2	3.8	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.24	0.27	5.5	1.8	0.9	
BI-PBS-337-13C	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	10:12 AM	30.14851	-88.41352	236081.63860	1116939.81700	20-ft Vibracore	55.6	19.9	6.2-8.5	2.3	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.20	0.23	4.0	1.7	1.0	
BI-PBS-338-13	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	3:59 PM	30.14677	-88.42962	235430.46260	1111853.30900	20-ft Vibracore	51.0	17.8																		
BI-PBS-338-13A	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	3:59 PM	30.14677	-88.42962	235430.46260	1111853.30900	20-ft Vibracore	51.0	17.8	0.6-6.0	5.4	SC-SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Greenish Gray	10Y 5/1	5		0.23	0.21	15.6	#DIV/0!	#DIV/0!	
BI-PBS-338-13B	PETIT BOIS PASS - OCS WEST	2013	2/1/2014	3:59 PM	30.14677	-																							

MsCIP Barrier Island Restoration Project 2010-2013 Geotechnical Investigation Sampling Results

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10 ² *P60)	
BI-PBS-341-13D	PETIT BOIS PASS - OCS WEST	2013	2/2/2014	9:49 AM	30.14372	-88.42643	234324.81210	1112865.55000	20-ft Vibracore	47.7	19.4	16.0-19.4	3.4	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Greenish Gray	10Y 5/1	5		0.19	0.20	4.4	1.6	1.1	
BI-PBS-342-13	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	2:25 PM	30.15096	-88.41764	236967.89390	1115634.35600	20-ft Vibracore	55.3	18.6													0.26					
BI-PBS-342-13A	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	2:25 PM	30.15096	-88.41764	236967.89390	1115634.35600	20-ft Vibracore	55.3	18.6	0.0-5.0	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.27	0.29	1.5	1.9	0.9	
BI-PBS-342-13B	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	2:25 PM	30.15096	-88.41764	236967.89390	1115634.35600	20-ft Vibracore	55.3	18.6	5.0-11.2	6.2	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.24	0.27	2.0	1.8	0.9	
BI-PBS-342-13C	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	2:25 PM	30.15096	-88.41764	236967.89390	1115634.35600	20-ft Vibracore	55.3	18.6	11.2-14.0	2.8	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.20	0.22	5.1	1.8	1.1	
BI-PBS-343-13	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	3:43 PM	30.15037	-88.41409	236757.42710	1116757.17100	20-ft Vibracore	55.0	17.7																		
BI-PBS-343-13A	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	3:43 PM	30.15037	-88.41409	236757.42710	1116757.17100	20-ft Vibracore	55.0	17.7	0.5-1.3	0.8	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.28	0.30	3.7	2.0	0.9	
BI-PBS-343-13B	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	3:43 PM	30.15037	-88.41409	236757.42710	1116757.17100	20-ft Vibracore	55.0	17.7	1.3-4.0	2.7	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Light Gray	2.5Y 7/1	7		0.25	0.28	3.1	1.9	0.9	
BI-PBS-343-13C	PETIT BOIS PASS - OCS WEST	2013	2/8/2014	3:43 PM	30.15037	-88.41409	236757.42710	1116757.17100	20-ft Vibracore	55.0	17.7	4.0-7.0	3.0	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.22	0.25	2.2	1.6	0.9	
BI-PBS-344-13	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	8:57 AM	30.14964	-88.41138	236495.09640	1117614.69000	20-ft Vibracore	54.6	20.0																		
BI-PBS-344-13A	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	8:57 AM	30.14964	-88.41138	236495.09640	1117614.69000	20-ft Vibracore	54.6	20.0	1.1-7.0	5.9	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.21	0.24	3.3	1.6	0.9	
BI-PBS-344-13B	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	8:57 AM	30.14964	-88.41138	236495.09640	1117614.69000	20-ft Vibracore	54.6	20.0	7.0-8.5	1.5	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.20	0.22	3.9	1.7	1.0	
BI-PBS-344-13C	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	8:57 AM	30.14964	-88.41138	236495.09640	1117614.69000	20-ft Vibracore	54.6	20.0	8.5-10.0	1.5	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.19	0.21	4.7	1.8	1.1	
BI-PBS-345-13	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	10:04 AM	30.14880	-88.40826	236193.26340	1118601.96000	20-ft Vibracore	55.3	20.0	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-354-13	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	11:15 AM	30.15431	-88.42921	238173.09170	1111973.18600	20-ft Vibracore	53.3	16.9														0.25				
BI-PBS-354-13A	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	11:15 AM	30.15431	-88.42921	238173.09170	1111973.18600	20-ft Vibracore	53.3	16.9	0.0-3.5	3.5	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.25	0.28	3.6	2.2	0.9	
BI-PBS-354-13B	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	11:15 AM	30.15431	-88.42921	238173.09170	1111973.18600	20-ft Vibracore	53.3	16.9	3.5-8.5	5.0	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.26	0.28	2.0	1.9	0.9	
BI-PBS-354-13C	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	11:15 AM	30.15431	-88.42921	238173.09170	1111973.18600	20-ft Vibracore	53.3	16.9	8.5-11.0	2.5	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.23	0.27	3.0	1.7	0.9	
BI-PBS-355-13	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	12:32 PM	30.15400	-88.42394	238066.28970	1113639.18800	20-ft Vibracore	53.3	18.0														0.29				
BI-PBS-355-13A	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	12:32 PM	30.15400	-88.42394	238066.28970	1113639.18800	20-ft Vibracore	53.3	18.0	0.0-3.6	3.6	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.30	0.33	3.0	2.1	1.0	
BI-PBS-355-13B	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	12:32 PM	30.15400	-88.42394	238066.28970	1113639.18800	20-ft Vibracore	53.3	18.0	3.6-8.6	5.0	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.31	0.36	2.5	2.1	1.0	
BI-PBS-355-13C	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	12:32 PM	30.15400	-88.42394	238066.28970	1113639.18800	20-ft Vibracore	53.3	18.0	8.6-12.5	3.9	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.25	0.28	2.5	1.9	0.9	
BI-PBS-355-13D	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	12:32 PM	30.15400	-88.42394	238066.28970	1113639.18800	20-ft Vibracore	53.3	18.0	12.5-16.0	3.5	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.20	0.22	6.2	1.9	1.1	
BI-PBS-356-13	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	2:23 PM	30.15340	-88.41958	237853.05210	1115017.97400	20-ft Vibracore	55.0	17.1														0.33				
BI-PBS-356-13A	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	2:23 PM	30.15340	-88.41958	237853.05210	1115017.97400	20-ft Vibracore	55.0	17.1	0.0-5.2	5.2	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.29	0.31	2.7	2.0	1.0	
BI-PBS-356-13B	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	2:23 PM	30.15340	-88.41958	237853.05210	1115017.97400	20-ft Vibracore	55.0	17.1	5.2-9.9	4.7	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.39	0.56	2.2	2.6	1.0	
BI-PBS-356-13C	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	2:23 PM	30.15340	-88.41958	237853.05210	1115017.97400	20-ft Vibracore	55.0	17.1	9.9-12.0	2.1	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.27	0.32	2.1	2.0	0.9	
BI-PBS-356-13D	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	2:23 PM	30.15340	-88.41958	237853.05210	1115017.97400	20-ft Vibracore	55.0	17.1	12.0-14.0	2.0	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.20	0.24	6.2	1.9	1.1	
BI-PBS-357-13	PETIT BOIS PASS - OCS WEST	2013	2/9/2014	3:51 PM	30.15242	-88.41525	237501.63250	1116387.80200	20-ft Vibracore	54.3	20.0	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-361-13	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	9:16 AM	30.15570	-88.42638	238681.79170	1112865.81100	20-ft Vibracore	51.7	16.9														0.28				
BI-PBS-361-13A	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	9:16 AM	30.15570	-88.42638	238681.79170	1112865.81100	20-ft Vibracore	51.7	16.9	0.0-5.0	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.29	0.30	2.3	2.0	1.0	
BI-PBS-361-13B	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	9:16 AM	30.15570	-88.42638	238681.79170	1112865.81100	20-ft Vibracore	51.7	16.9	5.0-8.5	3.5	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.30	0.34	3.3	2.1	1.0	
BI-PBS-361-13C	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	9:16 AM	30.15570	-88.42638	238681.79170	1112865.81100	20-ft Vibracore	51.7	16.9	8.5-12.0	3.5	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.25	0.28	3.3	1.8	0.9	
BI-PBS-362-13	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	10:38 AM	30.15459	-88.43206	238271.74270	1111072.07800	20-ft Vibracore	52.7	17.2	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-363-13	PETIT BOIS PASS - OCS WEST	2013	2/17/2014	11:47 AM	30.15548	-88.42145	238607.37460	1114424.21800	20-ft Vibracore	52.3	19.5	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-368-13	PETIT BOIS PASS - OCS WEST	2013	2/10/2014	4:26 PM	30.15091	-88.40877	236960.03530	1118437.90800	20-ft Vibracore	55.0	18.7	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-369-13	PETIT BOIS PASS - OCS WEST	2013	2/17/2014	3:03 PM	30.14053	-88.43002	233160.63560	1111734.90100	20-ft Vibracore	49.7	15.4																		
BI-PBS-369-13A	PETIT BOIS PASS - OCS WEST	2013	2/17/2014	3:03 PM	30.14053	-88.43002	233160.63560	1111734.90100	20-ft Vibracore	49.7	15.4	0.0-1.8	1.8	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.25	0.28	2.0	1.8	0.9	
BI-PBS-370-13	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	11:52 AM	30.15695	-88.43316	239128.81380	1110721.40900	20-ft Vibracore	50.7	17.2																		
BI-PBS-370-13A	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	11:52 AM	30.15695	-88.43316	239128.81380	1110721.40900	20-ft Vibracore	50.7	17.2	3.8-8.8	5.0	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.22	0.25	4.1	1.6	0.9	
BI-PBS-371-13	PETIT BOIS PASS - OCS WEST	2013	2/17/2014	4:16 PM	30.15680	-88.43837	239068.52140	1109075.00900	20-ft Vibracore	52.3	16.3	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED														
BI-PBS-372-13	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	4:23 PM	30.15884	-88.43011	239819.57060	1111682.91400	20-ft Vibracore	50.7	17.8														0.25				
BI-PBS-372-13A	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	4:23 PM	30.15884	-88.43011	239819.57060	1111682.91400	20-ft Vibracore	50.7	17.8	0.0-3.6	3.6	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Gray	2.5Y 5/1	5		0.24	0.27	4.1	1.9	0.9	

Vibracore / Sample ID	Investigation Area	Sample Event	Date of Sample	Time_CST	Latitude	Longitude	Northing_Y	Easting_X	Sample Method	Water Depth (feet)	Boring Depth (feet below seafloor surface)	Sample Depth (Feet below seafloor surface)	Sample Thickness (feet)	Field USCS	Lab USCS	Angularity	Wet Munsell Color	Wet Munsell Color Code	Wet Munsell Value	Dry Munsell Color	Dry Munsell Color Code	Dry Munsell Value	CaCO3	D50 (mm)	Graphic Mean (mm)	% Fines	Cu (D60/D10)	Cc (D30) ² / (D10*P60)
BI-PBS-374-13A	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	3:17 PM	30.16073	-88.43288	240503.84780	1110805.07400	20-ft Vibracore	50.0	20.0	1.6-6.0	4.4	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.26	0.28	5.8	2.3	1.0
BI-PBS-374-13B	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	3:17 PM	30.16073	-88.43288	240503.84780	1110805.07400	20-ft Vibracore	50.0	20.0	6.0-11.0	5.0	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.23	0.25	2.4	1.6	0.9
BI-PBS-374-13C	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	3:17 PM	30.16073	-88.43288	240503.84780	1110805.07400	20-ft Vibracore	50.0	20.0	11.0-16.3	5.3	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.23	0.25	2.3	1.6	0.9
BI-PBS-375-13	PETIT BOIS PASS - OCS WEST	2013	2/18/2014	8:40 AM	30.16060	-88.44382	240444.59370	1107347.84600	20-ft Vibracore	51.3	13.8	NO SAMPLE TAKEN		CL	NO SAMPLE TESTED													
BI-PBS-376-13	PETIT BOIS PASS - OCS WEST	2013	2/17/2014	10:35 AM	30.15765	-88.42387	239393.81380	1113656.54600	20-ft Vibracore	51.3	15.3																	
BI-PBS-376-13A	PETIT BOIS PASS - OCS WEST	2013	2/17/2014	10:35 AM	30.15765	-88.42387	239393.81380	1113656.54600	20-ft Vibracore	51.3	15.3	4.0-9.5	5.5	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.21	0.23	4.0	1.5	0.9
BI-PBS-376-13B	PETIT BOIS PASS - OCS WEST	2013	2/17/2014	10:35 AM	30.15765	-88.42387	239393.81380	1113656.54600	20-ft Vibracore	51.3	15.3	9.5-15.3	5.8	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.21	0.23	5.2	1.7	1.0
BI-PBS-377-13	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	1:47 PM	30.15887	-88.43604	239823.90350	1109808.77000	20-ft Vibracore	51.0	20.0																	
BI-PBS-377-13A	PETIT BOIS PASS - OCS WEST	2013	2/16/2014	1:47 PM	30.15887	-88.43604	239823.90350	1109808.77000	20-ft Vibracore	51.0	20.0	5.4-10.4	5.0	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Dark Gray	2.5Y 4/1	4	Gray	2.5Y 5/1	5		0.25	0.42	4.9	1.9	0.9
BI-PBS-378-13	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	11:43 AM	30.14865	-88.36428	236193.18770	1132502.99100	20-ft Vibracore	51.3	18.1																	
BI-PBS-378-13A	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	11:43 AM	30.14865	-88.36428	236193.18770	1132502.99100	20-ft Vibracore	51.3	18.1	0.0-3.4	3.4	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.31	0.40	1.3	2.2	0.8
BI-PBS-379-13	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	10:34 AM	30.13875	-88.35901	232599.59970	1134183.65900	20-ft Vibracore	55.0	18.3																	
BI-PBS-379-13A	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	10:34 AM	30.13875	-88.35901	232599.59970	1134183.65900	20-ft Vibracore	55.0	18.3	0.0-1.6	1.6	SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.22	0.25	2.5	1.6	0.9
BI-PBS-380-13	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	9:29 AM	30.13995	-88.34956	233048.56150	1137168.99000	20-ft Vibracore	55.6	18.5																	
BI-PBS-380-13A	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	9:29 AM	30.13995	-88.34956	233048.56150	1137168.99000	20-ft Vibracore	55.6	18.5	0.0-2.9	2.9	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Gray	2.5Y 6/1	6		0.40	1.11	1.1	3.2	0.8
BI-PBS-380-13B	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	9:29 AM	30.13995	-88.34956	233048.56150	1137168.99000	20-ft Vibracore	55.6	18.5	2.9-4.0	1.1	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	GLE Y1 10Y 4/1	4	Gray	2.5Y 5/1	5		0.20	0.30	9.6	3.1	1.1
BI-PBS-381-13	PETIT BOIS PASS - OCS WEST	2013	2/22/2014	2:07 PM	30.14458	-88.43534	234627.64500	1110048.12900	20-ft Vibracore	48.7	18.8																	
BI-PBS-381-13A	PETIT BOIS PASS - OCS WEST	2013	2/22/2014	2:07 PM	30.14458	-88.43534	234627.64500	1110048.12900	20-ft Vibracore	48.7	18.8	0.0-1.8	1.8	SP	SP	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Light Gray	2.5Y 7/1	7		0.30	0.29	1.1	1.9	1.1
BI-PBS-381-13B	PETIT BOIS PASS - OCS WEST	2013	2/22/2014	2:07 PM	30.14458	-88.43534	234627.64500	1110048.12900	20-ft Vibracore	48.7	18.8	1.8-2.9	1.1	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.24	0.55	7.5	3.3	1.1
BI-PBS-382-13	PETIT BOIS PASS - OCS WEST	2013	2/22/2014	3:09 PM	30.13832	-88.46310	232321.45570	1101281.04500	20-ft Vibracore	47.4	19.3																	
BI-PBS-382-13A	PETIT BOIS PASS - OCS WEST	2013	2/22/2014	3:09 PM	30.13832	-88.46310	232321.45570	1101281.04500	20-ft Vibracore	47.4	19.3	0.0-3.0	3.0	SP-SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.20	0.24	7.3	2.1	1.1
BI-PBS-384-13	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	12:37 PM	30.15685	-88.36111	239179.53700	1133492.59300	20-ft Vibracore	56.3	17.5																	
BI-PBS-384-13A	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	12:37 PM	30.15685	-88.36111	239179.53700	1133492.59300	20-ft Vibracore	56.3	17.5	0.0-2.3	2.3	SM	SM	SUB-ANGULAR TO SUB-ROUNDED	Very Dark Gray	5Y 3/1	3	Gray	2.5Y 5/1	5		0.28	0.30	19.7	#DIV/0!	#DIV/0!
BI-PBS-384-13B	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	12:37 PM	30.15685	-88.36111	239179.53700	1133492.59300	20-ft Vibracore	56.3	17.5	2.9-8.0	5.1	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Dark Greenish Gray	GLE Y1 10Y 4/1	4	Gray	2.5Y 5/1	5		0.25	0.26	11.7	#DIV/0!	#DIV/0!
BI-PBS-384-13C	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	12:37 PM	30.15685	-88.36111	239179.53700	1133492.59300	20-ft Vibracore	56.3	17.5	8.0-13.7	5.7	SM	SP-SM	SUB-ANGULAR TO SUB-ROUNDED	Greenish Gray	GLE Y1 10Y 5/1	5	Gray	2.5Y 6/1	6		0.23	0.25	8.9	2.4	1.2
BI-PBS-384-13D	PETIT BOIS PASS - OCS EAST	2013	2/22/2014	12:37 PM	30.15685	-88.36111	239179.53700	1133492.59300	20-ft Vibracore	56.3	17.5	13.7-17.5	3.8	SP-SM	SP	SUB-ANGULAR TO SUB-ROUNDED	Gray	2.5Y 5/1	5	Light Gray	2.5Y 7/1	7		0.22	0.24	3.9	1.6	0.9

Cu: Coefficient of Uniformity

Cc: Coefficient of Curvature

The "#Value!" error message indicates that data was not available for that calculation.

This page was intentionally left blank for duplex printing.

Boring Designation BI-PBS-001-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-001-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 57.8 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -56.8 Ft.		STARTED 11-26-12
8. TOTAL DEPTH OF BORING 13.4 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 11-26-12
18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-56.8	0.0				
-57.2	0.4				
-59.3	2.5		SAND, poorly-graded with silt, mostly fine to medium-grained sand-sized quartz, few silt, trace shell fragments, gray (SP-SM)	A	Classification: SP-SM Color: 5Y 5.5/2- D50: 0.2136 mm % Fines: 11.3
-61.6	4.8		SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, gray (SM)		
-62.8	6.0		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, some silt, alternating layers of clayey sand and silty sand, greenish gray mottled with gray (SC)		
-69.3	12.5		SILT, inorganic-L, mostly silt, little fine-grained sand-sized quartz, trace clay, trace wood debris, lt. gray mottled with gray (ML)	NS	
-70.2	13.4		CLAY, fat, mostly clay, some silt, trace fine-grained sand-sized quartz, trace wood debris, low to medium plasticity, gray (CH)		
			CLAY, lean, mostly clay, some fine-grained sand-sized quartz, little shell fragments, trace wood debris, gray (CL)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-01-12

Date 11/26/2012

Water Depth 57.8'

Coordinate System

Latitude / Longitude

Start Time 13:30:56

End Time 13:35:54

Penetration 19.1'


Latitude 30 08.085

Total Time 00:04:58


Recovery 13.4'

Longitude 088 21.123

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	2.0	1.6	12.7	72.4	11.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.4		
#4	98.0		
#10	96.4		
#20	93.8		
#40	83.7		
#60	60.1		
#100	28.7		
#140	17.4		
#200	11.3		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND, with trace SHELL

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5689 D₈₅= 0.4448 D₆₀= 0.2498
 D₅₀= 0.2136 D₃₀= 0.1540 D₁₅= 0.0940
 D₁₀= C_u= C_c=

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-01-12 A
Sample Number: 6471 (45)

Depth: 0.0'

Date: 12/03/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095


Figure

Boring Designation BI-PBS-002-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-002-12		LOCATION COORDINATES E = 1,138,053 N = 231,827		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
3. DRILLING AGENCY Corps of Engineers - CESAM		CONTRACTOR FILE NO.		HORIZONTAL NAD83
4. NAME OF DRILLER American Vibracore Systems, Inc.			11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		DEG. FROM VERTICAL	BEARING	<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
6. THICKNESS OF OVERBURDEN N/A		12. TOTAL SAMPLES		DISTURBED 0
7. DEPTH DRILLED INTO ROCK N/A		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD)
8. TOTAL DEPTH OF BORING 20.0 Ft.		14. WATER DEPTH 50.9 Ft.		15. DATE BORING STARTED 11-26-12 COMPLETED 11-26-12
		16. ELEVATION TOP OF BORING -50.2 Ft.		17. TOTAL RECOVERY FOR BORING 100%
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-50.2	0.0				
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace silt, shell fragments in interval 0-2.7 ft., greenish gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.22 mm % Fines: 1.6
				B	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.21 mm % Fines: 3.9
-58.0	7.8				
			SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, greenish gray (SC)		
-59.7	9.5				
			CLAY, lean, mostly clay, some sand, trace shell fragments, greenish gray (CL)		
-61.7	11.5				
			CLAY, fat, mostly clay, moderately stiff with some clayey sand nodules, greenish gray mottled with brown (CH)	NS	
-66.7	16.5				
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, trace shell fragments, gray (SM)		
-68.6	18.4				
			CLAY, fat, mostly clay, trace fine-grained sand-sized quartz, trace wood debris, moderately stiff, gray (CH)		
-70.2	20.0				
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval.		

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2 OF 2 SHEETS
			PROJECT MsCIP Barrier Island Restoration		COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
LOCATION COORDINATES X = 1,138,053 Y = 231,827			ELEVATION TOP OF BORING -50.2 Ft.		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-02-12

Date 11/26/2012

Water Depth 50.9'

Coordinate System

Latitude / Longitude

Start Time 12:43:05

End Time 12:44:50

Penetration 20.0'


Latitude 30 08.195

Total Time 00:01:45


Recovery 19.5'

Longitude 088 20.807

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.3	2.4	14.0	81.7	1.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.7		
#10	97.3		
#20	93.3		
#40	83.3		
#60	62.7		
#100	6.5		
#140	2.2		
#200	1.6		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6616 D₈₅= 0.4781 D₆₀= 0.2432
 D₅₀= 0.2225 D₃₀= 0.1898 D₁₅= 0.1665
 D₁₀= 0.1575 C_u= 1.54 C_c= 0.94

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-02-12 A
Sample Number: 6469 (55)

Depth: 0.0'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	1.5	8.8	85.6	3.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	98.3		
#20	95.7		
#40	89.5		
#60	67.3		
#100	12.4		
#140	5.2		
#200	3.9		

Material Description

Fine grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4395 D₈₅= 0.3391 D₆₀= 0.2327

D₅₀= 0.2136 D₃₀= 0.1810 D₁₅= 0.1556

D₁₀= 0.1438 C_u= 1.62 C_c= 0.98

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-02-12 B
Sample Number: 6469 (56)

Depth: 4.5'

Date: 11/28/12

Thompson Engineering

Mobile, Alabama




Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095


Figure

Boring Designation BI-PBS-003-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-003-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 59.7 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -59.4 Ft.		STARTED 11-26-12
8. TOTAL DEPTH OF BORING 19.5 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 11-26-12
18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-59.4	0.0				
-61.2	1.8		SAND, clayey, mostly fine-grained sand-sized quartz, some shell fragments, with sandy clay stringers, gray mottled with brown (SC)		
-66.5	7.1		CLAY, lean, mostly clay, trace shell fragments, pockets of sandy clay, medium plasticity, gray mottled with brown (CL)		
-78.9	19.5		SAND, clayey, mostly fine-grained sand-sized quartz, trace shell fragments, low plasticity, gray (SC) At El. -67.6 Ft., mostly fine-grained sand-sized quartz, some clay, trace shell fragments, trace wood debris, alternating layers of clayey sand and sandy clay, gray	NS	
NOTES:					
1. Soils are field visually classified in accordance with the Unified Soils Classification System.					
2. NS = Sample not submitted for laboratory analysis from this interval.					
3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and					

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2
					OF 2 SHEETS
PROJECT MsCIP Barrier Island Restoration			COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)	HORIZONTAL NAD83	VERTICAL NAVD88
LOCATION COORDINATES X = 1,138,716 Y = 232,102			ELEVATION TOP OF BORING -59.4 Ft.		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			applying NOAA tidal gauge data conversion factor.		



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-03-12

Date 11/26/2012

Water Depth 59.7'

Coordinate System

Latitude / Longitude

Start Time 09:52:42

End Time 09:53:38

Penetration 20.0'


Latitude 30 08.240

Total Time 00:00:55

Recovery 19.5'

Longitude 088 20.681

Comments




Boring Designation BI-PBS-004-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-004-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 49.8 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 11-26-12 COMPLETED 11-26-12
8. TOTAL DEPTH OF BORING 20.0 Ft.		16. ELEVATION TOP OF BORING -50.1 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-50.1	0.0				
		•••••	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace silt, trace wood debris, greenish gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.26 mm % Fines: 1.2
		•••••		B	Classification: SP Color: 5Y 7/2-light gray D50: 0.23 mm % Fines: 2.4
-58.7	8.6	↑↑↑↑↑			
-59.8	9.7		SAND, silty, mostly fine to medium-grained sand-sized quartz, some shell fragments, greenish gray (SM)		
			CLAY, lean, mostly clay, some fine-grained sand-sized quartz, trace shell fragments, medium stiffness, brown mottled with gray (CL)		
			At El. -60.6 Ft., mostly clay, some fine-grained sand-sized quartz, medium stiffness, some bands of fat clay throughout interval, greenish gray mottled with brown	NS	
-65.6	15.5				
			SAND, clayey, mostly fine-grained sand-sized quartz, trace shell fragments, gray (SC)		
-69.6	19.5				
-70.1	20.0		CLAY, fat, mostly clay, trace shell fragments, medium stiffness, gray (CH)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p>					

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2 OF 2 SHEETS
			PROJECT MsCIP Barrier Island Restoration		COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
LOCATION COORDINATES X = 1,139,523 Y = 232,429			ELEVATION TOP OF BORING -50.1 Ft.		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-04-12

Date 11/26/2012

Water Depth 59.3'

Coordinate System

Latitude / Longitude

Start Time 10:36:10

End Time 10:37:58

Penetration 20.0'


Latitude 30 08.293

Total Time 00:01:48


Recovery 20.0'

Longitude 088 20.527

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.5	1.0	17.5	79.8	1.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.6		
#4	99.5		
#10	98.5		
#20	95.6		
#40	81.0		
#60	46.8		
#100	4.5		
#140	1.5		
#200	1.2		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5681 D₈₅= 0.4736 D₆₀= 0.2939

D₅₀= 0.2594 D₃₀= 0.2097 D₁₅= 0.1776

D₁₀= 0.1660 C_u= 1.77 C_c= 0.90

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-04-12 A Depth: 0.0' Date: 11/28/12

Sample Number: 6469 (57)

Thompson Engineering

Mobile, Alabama


Client: CDM/Thompson Engineering JV

Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.7	6.8	90.1	2.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.3		
#20	97.7		
#40	92.5		
#60	61.5		
#100	7.4		
#140	3.1		
#200	2.4		

Material Description

Fine grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.3901 D₈₅= 0.3443 D₆₀= 0.2465

D₅₀= 0.2258 D₃₀= 0.1914 D₁₅= 0.1662

D₁₀= 0.1563 C_u= 1.58 C_c= 0.95

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-04-12 B Depth: 5.0' Date: 11/28/12

Sample Number: 6469 (58)

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV

Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBS-005-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-005-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 60.1 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 11-24-12 COMPLETED 11-24-12
8. TOTAL DEPTH OF BORING 17.4 Ft.		16. ELEVATION TOP OF BORING -60.1 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-60.1	0.0				
-62.1	2.0		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, some shell fragments, dark gray (SC)	NS	
-63.1	3.0		CLAY, lean, mostly clay, little fine-grained sand-sized quartz, dark gray (CL)		
-64.1	4.0		SAND, silty, mostly fine-grained sand-sized quartz, some silt, little shell fragments, gray (SM)	A	Classification: SM Color: 2.5Y 6/2-light brownish gray D50: 0.2 mm % Fines: 14.4
-66.1	6.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, little shell fragments, trace silt, gray (SP)	NS	
-66.9	6.8		SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, gray (SM)		
-71.3	11.2		CLAY, silty, some clay, some silt, trace fine-grained sand-sized quartz, gray (CL-ML)		
-73.0	12.9		SAND, silty, mostly fine-grained sand-sized quartz, some silt, little clay, gray (SM)		
-77.5	17.4		CLAY, fat, mostly clay, trace fine-grained sand-sized quartz, stiff, lt. gray to tan (CH)		
<p>NOTES:</p> <ol style="list-style-type: none"> Soils are field visually classified in accordance with the Unified Soils Classification System. NS = Sample not submitted for laboratory analysis from this interval. Seafloor elevation determined from USACE hydrographic survey completed April 2014. 					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-05-12

Date 11/24/2012

Water Depth 60.1'

Coordinate System

Latitude / Longitude

Start Time 15:56:19

End Time 15:56:29

Penetration 20.0'

Latitude 30 08.364


Total Time 00:00:10

Recovery 17.4'


Longitude 088 20.326

Comments

Note: Penetrometer cable damaged.



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.9	1.2	7.6	75.9	14.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.8		
#4	99.1		
#10	97.9		
#20	95.9		
#40	90.3		
#60	68.5		
#100	25.8		
#140	16.4		
#200	14.4		

Material Description

Fine grained, SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4182 D₈₅= 0.3430 D₆₀= 0.2255

D₅₀= 0.2022 D₃₀= 0.1602 D₁₅= 0.0857

D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-05-12 A Depth: 4.0' Date: 11/28/12


<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Boring Designation BI-PBS-006-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East		9. SIZE AND TYPE OF BIT N/A		
2. BORING DESIGNATION BI-PBS-006-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		VERTICAL NAVD88
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		DISTURBED 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 55 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		
8. TOTAL DEPTH OF BORING 19.7 Ft.		16. ELEVATION TOP OF BORING -55.1 Ft.		STARTED 11-24-12
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-55.1	0.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace fines, lt. gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.27 mm % Fines: 2.8
-60.1	5.0		SAND, silty, mostly fine-grained sand-sized quartz, clay lenses throughout, gray (SM)	NS	
-62.0	6.9		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, trace shells, clay lenses throughout, gray (SP-SM)	B	Classification: SM Color: 5Y 6/2-light olive gray D50: 0.1672 mm % Fines: 18
-71.5	16.4		SAND, silty, mostly fine-grained sand-sized quartz, some shells, gray (SM)	NS	
-74.1	19.0		CLAY, lean, mostly clay, little fine-grained sand-sized quartz, little shell fragments, gray (CL)		
-74.8	19.7		NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval.		

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2 OF 2 SHEETS
			PROJECT MsCIP Barrier Island Restoration		COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
LOCATION COORDINATES X = 1,141,764 Y = 233,356			ELEVATION TOP OF BORING -55.1 Ft.		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-06-12-a

Date 11/24/2012

Water Depth 55.0'

Coordinate System

Latitude / Longitude

Start Time 14:29:00

End Time 14:30:10

Penetration 20.0'


Latitude 30 08.443

Total Time 00:01:10


Recovery 19.7'

Longitude 088 20.105

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.3	1.1	12.8	84.4	1.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.7		
#10	98.6		
#20	96.3		
#40	85.8		
#60	40.3		
#100	4.1		
#140	1.9		
#200	1.4		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5317 D₈₅= 0.4195 D₆₀= 0.3067
D₅₀= 0.2764 D₃₀= 0.2238 D₁₅= 0.1857
D₁₀= 0.1715 C_u= 1.79 C_c= 0.95

Classification

USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBS-06-12a A **Depth:** 0.0' **Date:** 11/28/12
Sample Number: 6469 (47)

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.8	1.9	13.7	80.8	2.8	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.7		
#4	99.2		
#10	97.3		
#20	94.1		
#40	83.6		
#60	41.9		
#100	5.8		
#140	3.3		
#200	2.8		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6106 D₈₅= 0.4553 D₆₀= 0.3055
 D₅₀= 0.2731 D₃₀= 0.2188 D₁₅= 0.1802
 D₁₀= 0.1656 C_u= 1.84 C_c= 0.95

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)


Location: BI-PBS-06-12b A **Depth:** 0.0' **Date:** 11/28/12
Sample Number: 6469 (48)

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT
Project No: 1221110095 **Figure**

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	2.1	1.3	10.7	67.9	18.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	98.9		
.375	98.6		
#4	97.9		
#10	96.6		
#20	94.4		
#40	85.9		
#60	71.6		
#100	43.1		
#140	23.7		
#200	18.0		

Material Description

Fine to medium grained, SILTY SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5527 D₈₅= 0.4046 D₆₀= 0.1978
D₅₀= 0.1672 D₃₀= 0.1213 D₁₅=
D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-06-12b B **Depth:** 6.9' **Date:** 11/28/12
Sample Number: 6469 (49)

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095 **Figure**

Boring Designation BI-PBS-007-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-007-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,142,976 N = 233,808	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 60.9 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -60.5 Ft.		STARTED 11-21-12
8. TOTAL DEPTH OF BORING 15.0 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 11-21-12
18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-60.5	0.0				
			SILT, inorganic-L, mostly silt, some fine-grained sand-sized quartz, trace shell fragments, gray (ML)	NS	
		SAND, poorly-graded, mostly fine-grained sand-sized quartz, few silt, trace wood debris, gray (SP)	A	Classification: SM Color: 2.5Y 5/2-grayish brown D50: 0.22 mm % Fines: 18.1
		At El. -71.0 Ft., mostly fine-grained sand-sized quartz, trace shell fragments, lt. gray to white	B	Classification: SP-SM Color: 2.5Y 7/2-light gray D50: 0.21 mm % Fines: 6.7
-75.5	15.0		NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-7-12

Date 11/21/2012

Water Depth 60.9'

Coordinate System

Latitude / Longitude

Start Time 11:38:15

End Time 11:41:01

Penetration 15.3'


Latitude 30 08.518

Total Time 00:02:45


Recovery 15.0'

Longitude 088 19.871

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.3	13.8	67.7	18.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.6		
#20	98.0		
#40	85.8		
#60	57.6		
#100	31.6		
#140	22.3		
#200	18.1		

Material Description
Fine to medium grained, SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.4805 D₈₅= 0.4161 D₆₀= 0.2606
 D₅₀= 0.2193 D₃₀= 0.1435 D₁₅=
 D₁₀= C_u= C_c=

Classification
 USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-07-12 A
Sample Number: 6469 (8)

Depth: 3.5'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.3	7.3	85.6	6.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.6		
#20	98.2		
#40	92.3		
#60	70.7		
#100	18.6		
#140	9.6		
#200	6.7		

Material Description
Fine grained, SLIGHTLY SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.3716 D₈₅= 0.3144 D₆₀= 0.2244
 D₅₀= 0.2054 D₃₀= 0.1716 D₁₅= 0.1406
 D₁₀= 0.1125 C_u= 1.99 C_c= 1.17

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-07-12 B
Sample Number: 6469 (9)

Depth: 10.4'

Date: 11/28/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBS-008-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-008-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,144,285 N = 234,334	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 57 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -56.6 Ft.		STARTED 11-21-12
8. TOTAL DEPTH OF BORING 18.1 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 11-21-12
18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-56.6	0.0				
-59.7	3.1	•••••	SAND, poorly-graded, mostly fine to medium-grained quartz, trace fines, trace shell fragments, lt. gray to gray (SP)	A	Classification: SP-SM Color: 5Y 6.5/2- D50: 0.22 mm % Fines: 5.2
-63.9	7.3	•••••	SAND, poorly-graded, mostly fine-grained sand-sized quartz, few fines, few shell fragments, gray (SP)	B	Classification: SM Color: 5Y 5/2-olive gray D50: 0.19 mm % Fines: 19.2
-66.6	10.0	↑↑↑↑↑	SAND, silty, mostly fine-grained sand-sized quartz, some fines, fines content increases with depth, gray (SM)	NS	
-68.1	11.5	▨▨▨▨▨	SAND, clayey, mostly fine-grained sand-sized quartz, some clay, clayey sand bordering on sandy clay with SP lense at 11.5 ft., dark gray (SC)		
-74.7	18.1	▨▨▨▨▨	CLAY, lean, mostly clay, some sand, low to medium plasticity, lt. gray mottled with orange (CL)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-08-12

Date 11/21/2012

Water Depth 57.0'

Coordinate System

Latitude / Longitude

Start Time 09:13:51

End Time 09:14:41

Penetration 20.0'


Latitude 30 08.604

Total Time 00:00:50


Recovery 18.1'

Longitude 088 19.622

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	1.2	11.7	81.7	5.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	98.6		
#20	95.5		
#40	86.9		
#60	62.4		
#100	15.0		
#140	7.7		
#200	5.2		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5011 D₈₅= 0.3929 D₆₀= 0.2433

D₅₀= 0.2196 D₃₀= 0.1810 D₁₅= 0.1501

D₁₀= 0.1320 C_u= 1.84 C_c= 1.02

Classification

USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-08-12 A
Sample Number: 6469 (1)

Depth: 0.0'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	2.0	2.3	14.9	61.6	19.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.2		
#4	98.0		
#10	95.7		
#20	92.4		
#40	80.8		
#60	65.4		
#100	37.8		
#140	25.4		
#200	19.2		

Material Description

Fine to medium grained, SILTY SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.7036 D₈₅= 0.5247 D₆₀= 0.2243
D₅₀= 0.1878 D₃₀= 0.1240 D₁₅=
D₁₀= C_u= C_c=

Classification

USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-08-12 B Depth: 3.1' Date: 11/28/12
Sample Number: 6469 (2)

Thompson Engineering
Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT
Project No: 1221110095 Figure

Boring Designation BI-PBS-009-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East		9. SIZE AND TYPE OF BIT N/A		
2. BORING DESIGNATION BI-PBS-009-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,146,677 N = 235,316	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 59.4 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -59.4 Ft.		STARTED 11-19-12
8. TOTAL DEPTH OF BORING 17.3 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 11-19-12
18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-59.4	0.0				
		[Diagonal Hatching]	SAND, clayey, mostly fine-grained sand-sized quartz, trace shell fragments, gray (SC)		
-62.0	2.6				
		[Diagonal Hatching]	CLAY, fat, mostly clay, trace fine-grained sand-sized quartz, trace shell fragments, trace wood debris, gray (CH)		
				NS	
-76.7	17.3				
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-9-12

Date 11/19/2012

Water Depth 59.4'

Coordinate System

Latitude / Longitude

Start Time 10:09:30

End Time 10:10:26

Penetration 20.8'


Latitude 30 08.764

Total Time 00:00:55

Recovery 17.2'

Longitude 88 19.167

Comments



Boring Designation BI-PBS-010-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-010-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,136,488 N = 232,689	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 48.1 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		DEG. FROM VERTICAL	15. DATE BORING STARTED 11-23-12 COMPLETED 11-23-12	
8. TOTAL DEPTH OF BORING 11.9 Ft.		BEARING	16. ELEVATION TOP OF BORING -47.3 Ft.	
			17. TOTAL RECOVERY FOR BORING 100%	
			18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-47.3	0.0				
		•••••	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little shell fragments, trace fines, gray to light gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.33 mm % Fines: 1.3
-53.2	5.9	•••••	SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace silt, trace shell fragments, gray to light gray (SP)	B	Classification: SP Color: 5Y 6.5/2- D50: 0.28 mm % Fines: 2.5
-55.7	8.4	•••••	SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, trace shell fragments, gray (SP-SM)	NS	
-57.0	9.7	•••••	SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, gray (SM)		
-59.2	11.9	•••••			
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-10-12

Date 11/23/2012

Water Depth 48.1'

Coordinate System

Latitude / Longitude

Start Time 15:44:24

End Time 15:50:33

Penetration 12.3'


Latitude 30 08.338

Total Time 00:06:09

Recovery 11.9'

Longitude 088 20.103

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.7	4.4	27.1	65.5	1.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	98.3		
#10	93.9		
#20	86.6		
#40	66.8		
#60	28.9		
#100	2.6		
#140	1.5		
#200	1.3		

Material Description

Fine to medium grained, SAND, with SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 1.1641 D₈₅= 0.7550 D₆₀= 0.3804

D₅₀= 0.3303 D₃₀= 0.2537 D₁₅= 0.2028

D₁₀= 0.1848 C_u= 2.06 C_c= 0.92

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-10-12 A
Sample Number: 6469 (38)

Depth: 0.0'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	2.3	1.3	7.6	86.3	2.5	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	98.4		
.375	98.2		
#4	97.7		
#10	96.4		
#20	94.1		
#40	88.8		
#60	36.4		
#100	5.4		
#140	3.1		
#200	2.5		

Material Description
Fine grained, SAND, with trace SHELL

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.4813 D₈₅= 0.4025 D₆₀= 0.3117
 D₅₀= 0.2846 D₃₀= 0.2332 D₁₅= 0.1898
 D₁₀= 0.1720 C_u= 1.81 C_c= 1.01

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-10-12 B
Sample Number: 6469 (39)

Depth: 5.9'

Date: 11/28/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBS-011-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-011-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 46.4 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -46.2 Ft.		STARTED 11-23-12
8. TOTAL DEPTH OF BORING 19.3 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 11-23-12
18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-46.2	0.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, little shell fragments, trace fines, lt. gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.28 mm % Fines: 1.6
-54.8	8.6		SAND, poorly-graded, mostly fine-grained sand-sized quartz, few fines, trace shell fragments, lt. gray (SP)	B	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.24 mm % Fines: 3.2
-60.0	13.8		SAND, silty, mostly fine-grained sand-sized quartz, little shell fragments, gray (SM)		
-60.7	14.5		CLAY, lean, mostly clay, some fine-grained sand-sized quartz, lt. gray mottled with gray and orange (CL)	NS	
-61.8	15.6		SAND, silty, mostly fine-grained sand-sized quartz, some silt, gray (SM)		
-65.5	19.3		CLAY, lean, mostly clay, with sandy lenses throughout, lt. gray mottled with gray and orange (CL)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-11-12

Date 11/23/2012

Water Depth 46.4

Coordinate System

Latitude / Longitude

Start Time 15:04:48

End Time 15:09:25

Penetration 20.0'


Latitude 30 08.285

Total Time 00:04:36


Recovery 19.3'

Longitude 088 20.009

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.9	4.2	19.1	73.2	1.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.1		
#4	98.1		
#10	93.9		
#20	88.0		
#40	74.8		
#60	40.6		
#100	4.2		
#140	2.0		
#200	1.6		

Material Description

Fine to medium grained, SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 1.1206 D₈₅= 0.6257 D₆₀= 0.3240
D₅₀= 0.2814 D₃₀= 0.2208 D₁₅= 0.1831
D₁₀= 0.1697 C_u= 1.91 C_c= 0.89

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)


Location: BI-PBS-11-12 A **Depth:** 0.0' **Date:** 11/28/12
Sample Number: 6469 (36)

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT
Project No: 1221110095 **Figure**

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.2	2.1	8.8	85.7	3.2	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.8		
#10	97.7		
#20	94.3		
#40	88.9		
#60	55.4		
#100	8.7		
#140	4.0		
#200	3.2		

Material Description

Fine grained, SAND

PL= **Atterberg Limits** LL= PI=

Coefficients

D₉₀= 0.4772 D₈₅= 0.3827 D₆₀= 0.2626

D₅₀= 0.2368 D₃₀= 0.1955 D₁₅= 0.1658

D₁₀= 0.1537 C_u= 1.71 C_c= 0.95

USCS= SP **Classification** AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-11-12 B
Sample Number: 6469 (37)

Depth: 8.6'

Date: 11/28/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095


Figure

Boring Designation BI-PBS-012-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-012-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 48.7 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -49.2 Ft.		STARTED 11-23-12
8. TOTAL DEPTH OF BORING 20.0 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 11-23-12
18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-49.2	0.0				
			SAND, poorly-graded, mostly fine to medium-grained quartz, little shell fragments, trace fines, sand and shell debris layer at 3.0-3.8 ft, lt. gray (SP)	A	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.27 mm % Fines: 1.9
-54.2	5.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fines, trace shell fragments, lt. gray (SP)	B	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.23 mm % Fines: 2.8
-58.0	8.8		SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fines, lt. gray (SP)	C	Classification: SP-SM Color: 5Y 5/2-olive gray D50: 0.21 mm % Fines: 9.9
-59.2	10.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fines, lt. gray (SP)		
-62.7	13.5		SAND, silty, mostly fine-grained sand-sized quartz, with clay lenses, gray (SM)		
-68.0	18.8		CLAY, silty, mostly clay, trace fine-grained sand-sized quartz, lt. gray mottled with orange (CL-ML)	NS	
-69.2	20.0		SAND, silty, mostly fine-grained sand-sized quartz, trace wood debris, gray (SM)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE</p>					

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2
					OF 2 SHEETS
PROJECT MsCIP Barrier Island Restoration			COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)	HORIZONTAL NAD83	VERTICAL NAVD88
LOCATION COORDINATES X = 1,137,391 Y = 232,075			ELEVATION TOP OF BORING -49.2 Ft.		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			hydrographic survey completed April 2014.		



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-12-12

Date 11/23/2012

Water Depth 48.7'

Coordinate System

Latitude / Longitude

Start Time 14:18:11

End Time 14:20:19

Penetration 20.0'


Latitude 30 08.236

Total Time 00:02:07


Recovery 20.0'

Longitude 088 20.932

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.4	4.4	20.3	72.0	1.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.6		
#4	98.6		
#10	94.2		
#20	87.8		
#40	73.9		
#60	44.1		
#100	5.6		
#140	2.4		
#200	1.9		

Material Description

Fine to medium grained, SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 1.0750 D₈₅= 0.6757 D₆₀= 0.3148
D₅₀= 0.2700 D₃₀= 0.2121 D₁₅= 0.1768
D₁₀= 0.1640 C_u= 1.92 C_c= 0.87

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-12-12 A
Sample Number: 6469 (33)

Depth: 0.0'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.3	1.4	8.5	87.0	2.8	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.7		
#10	98.3		
#20	95.5		
#40	89.8		
#60	56.9		
#100	9.7		
#140	3.8		
#200	2.8		

Material Description

Fine grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.4338 D₈₅= 0.3746 D₆₀= 0.2585

D₅₀= 0.2333 D₃₀= 0.1927 D₁₅= 0.1631

D₁₀= 0.1509 C_u= 1.71 C_c= 0.95

Classification

USCS= SP AASHTO=


Remarks

* (no specification provided)

Location: BI-PBS-12-12 B Depth: 5.0' Date: 11/28/12

<p>Thompson Engineering</p> <p>Mobile, Alabama</p>	<p>Client: CDM/Thompson Engineering JV</p> <p>Project: MsCIP Barrier Island Restoration GT</p> <p>Project No: 1221110095</p> <p style="text-align: right;">Figure</p>
--	---

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.2	2.6	13.2	73.1	9.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	99.6		
.375	99.3		
#4	98.8		
#10	96.2		
#20	92.0		
#40	83.0		
#60	62.8		
#100	23.6		
#140	12.6		
#200	9.9		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND, with trace SHELL

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6799 D₈₅= 0.4731 D₆₀= 0.2404
 D₅₀= 0.2117 D₃₀= 0.1656 D₁₅= 0.1204
 D₁₀= 0.0766 C_u= 3.14 C_c= 1.49

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-12-12 C
Sample Number: 6469 (35)

Depth: 8.8'

Date: 11/28/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBS-013-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-013-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,133,767 N = 233,198	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 46.7 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		DEG. FROM VERTICAL	15. DATE BORING	
8. TOTAL DEPTH OF BORING 11.8 Ft.		BEARING	STARTED 11-28-12	COMPLETED 11-28-12
		16. ELEVATION TOP OF BORING -47.3 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-47.3	0.0				
		•••••	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace shell fragments, occasional bands of shelly sand, gray (SP)	A	Classification: SP Color: 2.5Y 7/1-light gray D50: 0.35 mm % Fines: 1.6
		•••••		B	Classification: SP Color: 2.5Y 6.5/2- D50: 0.25 mm % Fines: 2.9
-56.5	9.2	//			
-59.1	11.8	//	CLAY, fat, mostly clay, trace silt, trace fine-grained sand-sized quartz, moderately stiff to stiff, medium to high plasticity, gray mottled with brown (CH)	NS	
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-13-12

Date 11/28/2012

Water Depth 46.7'

Coordinate System

Latitude / Longitude

Start Time 13:40:11

End Time 13:43:08

Penetration 20.0'


Latitude 30 08.424

Total Time 00:02:56


Recovery 12.1'

Longitude 088 21.619

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.3	2.0	26.0	69.1	1.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	99.4		
.375	99.1		
#4	98.7		
#10	96.7		
#20	92.7		
#40	70.7		
#60	15.5		
#100	2.4		
#140	1.8		
#200	1.6		

Material Description

Fine to medium grained, SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.6331 D₈₅= 0.5337 D₆₀= 0.3810

D₅₀= 0.3484 D₃₀= 0.2923 D₁₅= 0.2483

D₁₀= 0.2289 C_u= 1.66 C_c= 0.98

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-13-12 A
Sample Number: 6471 (1)

Depth: 0.0'

Date: 12/03/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.8	2.1	12.3	81.9	2.9	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.2		
#10	97.1		
#20	93.1		
#40	84.8		
#60	50.9		
#100	6.6		
#140	3.4		
#200	2.9		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5218 D₈₅= 0.4275 D₆₀= 0.2775
 D₅₀= 0.2477 D₃₀= 0.2028 D₁₅= 0.1718
 D₁₀= 0.1600 C_u= 1.73 C_c= 0.93

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-13-12 B
Sample Number: 6471 (2)

Depth: 5.0'

Date: 12/03/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBS-014-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-014-12		LOCATION COORDINATES E = 1,136,141 N = 231,771		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
3. DRILLING AGENCY Corps of Engineers - CESAM		CONTRACTOR FILE NO.		HORIZONTAL NAD83
4. NAME OF DRILLER American Vibracore Systems, Inc.			11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		DEG. FROM VERTICAL	BEARING	<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
6. THICKNESS OF OVERBURDEN N/A		7. DEPTH DRILLED INTO ROCK N/A		12. TOTAL SAMPLES
8. TOTAL DEPTH OF BORING 19.6 Ft.				DISTURBED
			13. TOTAL NUMBER CORE BOXES	
			14. WATER DEPTH 53.4 Ft.	
			15. DATE BORING	
			STARTED 11-28-12	
			COMPLETED 11-28-12	
			16. ELEVATION TOP OF BORING -53.2 Ft.	
			17. TOTAL RECOVERY FOR BORING 100%	
			18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-53.2	0.0				
		•••••	SAND, poorly-graded, mostly fine to medium-grained quartz, trace silt, trace shell fragments, greenish gray (SP)	A	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.25 mm % Fines: 3.7
-56.4	3.2	+ + + + +	SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace clay, trace shell fragments, greenish gray (SM)	B	Classification: SP-SM Color: 5Y 5/2-olive gray D50: 0.2 mm % Fines: 11.8
-59.2	6.0	/ / / / /	SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, alternating bands of clayey sand and sandy clay, gray mottled with greenish gray and brown (SC)		
-61.4	8.2	/ / / / /	CLAY, fat, mostly clay, trace fine-grained sand-sized quartz, trace wood debris, trace shell fragments, occasional shelly bands and sandy pockets, moderately stiff, gray (CH)	NS	
-72.8	19.6	/ / / / /			
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-14-12

Date 11/28/2012

Water Depth 53.4'

Coordinate System

Latitude / Longitude

Start Time 09:49:38

End Time 09:50:16

Penetration 20.0'


Latitude 30 08.187

Total Time 00:00:38


Recovery 19.6

Longitude 088 21.170

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	2.3	13.0	80.9	3.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	97.6		
#20	93.6		
#40	84.6		
#60	50.9		
#100	12.4		
#140	5.0		
#200	3.7		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5125 D₈₅= 0.4290 D₆₀= 0.2801
 D₅₀= 0.2473 D₃₀= 0.1955 D₁₅= 0.1580
 D₁₀= 0.1414 C_u= 1.98 C_c= 0.96

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-14-12 A
Sample Number: 6471 (3)

Depth: 0.0'

Date: 12/03/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	2.9	1.7	12.6	71.0	11.8	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	98.5		
.375	98.1		
#4	97.1		
#10	95.4		
#20	92.6		
#40	82.8		
#60	64.3		
#100	30.6		
#140	16.5		
#200	11.8		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND, with trace SHELL

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6538 D₈₅= 0.4732 D₆₀= 0.2325
 D₅₀= 0.2004 D₃₀= 0.1484 D₁₅= 0.0989
 D₁₀= C_u= C_c=

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-14-12 B
Sample Number: 6471 (4)

Depth: 3.2'

Date: 12/03/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBS-015-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-015-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,135,034 N = 232,632	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 48.9 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		DEG. FROM VERTICAL	15. DATE BORING	
8. TOTAL DEPTH OF BORING 19.9 Ft.		BEARING	STARTED 11-28-12	COMPLETED 11-28-12
		16. ELEVATION TOP OF BORING -49.7 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR Mike FitzHarris, Geologist		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-49.7	0.0				
			SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace silt, trace shell fragments, gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.29 mm % Fines: 2
-55.2	5.5			NS	
			SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, trace clay, gray (SM)	B	Classification: SP-SM Color: 5Y 5/2-olive gray D50: 0.2 mm % Fines: 11.6
-58.4	8.7				
			CLAY, lean, mostly clay, trace wood debris, occasional pockets of clayey sand, gray mottled with greenish gray and brown (CL)	NS	
-64.6	14.9				
			CLAY, fat, mostly clay, trace shell fragments, trace wood debris, moderately stiff, gray (CH)		
-67.8	18.1				
-68.3	18.6				
			SAND, clayey, mostly fine-grained sand-sized quartz, trace silt, trace shell fragments, gray (SC)		
-69.6	19.9				
			SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, few silt, trace shell fragments, trace clay, gray (SP-SM)		
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System.		

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2 OF 2 SHEETS	
PROJECT MsCIP Barrier Island Restoration			COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83	VERTICAL NAVD88
LOCATION COORDINATES X = 1,135,034 Y = 232,632			ELEVATION TOP OF BORING -49.7 Ft.			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS	
			2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.			



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-15-12

Date 11/28/2012

Water Depth 48.9'

Coordinate System

Latitude / Longitude

Start Time 10:32:11

End Time 10:33:48

Penetration 20.0'


Latitude 30 08.330

Total Time 00:01:37


Recovery 19.9'

Longitude 088 21.379

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.3	1.7	14.2	81.8	2.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.7		
#10	98.0		
#20	94.8		
#40	83.8		
#60	35.1		
#100	4.1		
#140	2.3		
#200	2.0		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5930 D₈₅= 0.4505 D₆₀= 0.3212
 D₅₀= 0.2909 D₃₀= 0.2360 D₁₅= 0.1929
 D₁₀= 0.1763 C_u= 1.82 C_c= 0.98

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-15-12 A
Sample Number: 6471 (5)

Depth: 0.0'

Date: 12/03/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.2	2.3	10.5	74.4	11.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	98.8		
#10	96.5		
#20	93.4		
#40	86.0		
#60	69.4		
#100	28.7		
#140	15.6		
#200	11.6		

Material Description

Fine to medium grained, SLIGHTLY SILTY SAND, with trace SHELL

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.5851 D₈₅= 0.3961 D₆₀= 0.2203
 D₅₀= 0.1960 D₃₀= 0.1530 D₁₅= 0.1024
 D₁₀= C_u= C_c=

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-15-12 B Depth: 5.5' Date: 12/03/12
 Sample Number: 6471 (6)

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
 Project: MsCIP Barrier Island Restoration GT

 Project No: 1221110095 Figure

Boring Designation BI-PBS-016-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-016-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,138,607 N = 231,553	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 52.8 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -52.5 Ft.		STARTED 11-23-12
8. TOTAL DEPTH OF BORING 17.8 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 11-23-12
18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-52.5	0.0				
-55.0	2.5	●	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, trace fines, trace shell fragments, gray (SP)	A	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.29 mm % Fines: 2.4
-56.3	3.8		SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fines, little shell fragments, gray (SP)	B	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.21 mm % Fines: 3.7
-58.1	5.6		SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little fines, gray (SP)	C	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.24 mm % Fines: 4
-61.3	8.8		SAND, silty, mostly fine-grained sand-sized quartz, little shell fragments, gray (SM)		
-64.6	12.1	/	CLAY, lean, mostly clay, some sand, lt. gray mottled with orange (CL)	NS	
-65.6	13.1	/	SAND, clayey, mostly fine-grained sand-sized quartz, lt. gray mottled with orange (SC)		
-66.4	13.9		CLAY, lean, mostly clay, little fine-grained sand-sized quartz, low plasticity, dark gray (CL)		
-68.2	15.7	/	SAND, silty, mostly fine-grained sand-sized quartz, trace shell fragments, trace wood debris, gray (SM)		
-70.3	17.8	/	CLAY, lean, mostly clay, trace fine-grained sand-sized quartz, gray (CL)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p> <p>3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.</p>					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-16-12

Date 11/23/2012

Water Depth 52.8'

Coordinate System

Start Time 13:34:56

Latitude / Longitude

End Time 13:36:37

Penetration 20.0'


Latitude 30 08.149

Total Time 00:01:41


Recovery 17.8'

Longitude 088 20.702

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.9	2.4	15.7	78.6	2.4	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.7		
#4	99.1		
#10	96.7		
#20	92.7		
#40	81.0		
#60	35.8		
#100	6.4		
#140	2.9		
#200	2.4		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.6916 D₈₅= 0.5156 D₆₀= 0.3255
 D₅₀= 0.2923 D₃₀= 0.2329 D₁₅= 0.1859
 D₁₀= 0.1672 C_u= 1.95 C_c= 1.00

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-16-12 A
Sample Number: 6469 (30)

Depth: 0.0'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	1.0	6.8	88.4	3.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	98.9		
#20	97.1		
#40	92.1		
#60	70.0		
#100	13.2		
#140	4.9		
#200	3.7		

Material Description

Fine grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.3712 D₈₅= 0.3135 D₆₀= 0.2276
 D₅₀= 0.2097 D₃₀= 0.1785 D₁₅= 0.1537
 D₁₀= 0.1420 C_u= 1.60 C_c= 0.99

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-16-12 B
Sample Number: 6469 (31)

Depth: 2.5'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.8	2.9	16.1	76.2	4.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.9		
#4	99.2		
#10	96.3		
#20	90.9		
#40	80.2		
#60	53.1		
#100	11.9		
#140	5.0		
#200	4.0		

Material Description
Fine to medium grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.7616 D₈₅= 0.5200 D₆₀= 0.2745
 D₅₀= 0.2406 D₃₀= 0.1923 D₁₅= 0.1585
 D₁₀= 0.1436 C_u= 1.91 C_c= 0.94

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-16-12 C
 Sample Number: 6469 (32)

Depth: 3.8'

Date: 11/28/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
 Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBS-017-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-017-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,139,765 N = 231,412	13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 55.4 Ft.		15. DATE BORING
7. DEPTH DRILLED INTO ROCK N/A		16. ELEVATION TOP OF BORING -58.5 Ft.		STARTED 11-23-12
8. TOTAL DEPTH OF BORING 19.5 Ft.		17. TOTAL RECOVERY FOR BORING 100%		COMPLETED 11-23-12
18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-58.5	0.0				
-59.5	1.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, little fines, gray (SP)	A	Classification: SP Color: 2.5Y 6/2-light brownish gray D50: 0.21 mm % Fines: 2.7
-59.7	1.2		SAND, silty, mostly fine-grained sand-sized quartz, gray (SM)	NS	
-60.5	2.0		SAND, poorly-graded with silt, mostly fine to medium-grained sand-sized quartz, few shell fragments, trace wood debris, gray (SP-SM)		
-66.0	7.5		SILT, inorganic-L, little sand, sand lense at 4.5 ft, lt. gray mottled with orange (ML)		
-70.5	12.0		SAND, silty, mostly fine-grained sand-sized quartz, trace wood debris, trace shell fragments, gray (SM)		
-74.9	16.4		SILT, inorganic-L, trace sand, trace wood debris, gray (ML)		
-76.0	17.5		SAND, silty, mostly fine-grained sand-sized quartz, trace shell fragments, gray (SM)		
-78.0	19.5		CLAY, lean, stiff, sand lense at 18.7 ft, lt. gray to gray (CL)		
NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-17-12

Date 11/23/2012

Water Depth 58.7'

Coordinate System

Latitude / Longitude

Start Time 10:21:34

End Time 10:22:18

Penetration 20.0'


Latitude 30 08.125

Total Time 00:00:44


Recovery 19.5'

Longitude 088 20.482

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.3	6.0	91.0	2.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.7		
#20	98.7		
#40	93.7		
#60	65.0		
#100	16.2		
#140	4.9		
#200	2.7		

Material Description

Fine grained, SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.3762 D₈₅= 0.3346 D₆₀= 0.2370
 D₅₀= 0.2148 D₃₀= 0.1771 D₁₅= 0.1471
 D₁₀= 0.1328 C_u= 1.78 C_c= 1.00

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-17-12 A **Depth:** 0.0' **Date:** 11/28/12
Sample Number: 6469 (24)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Boring Designation BI-PBS-018-12

DRILLING LOG	DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East		9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-018-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)	
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore	
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES DISTURBED UNDISTURBED (UD)	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 50.2 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING STARTED 11-23-12 COMPLETED 11-23-12	
8. TOTAL DEPTH OF BORING 19.0 Ft.		16. ELEVATION TOP OF BORING -51.1 Ft.	
		17. TOTAL RECOVERY FOR BORING 100%	
		18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer	

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-51.1	0.0				
-53.5	2.4	•••••	SAND, poorly-graded, mostly fine to medium-grained sand-sized quartz, little shell fragments, trace fines, lt. gray (SP)	A	Classification: SP Color: 5Y 7/2-light gray D50: 0.3756 mm % Fines: 1.7
-59.3	8.2	•••••	SAND, poorly-graded, mostly fine-grained sand-sized quartz, few fines, fines increase with depth, lt. gray to gray (SP)	B	Classification: SP Color: 5Y 7/2-light gray D50: 0.2358 mm % Fines: 2.6
-59.7	8.6	•••••			
-61.9	10.8		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, little shell fragments, gray (SP-SM)	NS	
-63.9	12.8		SAND, silty, mostly fine-grained sand-sized quartz, trace shell fragments, gray mottled with lt. gray and reddish brown (SM)		
-68.1	17.0		CLAY, silty, some fine-grained sand-sized quartz, trace shell fragments, trace wood debris, gray (CL-ML)		
-70.1	19.0		SAND, silty, mostly fine-grained sand-sized quartz, trace shell fragments, trace wood debris, gray (SM)		
			CLAY, lean, little fine-grained sand-sized quartz, trace wood debris, gray (CL)		
NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-18-12

Date 11/23/2012

Water Depth 50.2'

Coordinate System

Latitude / Longitude

Start Time 10:57:35

End Time 11:00:41

Penetration 20.0'


Latitude 30 08.239

Total Time 00:03:06


Recovery 19.0'

Longitude 088 20.465

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.3	4.0	36.6	56.4	1.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	98.7		
#10	94.7		
#20	87.7		
#40	58.1		
#60	23.0		
#100	3.4		
#140	1.9		
#200	1.7		

Material Description

Fine to medium grained, SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.9531 D₈₅= 0.7661 D₆₀= 0.4386

D₅₀= 0.3756 D₃₀= 0.2799 D₁₅= 0.2153

D₁₀= 0.1917 C_u= 2.29 C_c= 0.93

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-18-12 A
Sample Number: 6469 (25)

Depth: 0.0'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.8	8.0	88.6	2.6	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.2		
#20	97.3		
#40	91.2		
#60	55.8		
#100	9.8		
#140	3.6		
#200	2.6		

Material Description

Fine grained, SAND

PL= **Atterberg Limits** LL= PI=

Coefficients

D₉₀= 0.4120 D₈₅= 0.3695 D₆₀= 0.2615
D₅₀= 0.2358 D₃₀= 0.1940 D₁₅= 0.1633
D₁₀= 0.1507 C_u= 1.74 C_c= 0.96

USCS= SP **Classification** AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-18-12 B **Depth:** 2.4' **Date:** 11/28/12
Sample Number: 6469 (26)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Boring Designation BI-PBS-019-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-019-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 50.6 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 11-23-12 COMPLETED 11-23-12
8. TOTAL DEPTH OF BORING 18.6 Ft.		16. ELEVATION TOP OF BORING -51.2 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-51.2	0.0				
			SAND, poorly-graded, mostly fine-grained sand-sized quartz, little shell fragments, trace fines, gray to light gray (SP)	A	Classification: SP Color: 5Y 6/2-light olive gray D50: 0.2978 mm % Fines: 1.8
-55.8	4.6				
-56.2	5.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, some shell fragments, few fines, gray (SP)		
-57.4	6.2				
			SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, little shell fragments, gray (SP-SM)		
-60.1	8.9				
-60.9	9.7		SAND, silty, mostly fine-grained sand-sized quartz, trace shell fragments, gray mottled with lt. gray and orange (SM)		
-61.2	10.0				
			CLAY, silty, little fine-grained sand-sized quartz, lt. gray mottled with orange (CL-ML)	NS	
-63.1	11.9				
			SAND, silty, mostly fine-grained sand-sized quartz, gray (SM)		
			CLAY, lean, little fine-grained sand-sized quartz, lt. gray mottled with orange (CL)		
-67.2	16.0				
			SAND, silty, mostly fine-grained sand-sized quartz, gray to tan (SM)		
-69.8	18.6				
			SILT, inorganic-L, mostly silt, trace fine-grained sand-sized quartz, trace wood debris, trace shell fragments, gray (ML)		
NOTES:					
1. Soils are field visually classified in accordance with the Unified Soils Classification System.					
2. NS = Sample not submitted for laboratory analysis from this interval.					
3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.					

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-19-12

Date 11/23/2012

Water Depth 50.6'

Coordinate System

Latitude / Longitude

Start Time 11:42:08

End Time 11:43:20

Penetration 20.0'


Latitude 30 08.367

Total Time 00:01:12


Recovery 18.6'

Longitude 088 20.565

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.6	2.5	18.4	76.7	1.8	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=N)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.4		
#10	96.9		
#20	93.1		
#40	78.5		
#60	34.3		
#100	3.9		
#140	2.0		
#200	1.8		

Material Description

Fine to medium grained, SAND

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.5783 D₈₅= 0.4857 D₆₀= 0.3329

D₅₀= 0.2978 D₃₀= 0.2376 D₁₅= 0.1933

D₁₀= 0.1768 C_u= 1.88 C_c= 0.96

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-19-12 A Depth: 0.0' Date: 11/28/12

Sample Number: 6469 (27)

Thompson Engineering Mobile, Alabama	Client: CDM/Thompson Engineering JV Project: MsCIP Barrier Island Restoration GT Project No: 1221110095 Figure
---	--

Boring Designation BI-PBS-020-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 1 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-020-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		VERTICAL NAVD88
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		LOCATION COORDINATES E = 1,138,523 N = 229,734	13. TOTAL NUMBER CORE BOXES	UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		CONTRACTOR FILE NO.	14. WATER DEPTH 60.8 Ft.	
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING	STARTED 11-23-12	COMPLETED 11-23-12
8. TOTAL DEPTH OF BORING 12.7 Ft.		16. ELEVATION TOP OF BORING -60.1 Ft.		17. TOTAL RECOVERY FOR BORING 100%
18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-60.1	0.0				
-60.3	0.2	↑↑↑↑↑	SILT, inorganic-L, mostly silt, trace fine-grained sand-sized quartz, trace shell fragments, gray (ML)	NS	
-64.2	4.1		SAND, silty, mostly fine-grained sand-sized quartz, trace shell fragments, gray (SM)		
-66.1	6.0	•••••	SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace shell fragments, lt. gray (SP)	A	Classification: SP-SM Color: 5Y 6/2-light olive gray D50: 0.2777 mm % Fines: 9.1
-72.1	12.0	//	CLAY, lean, mostly clay, some fine-grained sand-sized quartz, trace wood debris, gray (CL) At El. -66.7 Ft., mostly clay, trace fine-grained sand-sized quartz, trace shell fragments, trace wood debris, gray	NS	
-72.8	12.7	•••••	SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, gray mottled with brown (SP-SM)	B	Classification: SM Color: 5Y 5/2-olive gray D50: 0.2927 mm % Fines: 12.8
			NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval. 3. Seafloor elevation calculated using sampling vessel's fathometer water depth reading and applying NOAA tidal gauge data conversion factor.		

Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-20-12

Date 11/23/2012

Water Depth 60.8

Coordinate System

Start Time 12:58:43

Latitude / Longitude

End Time 12:59:43

Penetration 14.4'


Latitude 30 08.849

Total Time 00:00:59


Recovery 12.7'

Longitude 088 20.719

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.0	0.1	8.6	82.2	9.1	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	100.0		
#10	99.9		
#20	99.7		
#40	91.3		
#60	39.6		
#100	12.1		
#140	10.0		
#200	9.1		

Material Description
Fine grained, SLIGHTLY SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.4172 D₈₅= 0.3913 D₆₀= 0.3050
 D₅₀= 0.2777 D₃₀= 0.2224 D₁₅= 0.1676
 D₁₀= 0.1055 C_u= 2.89 C_c= 1.54

Classification
 USCS= SP-SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-20-12 A
Sample Number: 6469 (28)

Depth: 4.1'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	0.1	0.5	17.6	69.0	12.8	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	100.0		
#4	99.9		
#10	99.4		
#20	97.9		
#40	81.8		
#60	37.0		
#100	16.5		
#140	13.6		
#200	12.8		

Material Description
Fine to medium grained, SILTY SAND

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.4965 D₈₅= 0.4477 D₆₀= 0.3265
 D₅₀= 0.2927 D₃₀= 0.2243 D₁₅= 0.1339
 D₁₀= C_u= C_c=

Classification
 USCS= SM AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-20-12 B Depth: 12.0' Date: 11/28/12
 Sample Number: 6469 (29)

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
 Project: MsCIP Barrier Island Restoration GT

 Project No: 1221110095 Figure

Boring Designation BI-PBS-021-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-021-12		LOCATION COORDINATES E = 1,142,638 N = 232,156		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
3. DRILLING AGENCY Corps of Engineers - CESAM		CONTRACTOR FILE NO.		HORIZONTAL NAD83
4. NAME OF DRILLER American Vibracore Systems, Inc.		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		DEG. FROM VERTICAL	BEARING	12. TOTAL SAMPLES DISTURBED UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		13. TOTAL NUMBER CORE BOXES		14. WATER DEPTH 52 Ft.
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 11-21-12 COMPLETED 11-21-12
8. TOTAL DEPTH OF BORING 20.0 Ft.		16. ELEVATION TOP OF BORING -52.9 Ft.		17. TOTAL RECOVERY FOR BORING 100%
18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-52.9	0.0				
			SAND, poorly-graded, mostly fine to medium-grained quartz, little shell fragments, trace fines, lt. gray (SP)	A	Classification: SP Color: 2.5Y 7/2-light gray D50: 0.3757 mm % Fines: 1.3
-56.4	3.5		SAND, poorly-graded, mostly fine-grained sand-sized quartz, few fines, trace shell fragments, lt. gray (SP)	B	Classification: SP Color: 5Y 6.5/2- D50: 0.2445 mm % Fines: 3
-60.1	7.2				
-60.9	8.0		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace wood debris, gray (SC)		
-61.4	8.5		CLAY, lean, mostly fine-grained sand-sized quartz, some fine-grained sand-sized quartz, light gray mottled with brown (CL)		
-65.9	13.0		SAND, clayey, mostly fine-grained sand-sized quartz, some clay, trace shell fragments, trace wood debris, gray to dark gray (SC)		
-69.4	16.5		SAND, silty, mostly fine-grained sand-sized quartz, some silt, trace shell fragments, trace wood debris, gray (SM)	NS	
-72.4	19.5		SILT, inorganic-L, mostly silt, some fine-grained sand-sized quartz, trace wood debris, gray (ML)		
-72.9	20.0		SAND, silty, mostly fine-grained sand-sized quartz, some silt, gray (SM)		
<p>NOTES:</p> <p>1. Soils are field visually classified in accordance with the Unified Soils Classification System.</p> <p>2. NS = Sample not submitted for laboratory analysis from this interval.</p>					

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2 OF 2 SHEETS
			PROJECT MsCIP Barrier Island Restoration		COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)
LOCATION COORDINATES X = 1,142,638 Y = 232,156			ELEVATION TOP OF BORING -52.9 Ft.		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-21-12

Date 11/21/2012

Water Depth 52.0'

Coordinate System

Latitude / Longitude

Start Time 12:57:37

End Time 12:58:34

Penetration 20.0'


Latitude 30 08.246

Total Time 00:00:57


Recovery 20.0'

Longitude 088 19.936

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	3.2	5.5	32.6	57.4	1.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	100.0		
.375	99.3		
#4	96.8		
#10	91.3		
#20	83.2		
#40	58.7		
#60	19.7		
#100	2.6		
#140	1.5		
#200	1.3		

Material Description

Fine to medium grained, SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 1.6366 D₈₅= 0.9602 D₆₀= 0.4338
D₅₀= 0.3757 D₃₀= 0.2904 D₁₅= 0.2298
D₁₀= 0.2052 C_u= 2.11 C_c= 0.95

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-21-12 A
Sample Number: 6469 (10)

Depth: 0.0'

Date: 11/28/12

Thompson Engineering


Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	1.1	2.0	16.3	77.6	3.0	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	99.5		
.375	99.4		
#4	98.9		
#10	96.9		
#20	93.2		
#40	80.6		
#60	51.9		
#100	8.2		
#140	3.7		
#200	3.0		

Material Description

Fine to medium grained, SAND, with trace SHELL

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 0.6431 D₈₅= 0.4973 D₆₀= 0.2772

D₅₀= 0.2445 D₃₀= 0.1986 D₁₅= 0.1676

D₁₀= 0.1554 C_u= 1.78 C_c= 0.92

Classification

USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-21-12 B Depth: 3.5' Date: 11/28/12

Sample Number: 6469 (11)

Thompson Engineering

Mobile, Alabama


Client: CDM/Thompson Engineering JV

Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

DRILLING LOG (Cont. Sheet)			INSTALLATION Mobile District		SHEET 2
					OF 2 SHEETS
PROJECT MsCIP Barrier Island Restoration			COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)	HORIZONTAL NAD83	VERTICAL NAVD88
LOCATION COORDINATES X = 1,142,318 Y = 233,125			ELEVATION TOP OF BORING -53.1 Ft.		
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			hydrographic survey completed April 2014.		



Project

Mississippi Barrier Island
Restoration Project



Core Identifier BI-PBS-22-12

Date 11/21/2012

Water Depth 56.0'

Coordinate System

Latitude / Longitude

Start Time 15:33:14

End Time 15:34:34

Penetration 20.0'


Latitude 30 08.406

Total Time 00:01:20


Recovery 20.0'

Longitude 088 19.996

Comments



Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	0.0	3.1	2.5	16.9	75.2	2.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1	100.0		
.75	100.0		
.5	97.7		
.375	97.6		
#4	96.9		
#10	94.4		
#20	90.0		
#40	77.5		
#60	37.0		
#100	4.7		
#140	2.7		
#200	2.3		

Material Description
Fine to medium grained, SAND, with trace SHELL

Atterberg Limits
 PL= LL= PI=

Coefficients
 D₉₀= 0.8388 D₈₅= 0.5167 D₆₀= 0.3283
 D₅₀= 0.2910 D₃₀= 0.2298 D₁₅= 0.1872
 D₁₀= 0.1715 C_u= 1.92 C_c= 0.94

Classification
 USCS= SP AASHTO=

Remarks

* (no specification provided)

Location: BI-PBS-22-12 A
Sample Number: 6469 (18)

Depth: 0.0'

Date: 11/28/12

Thompson Engineering

Mobile, Alabama

Client: CDM/Thompson Engineering JV
Project: MsCIP Barrier Island Restoration GT

Project No: 1221110095

Figure

Boring Designation BI-PBS-023-12

DRILLING LOG		DIVISION South Atlantic	INSTALLATION Mobile District	SHEET 1 OF 2 SHEETS
1. PROJECT MsCIP Barrier Island Restoration Petit Bois Pass-OCS East			9. SIZE AND TYPE OF BIT N/A	
2. BORING DESIGNATION BI-PBS-023-12		10. COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)		HORIZONTAL NAD83
3. DRILLING AGENCY Corps of Engineers - CESAM		11. MANUFACTURER'S DESIGNATION OF DRILL Vibracore		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER
4. NAME OF DRILLER American Vibracore Systems, Inc.		12. TOTAL SAMPLES		DISTURBED 0
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED		13. TOTAL NUMBER CORE BOXES		UNDISTURBED (UD) 0
6. THICKNESS OF OVERBURDEN N/A		14. WATER DEPTH 55.7 Ft.		
7. DEPTH DRILLED INTO ROCK N/A		15. DATE BORING		STARTED 11-23-12 COMPLETED 11-23-12
8. TOTAL DEPTH OF BORING 19.7 Ft.		16. ELEVATION TOP OF BORING -55.9 Ft.		
		17. TOTAL RECOVERY FOR BORING 100%		
		18. SIGNATURE AND TITLE OF INSPECTOR John Bass, Geotechnical Engineer		

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
-55.9	0.0		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace fines, trace shell fragments, lt. gray (SP)	A	Classification: SP Color: 2.5Y 7/2-light gray D50: 0.3131 mm % Fines: 2.6
-59.5	3.6		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, stringers of brown clay, lt. gray mottled with reddish brown (SP-SM)	NS	
-60.2	4.3				
-60.9	5.0		SILT, inorganic-L, mostly silt, some fine-grained sand-sized quartz, trace shell fragments, lt. gray (ML)		
-63.8	7.9		SAND, silty, mostly fine-grained sand-sized quartz, little shell fragments, trace wood debris, lt. gray (SM)	B	Classification: SP-SM Color: 2.5Y 6/2-light brownish gray D50: 0.2021 mm % Fines: 9
-65.6	9.7		SAND, poorly-graded with silt, mostly fine-grained sand-sized quartz, little silt, trace shell fragments, gray (SP-SM)	NS	
			SAND, silty, mostly fine-grained sand-sized quartz, little shell fragments, gray (SM)		
-72.9	17.0		CLAY, lean, mostly clay, lt. gray mottled with orange (CL)		
-74.6	18.7		SAND, poorly-graded, mostly fine-grained sand-sized quartz, trace fines, lt. gray mottled with reddish brown (SP)	C	Classification: SP-SM Color: 2.5Y 7/2-light gray D50: 0.3065 mm % Fines: 8.2
-75.6	19.7		NOTES: 1. Soils are field visually classified in accordance with the Unified Soils Classification System. 2. NS = Sample not submitted for laboratory analysis from this interval.		

DRILLING LOG (Cont. Sheet)		INSTALLATION Mobile District		SHEET 2 OF 2 SHEETS	
PROJECT MsCIP Barrier Island Restoration		COORDINATE SYSTEM/DATUM State Plane, MSE (U.S. Ft.)	HORIZONTAL NAD83	VERTICAL NAVD88	
LOCATION COORDINATES X = 1,141,367 Y = 233,678		ELEVATION TOP OF BORING -55.9 Ft.			

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	SAMPLE	LABORATORY RESULTS
			3. Seafloor elevation determined from USACE hydrographic survey completed April 2014.		

