



Alabama Department of Environmental Management  
adem.alabama.gov

1400 Coliseum Blvd. 36110-2400 ■ Post Office Box 301463  
Montgomery, Alabama 36130-1463  
(334) 271-7700 ■ FAX (334) 271-7950

March 12, 2012

Colonel Steven J. Roemhildt, P.E.  
Commander, Mobile District  
U.S. Army Corps of Engineers  
P.O. Box 2288  
Mobile, AL 36628-0001

RE: Clean Water Act (CWA) Section 401 Water Quality Certification (WQC), U.S. Army Corps of Engineers (COE) Proposed Reissuance of Alabama Nationwide Permits (NWP) Activities Within the State of Alabama With Minimal Individual And Cumulative Adverse Impacts On The Aquatic Environment, SAM 2011-00006-JMT

Dear Colonel Roemhildt:

This office has completed a review of the below-referenced joint public notices and all associated materials submitted related to the proposed NWP. Any comments made during the public notice period have also been forwarded to us for review.

1. Aids to Navigation
2. Structures in Artificial Canals
3. Maintenance
4. Fish and Wildlife Harvesting, Enhancement, and Attraction Devices and Activities
5. Scientific Measurement Devices
6. Survey Activities
7. Outfall Structures and Associated Intake Structures
8. Oil and Gas Structures on the Outer Continental Shelf
9. Structures in Fleeting and Anchorage Areas
10. Mooring Buoys
11. Temporary Recreational Structures
12. Utility Line Activities
13. Bank Stabilization
14. Linear Transportation Projects
15. U.S. Coast Guard Approved Bridges
16. Return Water From Upland Contained Disposal Areas
17. Hydropower Projects
18. Minor Discharges
19. Minor Dredging
20. Response Operations for Oil and Hazardous Substances
21. Surface Coal Mining Activities
22. Removal of Vessels



23. Approved Categorical Exclusions
24. Indian Tribe or State Administered Section 404 Programs
25. Structural Discharges
26. [Reserved]
27. Aquatic Habitat Restoration, Establishment, and Enhancement Activities
28. Modifications of Existing Marinas
29. Residential Developments
30. Moist Soil Management for Wildlife
31. Maintenance of Existing Flood Control Facilities
32. Completed Enforcement Actions
33. Temporary Construction, Access, and Dewatering
34. Cranberry Production Activities
35. Maintenance Dredging of Existing Basins
36. Boat Ramps
37. Emergency Watershed Protection and Rehabilitation
38. Cleanup of Hazardous and Toxic Waste
39. Commercial and Institutional Developments
40. Agricultural Activities
41. Reshaping Existing Drainage Ditches
42. Recreational Facilities
43. Stormwater Management Facilities
44. Mining Activities
45. Repair of Uplands Damaged by Discrete Events
46. Discharges in Ditches
47. [Reserved]
48. Existing Commercial Shellfish Aquaculture Activities
49. Coal Remining Activities
50. Underground Coal Mining Activities
51. Land-Based Renewable Energy Generation Facilities
52. Water-Based Renewable Energy Generation Pilot Projects

Because action pertinent to water quality certification (WQC) is required by Section 401(a)(1) of the Clean Water Act (CWA), 33 U.S.C. Section 1251, et seq., we hereby issue certification until **March 18, 2017**, that there is reasonable assurance that the discharge resulting from the proposed activities as submitted will not violate applicable water quality standards established under Section 303 of the CWA and Title 22, Section 22-22-9(g), Code of Alabama, 1975, provided the applicant acts in accordance with the following conditions as specified. We further certify that there are no applicable effluent limitations under Section 301 and 302 nor applicable standards under Section 306 and 307 of the CWA in regard to the activities specified.

To minimize adverse impacts to State waters by copy of this letter we are requesting the Mobile District Corps of Engineers to incorporate the following as special conditions appropriate to each activity in Alabama authorized by the COE NWP's:

1. During project implementation, the applicant shall ensure compliance with applicable requirements of ADEM. Admin. Code Chapter 335-6-6 [National Pollutant Discharge Elimination System (NPDES)], Chapter 335-6-10 (Water Quality Criteria), and Chapter 335-6-11 (Water Use Classifications for Interstate and Intrastate Waters).

2. ADEM permit coverage may be required prior to commencing and/or continuing certain activities/operations relating to or resulting from the project. If an applicant has any questions regarding ADEM regulated activity or the need for NPDES permit coverage, the applicant can contact ADEM's Water Division at (334) 271-7823. If an applicant has any questions regarding ADEM regulated activity or the need for air permit coverage, the applicant can contact ADEM's Air Division at (334) 271-7869. If the applicant has any questions regarding ADEM regulated activity or the need for hazardous, toxic, and/or solid waste permit coverage, the applicant can contact ADEM's Land Division at (334) 271-7730.
3. Upon the loss or failure of any treatment facility, Best Management Practice (BMP), or other control, the applicant shall, where necessary to maintain compliance with this certification, suspend, cease, reduce or otherwise control work/activity and all discharges until effective treatment is restored. It shall not be a defense for the applicant in a compliance action that it would have been necessary to halt or reduce work or other activities in order to maintain compliance with the conditions of this certification.
4. The applicant shall retain records adequate to document activities authorized by this certification for a period of at least three years after completion of work/activity authorized by the certification. Upon written request, the applicant shall provide ADEM with a copy of any record/information required to be retained by this paragraph.
5. The applicant shall conduct or have conducted, at a minimum, weekly comprehensive site inspections until completion of the proposed activity to ensure that effective BMPs are properly designed, implemented, and regularly maintained (i.e. repair, replace, add to, improve, implement more effective practice, etc.) to prevent/minimize to the maximum extent practicable discharges of pollutants in order to provide for the protection of water quality.
6. The applicant shall prepare a detailed general or project-specific BMP Plan commensurate with activities of the type proposed. Effective BMPs shall be implemented and continually maintained for the prevention and control of sediment and other sources of pollutants, including measures to ensure permanent revegetation or cover of all disturbed areas, during and after project implementation.
7. The applicant shall implement a Spill Prevention Control and Countermeasures (SPCC) Plan for all temporary and permanent onsite fuel or chemical storage tanks or facilities consistent with the requirements of ADEM Admin. Code R. 335-6-6-.12(r), Section 311 of the Federal Water Pollution Control Act, and 40 CFR Part 112. The applicant shall maintain onsite or have readily available sufficient oil & grease absorbing material and flotation booms to contain and clean-up fuel or chemical spills and leaks. The applicant shall immediately notify ADEM after becoming aware of a significant visible oil sheen in the vicinity of the proposed activity. In the event of a spill with the potential to impact groundwater or other waters of the State, the applicant should immediately call the National Response Center at 1-800-424-8802 and the Alabama Emergency Management Agency at 1-800-843-0699. The caller should be prepared to report the name, address and telephone number of person reporting spill, the exact location of the spill, the company name and location, the material spilled, the estimated quantity, the source of spill, the cause of the spill, the nearest downstream water with the potential to receive the spill, and the actions taken for containment and cleanup.

8. Additional, effective BMPs shall be fully implemented and maintained on a daily basis as needed to prevent to the maximum extent possible potential discharges of pollutants from activities authorized by this certification, directly to or to a tributary or other stream segment, that have the potential to impact a State water currently considered impaired [waterbody is identified on the Alabama 303(d) list, a total maximum daily load (TMDL) has been finalized for the waterbody, and/or the waterbody is otherwise considered a Tier 1 water pursuant to ADEM Admin. Code Ch. 335-6-10]. The applicant shall inspect all BMPs as often as is necessary (daily if needed) for effectiveness, need for maintenance, and the need to implement additional, effective BMPs. Additional effective BMPs shall immediately be implemented as needed to ensure full compliance with ADEM requirements and the protection of water quality in the impaired waterbody.
9. All construction and worker debris (e.g. trash, garbage, etc.) must be immediately removed and disposed in an approved manner. If acceptable offsite options are unavailable, effective onsite provisions for collection and control of onsite worker toilet wastes or gray waste waters (i.e. port-o-let, shower washdown, etc.) must be implemented and maintained. Soil contaminated by paint or chemical spills, oil spills, etc. must be immediately cleaned up or be removed and disposed in an approved manner. Also, the applicant shall manage and dispose of any trash, debris, and solid waste according to applicable state and federal requirements.
10. The applicant shall implement appropriate measures to minimize the potential for a decrease of instream dissolved oxygen concentrations as a result of project implementation. In addition, the applicant shall ensure that the activities authorized by this certification do not significantly contribute to or cause a violation of applicable water quality standards for instream dissolved oxygen. The applicant shall implement appropriate, effective BMPs, including installation of floating turbidity screens as necessary, to minimize downstream turbidity to the maximum extent practicable. The applicant shall visually monitor or measure background turbidity. The applicant must suspend operations should turbidity resulting from project implementation exceed background turbidity by more than 50 NTUs. Operations may resume when the turbidity decreases to within acceptable levels.
11. NWP21 (Surface Coal Mining Activities) Special Condition: The applicant shall obtain and maintain valid NPDES permit coverage prior to commencing and/or continuing activities authorized under NWP21. The applicant can contact ADEM's Water Division at (334) 271-7823 or H2o\_mail@adem.state.al.us with any questions regarding ADEM NPDES permitting/regulatory requirements for surface and/or underground mining activity.


In recognition that projects are site specific in nature and conditions can change during project implementation, ADEM reserves the right to require the submission of additional information or require additional management measures to be implemented, as necessary on a case by case basis, in order to ensure the protection of water quality. Liability and responsibility for compliance with this certification are not delegable by contract or otherwise. The applicant shall ensure that any agent, contractor, subcontractor, or other person employed by, under contract, or paid a salary by the applicant complies with this certification. Any violations resulting from the actions of such person shall be considered violations of this certification.

Issuance of a certification by ADEM neither precludes nor negates an operator/owner's responsibility or liability to apply for, obtain, or comply with other ADEM, federal, state, or local government permits, certifications, licenses, or other approvals. This certification does not convey any property rights in either

real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, trespass, or any infringement of Federal, State, or local laws or regulations, and in no way purports to vest in the applicant title to lands now owned by the State of Alabama nor shall it be construed as acquiescence by the State of Alabama of lands owned by the State of Alabama that may be in the applicant's possession.

Should you have any questions on this or related matters, please do not hesitate to contact Richard Hulcher, Office of Field Services, by email at [rfh@adem.state.al.us](mailto:rfh@adem.state.al.us) or by phone at 334-394-4311.

Sincerely,

A handwritten signature in black ink, appearing to read "S. O. Jenkins", is written over the typed name and title.

Steven O. Jenkins, Chief  
Field Operations Division

File: WQ401/12545

c: Water Division, ADEM  
Nashville District COE  
EPA Region IV