



DEPARTMENT OF THE ARMY
MOBILE DISTRICT, CORPS OF ENGINEERS
P.O. BOX 2288
MOBILE, AL 36628-0001

CESAM-RD-C-M

DECEMBER 2, 2010

SPECIAL PUBLIC NOTICE NUMBERS:

SAM-2010-01341-SPG; MSGP-01 for SHORELINE STABILIZATION
SAM-2010-01342-SPG; MSGP-02 for DOCKS, PIERS, WHARVES, BOAT SHELTERS
SAM-2010-01343-SPG; MSGP-03 for LIVING SHORELINES
SAM-2010-01344-SPG; MSGP-04 for MOORING PILINGS
SAM-2010-01345-SPG; MSGP-05 for BOAT SLIPS/BOAT BERTHS
SAM-2010-01346-SPG; MSGP-06 for BOAT RAMPS
SAM-2010-01347-SPG; MSGP-07 for MAINTENANCE DREDGING
SAM-2010-01348-SPG; MSGP-08 for NEW WORK CHANNEL DREDGING
SAM-2010-01349-SPG; MSGP-09 for FILL IN PREVIOUSLY DREDGED AREAS
SAM-2010-01350-SPG; MSGP-10 for DEBRIS REMOVAL
SAM-2010-01351-SPG; MSGP-11 for INTAKE/DISCHARGE STRUCTURES
SAM-2010-01352-SPG; MSGP-12 for SUBSURFACE UTILITY LINES
SAM-2010-01353-SPG; MSGP-13 for WATER MANAGEMENT
SAM-2010-01354-SPG; MSGP-14 for WILDLIFE MANAGEMENT
SAM-2010-01355-SPG; MSGP-15 for CREATE HABITAT OR FOOD PLOTS
SAM-2010-01356-SPG; MSGP-16 for FIREBREAKS
SAM-2010-01357-SPG; MSGP-17 for DERELICT VESSEL REMOVAL

**SPECIAL PUBLIC NOTICE
U.S. ARMY CORPS OF ENGINEERS**

**PROPOSED GENERAL PERMITS FOR MINOR STRUCTURES AND ACTIVITIES
WITHIN THE COASTAL COUNTIES OF THE STATE OF MISSISSIPPI,
LOCATED WITHIN THE REGULATORY BOUNDARIES OF THE
MOBILE DISTRICT, U.S. ARMY CORPS OF ENGINEERS**

TO WHOM IT MAY CONCERN:

The U.S. Army Corps of Engineers, (Corps) Mobile District, proposes authorization, re-issuance, and/or revision to the following Mississippi General Permits (MGP) for minor structures and activities located in waters of the United States, within the three coastal counties (Jackson, Harrison and Hancock) of the State of Mississippi and outer continental shelf waters off the coast of Mississippi, within the Regulatory boundaries of the Mobile District, subject to Section 10 of the Rivers and Harbors Act of 1899 (33 USC403), Section 404 of the Clean Water Act (33 USC 1344), and/or Section 4(e) of the Outer Continental Shelf Lands Act of 1953 (67 Stat. 463; 43 USC 1333 (e)).

The term "general permit" means a Department of the Army authorization that is issued on a nationwide or regional basis for a category or categories of activities when:

- (1) Those activities are substantially similar in nature and cause only minimal individual and cumulative environmental impacts; or
- (2) The general permit would result in avoiding unnecessary duplication of the regulatory control exercised by another Federal, State or local agency provided it has been determined that the environmental consequences of the action are individually and cumulatively minimal.

General permits are a way to reduce the burden of the regulatory program on the public and ensure timely issuance of permits while effectively administering the laws and regulations that establish and govern the program. In an effort to eliminate unnecessary duplication of efforts between agencies and to streamline the permitting process for routine projects resulting in only minimal impacts, the following MGP are proposed for authorization, renewal, and/or revision. The activities proposed as MGP include minor structures and activities within the overlapping regulatory jurisdictions of the Corps and the Mississippi Department of Marine Resources (DMR). Project specific authorizations under the MGP may be issued by the Corps or DMR. Under the current Memorandum of Understanding between the agencies, all applications for activities in the three coastal counties of Mississippi (Jackson, Harrison and Hancock) should be submitted to the DMR. The Corps will apply for certification from the State (1) in accordance with Section 401(a)(1) of the Clean Water Act, and upon completion of the required advertising, a determination relative to certification will be made by the Mississippi Department of Environmental Quality; and (2) to insure that all proposed activities shall comply with and will be conducted in a manner that is consistent with the State Coastal Zone Management Program. A determination relative to consistency will be made by the Mississippi Department of Marine Resources.

General permits are reviewed every 5 years. The MGP contain certain limitations intended to protect the aquatic environment and natural and cultural resources. Conformance with the conditions contained in the MGP does not necessarily guarantee authorization under the General Permit. In most instances, a proposed project complying with the conditions of the MGP can receive specific authorization. Any proposed project not complying with the conditions of a General Permit will be evaluated as a Letter of Permission or Standard Permit and will be individually coordinate with third parties, including the Federal and State resources agencies.

For project specific authorization under the MGP, applicants are required to provide a completed Joint Application and Notification, U.S. Department of the Army Corps of Engineers, Mississippi Department of Marine Resources, Mississippi Department of Environmental Quality/Office of Pollution Control form. The application form can be accessed at our website, www.sam.usace.army.mil/rd/reg. The following information is typically required for authorization under the MGP:

- (a) Joint Application and Notification Form completed in its entirety;
- (b) Applicant name, address, and contact information;
- (c) Agent name, address, and contact information as well as an agent authorization statement from the applicant;
- (d) Location of the proposed project including street address and latitude and longitude;
- (e) Project description, purpose, and need;
- (f) 8½" x 11" vicinity map indicating project location;
- (g) 8½" x 11" diagrams and plan views of the entire property and the proposed project;

SPECIAL PUBLIC NOTICE: MISSISSIPPI GENERAL PERMITS

- (h) 8½" x 11" cross-section diagrams of the proposed structures and/or areas of dredge and fill;
- (i) Delineation of wetlands and/or submerged aquatic vegetation;
- (j) Distance across the waterway; and
- (k) Notification of any historic properties listed, determined to be eligible, or which the prospective permittee has reason to believe may be eligible for listing on the National Register of Historic Places located on the subject property or would be affected by the proposed activity.

Drafts of the MGP proposed for issuance area attached as Attachment 1. The special conditions included as Attachment 2 area applicable to all proposed MGP.

This public notice is being distributed to all known interested persons in order to assist in developing facts on which a decision by the Corps can be based. For accuracy and completeness of the record, all data in support of or in opposition to the renewal of the general permit program should be submitted in writing setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition. The decision whether to reissue the general permit program will be based on an evaluation of the probable impact, including cumulative impacts, of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources.

The benefit which reasonably may be expected to accrue from the proposed activities must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the general permit will be considered, including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, cultural values, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food production, and in general, the needs and welfare of the people.

The Corps is soliciting comments from the public; Federal, State, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of the proposed activity. Any comments received will be considered by the Corps to determine whether to re-issue, modify, condition, or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider the proposed activity. Requests for public hearings shall state with particularity, the reasons for holding a public hearing.

Evaluation of the probable impacts involving deposits of dredged or fill material into "waters of the United States" will include the application of guidelines established by the Administrator of the U.S. Environmental Protection Agency.

SPECIAL PUBLIC NOTICE: MISSISSIPPI GENERAL PERMITS

The State Historic Preservation Officer (SHPO) will be contacted regarding the proposed reissuance of this General Permit. The Corps would coordinate all proposed activities with the SHPO regarding any properties listed in or eligible for the National Register which might be affected by the proposed work. This review would constitute the full extent of cultural resources investigations unless comment to this notice is received documenting that significant sites or properties exist which may be affected by this work, or that adequately documents that a potential exists for the location of significant sites or properties within the permit area. Copies of this notice are being sent to the State Historic Preservation Officer and the U.S. Department of the Interior, National Park Service, Division of Archeological Services.

The Corps would coordinate all proposed activities with the U.S. Department of the Interior List of Endangered and Threatened Wildlife and Plants regarding listed endangered or threatened species or their critical habitat.

Permit specific comments should refer to the applicable Public Notice Number and should be directed to the District Engineer, U.S. Army Engineer District, Mobile, Post Office Box 2288, Mobile, Alabama 36628-0001, Attention: Regulatory Division, with a copy to the Mississippi Department of Environmental Quality, Attention: Ms. Florence Watson, Post Office Box 2261, Jackson, Mississippi 39225, in time to be received not later than **January 2, 2011**.

If you have any questions concerning this publication, you may contact the project manager, **Ms. Sandy P. Gibson**, via e-mail at sandy.p.gibson@usace.army.mil or telephone number **(251) 694-3772**. Please refer to the specific permit and its applicable Public Notice Number.

MOBILE DISTRICT
U.S. Army Corps of Engineers

Enclosures



REPLY TO
ATTENTION OF:

DEPARTMENT OF THE ARMY
U.S. ARMY ENGINEER DISTRICT, MOBILE DISTRICT
P.O. BOX 2288
MOBILE, ALABAMA 36628-0001

Coastal Branch
Regulatory Division

SAM-2010-01341-SPG; MSGP-01 for SHORELINE STABILIZATION
SAM-2010-01342-SPG; MSGP-02 for DOCKS, PIERS, WHARVES, BOAT SHELTERS
SAM-2010-01343-SPG; MSGP-03 for LIVING SHORELINES
SAM-2010-01344-SPG; MSGP-04 for MOORING PILINGS
SAM-2010-01345-SPG; MSGP-05 for BOAT SLIPS/BOAT BERTHS
SAM-2010-01346-SPG; MSGP-06 for BOAT RAMPS
SAM-2010-01347-SPG; MSGP-07 for MAINTENANCE DREDGING
SAM-2010-01348-SPG; MSGP-08 for NEW WORK CHANNEL DREDGING
SAM-2010-01349-SPG; MSGP-09 for FILL IN PREVIOUSLY DREDGED AREAS
SAM-2010-01350-SPG; MSGP-10 for DEBRIS REMOVAL
SAM-2010-01351-SPG; MSGP-11 for INTAKE/DISCHARGE STRUCTURES
SAM-2010-01352-SPG; MSGP-12 for SUBSURFACE UTILITY LINES
SAM-2010-01353-SPG; MSGP-13 for WATER MANAGEMENT
SAM-2010-01354-SPG; MSGP-14 for WILDLIFE MANAGEMENT
SAM-2010-01355-SPG; MSGP-15 for CREATE HABITAT OR FOOD PLOTS
SAM-2010-01356-SPG; MSGP-16 for FIREBREAKS
SAM-2010-01357-SPG; MSGP-17 for DERELICT VESSEL REMOVAL

U.S. ARMY CORPS OF ENGINEERS

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
OFFICE OF POLLUTION CONTROL**

MISSISSIPPI DEPARTMENT OF MARINE RESOURCES

Summary of Mississippi General Permits for Minor Structures and Activities within the Coastal Counties of the State of Mississippi, Located within the Regulatory Boundaries of the Mobile District of the U.S. Army Corps of Engineers

The U.S. Army Corps of Engineers, Mobile District (District), will regulate, under Regional General Permits, minor structures and activities in waters of the U.S., in the three coastal counties (Jackson, Harrison, and Hancock Counties) of the state of Mississippi and outer continental shelf waters off the coast of Mississippi, within the Regulatory boundaries of the Mobile District, subject to Section 10 of the Rivers and Harbors Act of 1899 (33 USC 403), Section 404 of the Clean Water Act (33 USC 1344), and/or Section 4(e) of the Outer Continental Shelf Lands Act of 1953 (67 Stat. 463; 43 USC 1333(e)). The District's authority to issue these permits is found in 33 CFR Part 325.5.

The Mississippi Department of Marine Resources (DMR) has regulatory authority in the coastal zone of Mississippi in accordance with the Coastal Wetlands Protection Law (Sections 49-27-1 through 69), enabling legislation in Section 57-15-6 for the Mississippi Coastal Program and the guidelines of the Mississippi Coastal Program.

In accordance with Section 401 of the Clean Water Act (33 USC 1341), the Mississippi Department of Environmental Quality/ Office of Pollution Control (DEQ) issues water quality certification for permits which may result in any discharge into waters of the U.S.

In an effort to eliminate unnecessary duplication of efforts between agencies and to streamline the permitting process for routine projects with only minimal impacts, the following Mississippi General Permits are issued for 5 years. The activities include minor structures and activities within the overlapping regulatory jurisdictions of the District and DMR. Project specific authorizations under the Mississippi General Permits may be issued by the Corps or DMR. Under the current Memorandum of Understanding between the agencies, all applications for activities in the three coastal counties of Mississippi (Jackson, Harrison, and Hancock) should be submitted to the DMR.

In most instances, a proposed project complying with the conditions of the Mississippi General Permits, including the attached General Conditions, can receive project specific authorization. However, conformance with the conditions contained in the Mississippi General Permits does not necessarily guarantee authorization under the General Permit. Any proposed project not complying with the conditions of a General Permit will be evaluated as a Standard Permit or Letter of Permission and will be individually coordinated with third parties, including the Federal and state resource agencies.

For project specific authorization under the Mississippi General Permits, applicants are required to provide a completed Joint Application and Notification, U.S. Department of the Army Corps of Engineers, Mississippi Department of Marine Resources, Mississippi Department of Environmental Quality/Office of Pollution Control form. The application form can be accessed at our website, www.sam.usace.army.mil/rd/reg. The following information is typically required for authorization under the Mississippi General Permits:

- (a) Joint Application and Notification Form completed in its entirety;
- (b) Applicant name, address, and contact information;
- (c) Agent name, address, and contact information as well as an agent authorization statement from the applicant;
- (d) Location of the proposed project including street address and latitude and longitude;
- (e) Project description, purpose, and need;
- (f) 8½" x 11" vicinity map indicating project location;
- (g) 8½" x 11" diagrams and plan views of the entire property and the proposed project;
- (h) 8½" x 11" cross-section diagrams of the proposed structures and/or areas of dredge and fill;
- (i) Delineation of wetlands and/or submerged aquatic vegetation;
- (j) Distance across the waterway; and
- (k) Notification of any historic properties listed, determined to be eligible, or which the prospective permittee has reason to believe may be eligible for listing on the National Register of Historic Places located on the subject property or would be affected by the proposed activity.

For additional information, please contact the U.S. Army Corps of Engineers, Attention: Regulatory Division, Post Office Box 2288, Mobile, Alabama 36628-0001, or by phone at (251)

690-2658.

If the proposed activity is located in the three coastal counties of Mississippi (Jackson, Harrison and Hancock), pre-construction notification should be submitted to:

**Mississippi Department of Marine Resources
1141 Bayview Avenue
Biloxi, Mississippi 39530
Telephone: (228) 374-5000**

If the proposed activity is located on one of the following Corps lakes in the State of Mississippi, the plans must be reviewed and approved by a Resource Manager and the pre-construction notification should be submitted to the appropriate office of the Mississippi Lakes of the Tennessee-Tombigbee Waterway:

**U.S. Army Corps of Engineers
Tenn-Tom Project Management Office
3606 West Plymouth Road
Columbus, Mississippi 39701-9504
Telephone: (662) 327-2142**

**U.S. Army Corps of Engineers
Project Manager, Okatibbee Lake
Post Office Box 98
Collinsville, Mississippi 3925-0098
Telephone: (601) 626-8431**

BY AUTHORITY OF THE SECRETARY OF THE ARMY

STEVEN M. ROEMHILDT, P.E.
Colonel, Corps of Engineers
District Commander

BY: _____
Craig J. Litteken
Chief, Regulatory Division

DATE: _____

Mississippi General Permits for Minor Structures and Activities within the Coastal Counties of the State of Mississippi, Located within the Regulatory Boundaries of the Mobile District of the U.S. Army Corps of Engineers

SAM-2010-01341-SPG

MSGP-01 - SHORELINE STABILIZATION:

This permit authorizes the placement of bulkheads, armoring systems (riprap), bioengineering, and other standard shoreline protection/stabilization devices roughly paralleling, and at the shoreline or bank.

Placement of Structure(s): Protection structures must be along the existing shoreline at mean high tide line in tidal waterbodies, ordinary high water line in non-tidal waterbodies, or landward of all jurisdictional wetlands (including bottomland hardwoods).

Protection Fronting Wetlands:

- No wetlands shall be filled, although protection may be provided for wetland areas as long as the wetlands themselves are not otherwise adversely affected.
- If the area or any portion to be protected is a wetland, no fill will be placed in the wetland and the shore protection device must be designed to allow the normal hydrologic regime to be maintained in wetland areas.
- Flow-through bulkheads designed to dissipate wave energy in wetland areas may be constructed waterward of the wetlands and placed below the line of mean high tide or ordinary high water if they are designed to allow for the normal hydrologic regime to be maintained in the wetland areas and they do not pose a hazard to navigation.

Armament Length and Bank Dressing Limitations:

- Bulkhead placement is limited to a total project length of 1000 feet for residential properties and 1500 feet for commercial properties.
- There is no limit to the length that may be authorized for other protection devices
- Rip Rap material placed below the plane of ordinary high water or the plane of mean high tide may not exceed an average of one (1) cubic yard per linear foot of shoreline being protected. Rip Rap shall not extend farther than 3-6 feet into the waterway from the mean high tide line or ordinary high water line.

Construction Limitations:

- For maintenance purposes, vertical face structures intended to replace failing structures may be placed adjacent-waterward of the failed structure at the line of mean high tide or ordinary high water where the mean high tide line constitutes the boundary between the upland owner's property and the public trust tidelands of the State of Mississippi but shall not extend more than 24 inches waterward from the base of the failed structure and shall not occur twice within in a 15-year period. In no instance shall vegetated wetlands (emergent or submerged) or shellfish beds be filled. Upon structural failure or loss due to a discreet storm event, reconstruction of the failed structure shall occur at the base, within the original footprint, of the previous structure.

Construction Material Requirements:

- Filter Fabric: Use of the appropriate filter fabric is required.
- Backfill Material: Only clean material free of waste, metal and organic trash, unsightly debris, petroleum products (asphalt), etc., may be used as backfill.
- Riprap Material: Only clean riprap material, free of exposed rebar, asphalt, plastic, soil, etc., may be used. Riprap may be used to augment other protection methods.

Prohibited Structures: Solid groins and jetties roughly perpendicular to the shoreline are not authorized under this General Permit. This permit may not be used to regain land lost due to erosion, or otherwise accrete land however consideration could be given to land lost during discrete storm events based upon a case-by-case basis and is subject to appropriate coordination and authorization with the Mississippi Secretary of State.

SAM-2010-01342-SPG

MSGP-02 – DOCKS, PIERS, WHARVES, BOAT SHELTERS:

This permit authorizes the construction and modification of piers, wharves, and boat shelters and their normal appurtenances such as stairways, walkways, and railings.

Access Piers Constructed over Open-Water and not Impacting Special Aquatic Sites: Access piers are typically structures roughly perpendicular to the shoreline and necessary to link docks, platforms, boathouses, and similar structures to land. The maximum width of the decking boards for access piers constructed over open water shall be limited to 6 feet unless otherwise authorized by the District.

Access Piers and Walkways Crossing or Located near Special Aquatic Sites:

- An access pier, wharf or walkway over emergent non-forested wetlands or water with submersed aquatic vegetation shall be no more than 5 feet wide and the height of the structure above the ground surface over wetland or the water surface at mean high tide or ordinary high water must at least equal its width (i.e., a 5-foot wide walkway/pier would be constructed at a 5-foot elevation) and shall be constructed of grated decking materials or conventional materials with spacing between the decking boards no less than 0.75-inch, at the time of construction, to allow light penetration.
- Special construction methods are required for the installation of pilings in areas of wetlands or submerged grass beds. Pilings shall be installed in a manner that will not result in the formation of sedimentary deposits ('donuts' or 'halos') around the newly installed pilings. Pile driving during high tide to facilitate use of shallow draft barges is the preferred method of installation, but jetting with a low pressure pump may be used.
- Platforms, boat berths, etc. shall not be constructed over wetlands, shellfish beds, or submerged vegetation.

Boat Shelters and Hoists: Boat shelters and hoists shall be open-sided, limited to a 25-foot height above mean high tide or ordinary high water with a length not to exceed 50 feet. Boat shelters and/or hoists shall not be constructed over wetlands or submerged vegetation.

Square Footage and Berthing Limits:

- The square footage coverage covered by fixed or floating structures, including docks, platforms, boat shelters, piers, and associated structures, shall not exceed 1,000 square feet.
- A limit of 3 residential-use boat berthing areas, including berthing for personal watercraft, can be authorized under this Permit.
- **Public Trust Tidelands:** If the permit application is for other than single-family residential use or if the combined area of all structures and associated berthing areas exceed 1,000 square feet, a public trust tidelands lease from the Mississippi Secretary of State may be required.

Construction Materials: No creosote lumber shall be used in construction.

Setback Requirements: A minimum distance of 10 feet shall be maintained between the authorized structure and the adjacent property lines and projections thereof into the waterway.

Waterward Construction Limits: Structures may be constructed at a location sufficient to obtain navigable depths, however, the finished structures shall not pose a hazard to navigation or extend more than 25 percent of the

distance across the waterbody. In any case, structures shall not extend more than a total of 300 feet from the mark of mean high tide or ordinary high water.

Existing Marinas:

- Altering pier configuration or adding berthing spaces within existing marina boundaries may be permitted.
- If construction results in additional boats being berthed, a wastewater pump out facility may be required.
- New marinas and expansions of existing marinas beyond existing boundaries may not be permitted under this Permit.

Excluded Structures: This permit does not authorize the following activities: (1) structures for the permanent mooring of houseboats, (2) fueling facilities, (3) toilets, and/or habitable structures, and activities that produce “gray water”, (5) new marinas, (6) expansion of an existing marina beyond the existing authorized footprint, or (7) the mechanical clearing or filling of wetlands.

SAM-2010-01343-SPG

MSGP-03 – LIVING SHORELINES:

(Advertised by separate Public Notice)

SAM-2010-01344-SPG

MSGP04 – MOORING PILINGS:

This permit authorizes mooring pilings, dolphins, and single-pile structures. A limit of 3 residential-use boat berthing areas, including berthing for personal watercraft, can be authorized under this Permit.

Permanent Mooring: Structures for the permanent mooring of houseboats are not authorized by this permit.

Single-Pile Structures:

- Single-pile structures may include posts for wood duck nests, osprey platforms, etc.
- Single-pile structures shall be limited to 25’ in height above mean high water.

Setback: A minimum of 10 feet shall be maintained between the authorized structure and the adjacent property lines and projections thereof into the waterway.

Dolphins: Should dolphin construction (cluster pilings) require any material other than pilings or similar solid, linear structures being placed in waters of the U.S., all project details must be submitted to the authorizing agency. Additionally, only clean material free of waste, metal and organic trash, unsightly debris, etc. may be used as stabilization material in dolphin construction.

Creosote Materials: No creosote or asphalt building material shall be used in construction.

Public Trust Tidelands: If the permit application is for other than single-family residential use or if the combined area of all structures and associated berthing areas exceed 1,000 square feet, a public trust tidelands lease from the Mississippi Secretary of State may be required..

SAM-2010-01345-SPG

MSGP-05 – BOAT SLIPS/BOAT BERTHS:

This permit authorizes the construction and/or modification of boat slips and boat berths. For proposals in the Mississippi Sound, project specific authorization must be obtained through the Mobile District, versus the DMR, so as to allow for completion of consultation with the National Marine Fisheries Service regarding Gulf sturgeon critical habitat.

Cubic Yards of Dredged Material:

- This permit allows dredging of up to 500 cubic yards of material from below the mean high tide line or ordinary high water mark.
- All dredging waterward of mean high tide or ordinary high water is limited to the controlling navigational depth of the receiving waters.
- If an existing slip or berth is being modified or enlarged, the total volume dredged originally, plus that being proposed to be dredged, cannot exceed 500 cubic yards of material below mean high tide line or ordinary high water mark.

Best Management Practices: Best management practices should be used at all times during construction to minimize turbidity at both the dredged and spoil sites. Methods should include, but not limited to, the use of staked hay bales; staked filter cloth; sodding, seeding and mulching; staged construction; and the installation of turbidity screens around the immediate project site. Any effluent from the disposal area should be routed through a return swale system and filtered through a series of hay bales and silt fences so as to reduce the turbidity of the effluent. Additional best management practices as required by the Mississippi Department of Environmental Quality will apply regarding the return water from the bermed disposal area.

Disposal Area:

- All dredged material must be properly confined in an upland area or DMR-approved Beneficial Use for Dredge Material project site, unless otherwise authorized by the District. For a list of Beneficial Use project sites, please contact DMR, Division of Coastal Ecology.
- Spoil disposal areas shall be immediately seeded and stabilized to prevent the movement of sediment off-site and into adjacent drainage areas.

Configuration and Number of Slips:

- Keyhole boat slips shall not be permitted under this authorization.
- The depth of the boat slip must be no greater than that of the controlling navigational depth of the adjacent waterway. The length of the slip shall not exceed 50 feet, and the length may not exceed twice the length (i.e., a 50-foot long boat slip will have a minimum width of 25-feet). Length is defined as the measurement perpendicular to the bank or shoreline [see attached diagram].
- A limit of 3 residential-use boat berthing areas, including berthing for personal watercraft, can be authorized under this Permit.

Special Aquatic Sites:

- In water bodies without shoreline protection (i.e. bulkheads, riprap, etc.), a minimum 10-foot buffer must be maintained between the proposed work area and wetlands and a 3:1 (horizontal: vertical) side slope or flatter must be maintained.
- This permit does not authorize dredging in (1) wetlands, (2) submersed aquatic vegetation, (3) natural shellfish beds, or (4) the construction of ancillary shoreline stabilization structures such as wings, groins, jetties, or any solid structures roughly perpendicular to the shore or bank.

SAM-2010-01346-SPG

MSGP-06 – BOAT RAMPS:

This permit authorizes the construction or modification of boat ramps and marine ways. For proposals in the Mississippi Sound, project specific authorization must be obtained through the Mobile District, versus the DMR, so as to allow for completion of consultation with the National Marine Fisheries Service regarding Gulf sturgeon critical habitat.

Location of Ramps:

- Care should be taken in the placement of boat ramps to avoid interrupting the natural movement of sediments.
- Storm water runoff from boat ramp approaches and parking areas should not be directed down the boat ramp.
- Care should be taken to prevent erosion of side banks. Refer to MS-GP-01 for bank stabilization.

Cubic Yards to be Dredged/Filled: This permit allows up to 250 cubic yards of material to be dredged and the placement of up to 25 cubic yards of fill below mean high tide line or the ordinary high water mark for construction of a boat ramp.

Best Management Practices: Best management practices should be used at all times during construction to minimize turbidity at both the dredged and spoil sites. Methods should include, but not limited to, the use of staked hay bales; staked filter cloth; sodding, seeding and mulching; staged construction; and the installation of turbidity screens around the immediate project site. Any effluent from the disposal area should be routed through a return swale system and filtered through a series of hay bales and silt fences so as to reduce the turbidity of the effluent. Additional best management practices as required by the Mississippi Department of Environmental Quality will apply regarding the return water from the bermed disposal area.

Disposal Area:

- All dredged material must be properly confined in an upland area or DMR-approved Beneficial Use for Dredge Material project site, unless otherwise authorized by the District. For a list of Beneficial Use project sites, please contact DMR, Division of Coastal Ecology.
- Spoil disposal areas shall be immediately seeded and stabilized to prevent the movement of sediment off-site and into adjacent drainage areas.

Special Aquatic Sites: This permit does not authorize: (1) ancillary structures such as wing walls, groins, jetties, or any solid structures roughly perpendicular to the shore or bank; (2) dredging in wetlands (including bottomland hardwoods), submerged grassbeds, or natural shellfish beds; and (3) boat ramps and/or marine ways where adverse impacts to submerged grassbeds or natural shellfish beds would occur as a result of normal use. No dredged material shall be used to raise the elevation of any wetlands.

SAM-2010-01347-SPG

MSGP-07 – MAINTENANCE DREDGING:

This permit authorizes the maintenance dredging of previously dredged areas for the purpose of navigation and the maintenance of existing man-made ditches. For proposals in the Mississippi Sound, project specific verification must be obtained through the Mobile District, so as to allow for completion of consultation with the National Marine Fisheries Service regarding Gulf sturgeon critical habitat.

Area to be Dredged:

- For open water areas, dredging is limited to the previously dredge and previously authorized dimensions. Documentation of previously authorized and/or maintained depths and dimensions shall be provided.
- For existing man-made ditches, maintenance is limited to the original bottom depth, width, and length. The side slopes of the banks and side cast areas within wetlands shall be 3:1 (horizontal: vertical) or flatter.

Cubic Yards of Material to be Removed: Maintenance dredging of up to 2,500 cubic yards of material is authorized by this permit; however, maintenance dredging of previously authorized residential boat slips or open-water berths shall be limited to 500 cubic yards of material.

Best Management Practices: Best management practices should be used at all times during construction to minimize turbidity at both the dredged and spoil sites. Methods should include, but not limited to, the use of staked hay bales; staked filter cloth; sodding, seeding and mulching; staged construction; and the installation of turbidity screens around the immediate project site. Any effluent from the disposal area should be routed through a return swale system and filtered through a series of hay bales and silt fences so as to reduce the turbidity of the effluent.

Disposal Area:

- All dredged material must be properly confined in an upland area unless otherwise authorized.
- Hydraulic dredging will require an upland bermed disposal area (or other suitable methods of retention). Additional best management practices as required by the Mississippi Department of Environmental Quality will apply regarding the return water from the bermed disposal area.
- Spoil disposal areas shall be immediately seeded and stabilized to prevent the movement of sediment off-site and into adjacent drainage areas.

Hydrographic Survey: Before and after hydrographic surveys may be required based on local knowledge of the waterway and likelihood that important aquatic resources or special aquatic sites could be present.

Special Aquatic Sites:

- No dredging of wetlands, submerged grassbeds, or shellfish beds is authorized (exceptions may be made for noxious vegetation in man-made waterbodies).
- In water bodies without shoreline protection (i.e. bulkheads, riprap, etc.), a minimum 10-foot buffer must be maintained between the proposed work area and wetlands and a 3:1 (horizontal: vertical) side slope or flatter must be maintained.

SAM-2010-01348-SPG

MSGP-08 – NEW WORK CHANNEL DREDGING:

This permit authorizes new work dredging of open water channels for navigation access. For proposals in the Mississippi Sound, project specific verification must be obtained through the Mobile District, so as to allow for completion of consultation with the National Marine Fisheries Service regarding Gulf sturgeon critical habitat.

Cubic Yards of Material to be Removed: Dredging of up to 1,000 cubic yards of material is authorized by this permit. Authorization under this permit is limited to open water channels for navigation access, and must be a single and complete project.

Maximum Depth of Dredging: Dredging depth must be no greater than that of the controlling navigational depth of the adjacent waters. In any case, dredge depths shall not extend than 6 feet below mean low tide or ordinary low water unless specifically authorized.

Best Management Practices: Best management practices should be used at all times during construction to minimize turbidity at both the dredged and spoil sites. Methods should include, but not limited to, the use of staked hay bales; staked filter cloth; sodding, seeding and mulching; staged construction; and the installation of turbidity screens around the immediate project site. Any effluent from the disposal area should be routed through a return swale system and filtered through a series of hay bales and silt fences so as to reduce the turbidity of the effluent.

Disposal Area:

- All dredged material must be properly confined in an upland area unless otherwise authorized.
- Hydraulic dredging will require an upland bermed disposal area (or other suitable methods of retention). Additional best management practices, as required by Mississippi Department of Environmental Quality, will apply regarding the return water from the bermed disposal area.
- Spoil disposal areas shall be immediately seeded and stabilized to prevent the movement of sediment off-site and into adjacent drainage areas.

Hydrographic Survey: Before and after hydrographic surveys may be required based on local knowledge of the waterway and likelihood that important aquatic resource or special aquatic sites could be present.

Fill Material: Dredging for fill material is not authorized under this permit; however, navigation projects may use the dredged material for fill.

Special Aquatic Sites:

- Grass bed Survey: A submerged aquatic vegetation (grassbeds) survey may be required based on local knowledge of the waterway and the likelihood that grassbeds may be present.
- In water bodies without shoreline protection (i.e. bulkheads, riprap, etc.), a minimum 10-foot buffer must be maintained between the proposed work area and wetlands and a 3:1 (horizontal: vertical) side slope or flatter must be maintained.
- No dredging of wetlands, submerged grass beds, or shellfish beds is authorized (exceptions may be made for noxious vegetation in man-made waterbodies).

SAM-2010-01349-SPG

MSGP-09 – FILL IN PREVIOUSLY DREDGED AREAS:

This permit authorizes the filling of previously dredged areas such as boat slips, artificial canals, etc.

Previously Dredged Wetlands or Natural Channels: If the area to be filled had previously been a wetland or natural channel, the fill may not exceed the original elevations or dimensions. Filled areas shall be planted with native vegetative species indicative of the original flora communities' prior to dredging activity.

Fill Material: Only clean material free of waste, metal and organic trash, unsightly debris, etc., may be used as fill.

Areas Excluded:

- No wetlands, submerged grass beds, natural streams, shellfish beds, or natural channels may be filled.
 - No area providing mitigation, enhancement, or flushing of an aquatic system may be filled.
-

SAM-2010-01350-SPG

MSGP-10 – DEBRIS REMOVAL:

This permit allows debris to be removed from any waterway for navigation, drainage, and/or pollution control.

Debris Definition: Debris includes, but is not limited to, non-imbedded stumps, tree limbs, appliances, lumber, metal objects, etc.

Non-Authorized Work:

- Dredging of gravel, sand, silt, and the removal of hazardous materials, etc., is not authorized under this permit.
- Snagging of dead (imbedded) or living trees from a stream bank is not authorized under this permit. However, trees imbedded in the bank may be cut off but their stumps may not be removed from the bank.
- Impacts to submerged aquatic vegetation are not authorized under this permit.
- Re-shaping or re-distribution of material in the channel and/or side slopes is not authorized by this permit.

Disposal Area: All debris must be properly placed in an approved landfill. Alternative sites for the disposal of woody debris may be authorized on a case-by-case basis.

Burning of Debris: Woody debris should not be burned unless full coordination with the Mississippi Department of Environmental Quality/ Air Division has been completed.

SAM-2010-01351-SPG

MSGP-11 – INTAKE/DISCHARGE STRUCTURES:

This permit authorizes the construction or modification of intake and/or discharge structures in navigable waters of the United States.

Work May Include:

- This includes minor excavation, filling, and other work associated with the installation and maintenance of intake/discharge structures. Authorization includes the minimal dredging or filling necessary to create/maintain serviceable intake/discharge structures.
- Modifications to existing intake/discharge structures may also be authorized.
- This permit does not authorize dredging or filling for access and/or work pads.

Dredging/Disposal: Dredging associated with maintenance of an intake structure may be authorized, provided dredged material is properly deposited in an upland area.

Navigation Concerns: Work authorized by this permit shall not adversely affect general navigation or the maintenance of Federal navigation projects.

NPDES Permit:

- If the structure results in the discharge of an effluent, a National Pollution Discharge Elimination System permit pursuant to Section 402 of the Clean Water Act may be required.
- Persons proposing to construct a discharge or an intake structure should contact the Mississippi DEQ, Post Office Box 10385, Jackson, Mississippi 39289-0385.

Special Aquatic Sites:

- Wetlands, submerged grass beds, and shellfish beds are to be avoided. If applicants believe that their only option is a route through a wetland, they must document the alternatives considered but rejected.
 - Disturbed wetland areas must be revegetated with naturally occurring indigenous species if the area has not revegetated to pre-project conditions within 1 year of completion of the project.
-

SAM-2010-01352-SPG

MSGP-12 – SUBSURFACE UTILITY LINES:

This permit authorizes the installation of subsurface utility lines and includes oil/gas pipelines, sewage lines, water lines, telephone cables, electric transmission lines, etc. For proposals in the Mississippi Sound, project specific authorization must be obtained through the Mobile District due to federal consultation requirements with the National Marine Fisheries Service regarding work within Gulf sturgeon critical habitat.

Federal/State Requirements:

- Proposals beneath Federal navigation projects or crossing state lines must receive project-specific authorization from the Mobile District.
- Utility lines beneath Federal navigation projects must meet the requirements of the U.S. Army Corps of Engineers and the U.S. Coast Guard.
- Subsurface utility lines crossing public trust tidelands must obtain a lease from the Mississippi Secretary of State prior to commencement of work.

Depth Line is to be Buried:

- The top of the lines must be buried at least 4 feet below the mud line, except under the maintained channels.
- For maintained channels, the line must be buried at least 10 feet below authorized channel depth or 4 feet below the mud line, whichever is deeper.

Bank stabilization: Particular care must be taken to insure that banks are properly stabilized. Directional drilling is preferred.

Disposal Area:

- The temporary side casting of excavated material for backfill or bedding associated with these activities is authorized with this permit.
- All excess excavated material should be deposited in upland areas, and there will be no change in pre-construction bottom contours.

Special Aquatic Sites:

- Wetlands, shellfish beds, and submerged grass beds must be avoided when possible. If wetland impacts are unavoidable, documentation must provided identifying alternatives considered but rejected.
 - Temporary impacts to wetland areas are authorized under this general permit provided the impact areas are returned to the original elevation or grade and re-vegetated with indigenous species. Active restoration alternatives may be required if the disturbed area has not re-vegetated to pre-project conditions within one year of the completion of the disturbance.
 - No more than 0.10-acre of permanent fill placed in wetlands is authorized under this general permit. Permanent placement of fill in wetlands greater than 0.10 acres will require mitigation as directed under the New Mitigation Rule. Side-cast material in wetlands is limited to 72-hours and should be separated and filled by soil type, with topsoil being replaced last to promote greater vegetative recovery.
-

GENERAL PERMITS FOR WILDLIFE MANAGEMENT AREAS, REFUGES, AND PARKS

Permits MS-GP-13 through MS-GP-16 are for wildlife management and must be designed to improve wetland functions and values for target species pursuant to an approved management plan. These permits may be used to create and maintain artificial wetlands. However, dredging to create ponds or lakes in existing wetlands is not authorized by these permits. Dams to permanently inundate wetlands are not authorized under these General Permits. All activities authorized by General Permits MS-GP-13 through MS-GP-16 must be in conformance with an approved management plan. Roadway construction through wetland areas is not authorized by these permits.

Special Conditions: Pre-construction notification must be submitted with a management plan and written approval of the plan from the Natural Resources Conservation Service (NRCS) or from the Mississippi Soil and Water Conservation Commission (MSWCC). Please contact the State Office of the NRCS or MSWCC for the address and telephone number of the District Office nearest you.

NRCS State Office Address:

Natural Resources Conservation Service
State Conservation, Suite 1321
Federal Building, 100 West Capital Street
Jackson, Mississippi 39269

MSWCC State Office Address:

MS Soil and Water Conservation Commission
Post Office Box 23005
Jackson, Mississippi 39225-3005
Telephone: (601) 354-7645

SAM-2010-01353-SPG

MSGP-13 – WATER MANAGEMENT:

- Ditches may be plugged and weirs constructed to seasonally manage hydrology, e.g., greentree reservoirs or previously drained wetlands.
- No more than 1/3-acre of wetlands shall be filled by the proposed activity.
- A water management plan for the operation of greentree reservoirs must be provided.

Areas Excluded: This General Permit may not be used to impound tidally influenced waters.

SAM-2010-01354-SPG

MSGP-14 – WILDLIFE MANAGEMENT:

- No more than 1-acre of wetlands shall be impacted by the proposed activity.
- A water management plan for the operation must be provided.
- Areas may be drum chopped, cleared with a raised blade, bush-hogged, etc.
- The incidental movement of trivial amounts of soil is allowed.
- No wetlands may be permanently drained, converted to uplands, or prepared for any human use other than hunting under this permit.

- Wetlands may be altered, but only to another wetland type, e.g., creation and maintenance of greentree reservoirs.

SAM-2010-01355-SPG

MSGP-15 – AGRICULTURE TYPE ACTIVITIES FOR CREATION OF HABITAT OR FOOD PLOTS:

- The permit allows areas to be cleared, plowed, or grazed, etc., to provide food or habitat for target species pursuant to a management plan.
- Bottomland, hardwood wetlands should not be impacted by food plots.
- No wetlands may be drained. Such “agriculture” use will not qualify an area as “prior converted wetlands”.

SAM-2010-01356-SPG

MSGP-16 – FIREBREAKS (CREATION AND MAINTENANCE):

- This permit authorizes the construction and maintenance of firebreaks.
- There must be no change in soil surface elevations that would result in changes to the hydrology of a wetland area.
- NOTE: This permit may be used in conjunction with silviculture and other areas requiring fire protection.

SAM-2010-01357-SPG

MSGP17 – DERELICT VESSEL REMOVAL:

(Advertised by separate Public Notice)

Attachment 2.

GENERAL CONDITIONS

NOTE: The term "you" and its derivatives, means the permittee or any future transferee. The term "District" refers to the Mobile District, U.S. Army Corps of Engineers, and/or resource agencies that administers the General Permits within the area of their management. The above-described structures and activities may be authorized under these General Permits subject to the following conditions:

- A. You must submit satisfactory plans and you are advised that all State and local permits must be obtained before work can be initiated. Conformance with descriptions and quantities contained herein does not necessarily guarantee consideration and/or subsequent authorizations. Additionally, you must have the requisite property rights to perform the requested work.
- B. These General Permits will be valid for a 5 year period or until suspended, revoked, or extended. An authorization to perform work pursuant to a General Permit is good for 5 years from the date of issuance. Unless circumstances require either a prompt completion of the authorized activity or a reevaluation of the public interest decision, favorable consideration will normally be given to a request for a time extension.
- C. Authorizations will not be issued which will adversely impact threatened or endangered species, or their critical habitat.
- D. Authorizations will not be issued which will impact, affect or otherwise degrade cultural resources such as archaeological, scientific, prehistoric, or historic sites or data. Activities that will impact cultural resources will be evaluated as Standard Permits or Letters of Permission. If you discover any previously unknown historic or archaeological remains while accomplishing an authorized activity, you must immediately notify the Mobile District, of what you have found. We will initiate the Federal and State coordination required to determine if the site warrants a recovery effort or if it is eligible for listing in the National Register of Historic Places.
- E. Authorizations will not be issued for activities located in State or National Wild and Scenic streams, rivers, or components thereof, or other areas provided special protection unless the administrating agency concurs.
- F. Creosote material shall be not utilized in waters of the United States.
- G. Authorizations will be suspended if State water quality standards are not met.
 - (i)The depths of any channels and/or slips shall gradually increase toward open water and shall not exceed the controlling navigational depth. No "sumps" shall be created by proposed dredging.

- (ii) No sewage, oil, refuse, or other pollutants shall be discharged into the watercourse.
- (iii) Turbidity outside the limits of a 750-foot mixing zone shall not exceed the ambient turbidity by more than 50 Nephelometric Turbidity Units.
- H. You must maintain the authorized activity in good condition and conformance with the terms and conditions of your authorization. You are not relieved of this requirement if you abandon the authorized activity.
- I. You must allow Federal or State resource agency representatives to inspect the proposed and/or authorized activity at any time deemed necessary.
- J. An authorization does not obviate (prevent) the need to obtain other Federal, State, or local authorizations required by law, nor does it grant any property rights or exclusive privileges. It does not authorize any injury to the property or rights of others, nor does it authorize interference with any existing or proposed Federal project.
- K. Limits of Liability: In issuing an authorization, the Federal Government, the State of Mississippi, the designated resource agency, and/or their staff or employees, shall not assume any liability.
- L. Reliance on applicant's data: The determination of the District that issuance of an authorization is not contrary to the public interest is made on reliance on the information you provided. NOTE: You must have the requisite property rights to do any work pursuant to any of these permits. The District may reevaluate its decision on an authorization at any time the circumstances warrant. Circumstances that could require a reevaluation include, but are not limited to failure to comply with the terms and conditions of your authorization; the information provided by you in support of your application proves to have been false, incomplete, or inaccurate; or significant new information surfaces which the District did not consider in reaching the original public interest decision. Such a reevaluation may result in a determination that it is appropriate to use the suspension, modification, and relocation procedures contained in 33 CFR 325.7 or enforcement procedures such as those contained in 33 CFR 326.4 and 326.5. The referenced enforcement procedures provide for the issuance of an administrative order requiring you to comply with the terms and conditions of your authorization and for the initiation of legal action where appropriate. You will be required to pay for any corrective measures ordered by this office, and if you fail to comply with such directives, the District may in certain situations (such as those specified in 33 CFR 209.170) accomplish the corrective measures by contract or otherwise and bill you for the cost.
- M. Certain activities within the Mississippi Coastal Zone may require a lease from the Mississippi Secretary of State Office.
- N. Failure to secure authorization as specified herein, or failure to comply with conditions of any authorizations issued under these General Permits may result in enforcement actions by the Corps, the Mississippi Department of Environmental Quality or the Mississippi Department of Marine Resources.