

September 17, 1993

Project Operations Branch

Mr. John P. Carey
General Manager of Administration
Alabama State Docks Department
Post Office Box 1588
Mobile, AL 36633

Dear Mr. Carey:

This is in response to your request of September 15, 1993 to use credited capacity in South Blakely Disposal Area, and place the material into the Mud Lake 6 and 7 complex concurrent with our activities on the Federal project.

We are happy to accommodate your request. Please forward a copy of the before and after dredging surveys to the District as soon as possible, along with your quantity computation. The survey should be the same as to that required by your Department of the Army permit, with soundings at a minimum of 25 foot intervals, within the limits defined in the permit. We will apply the credit to the actual yardage removed, based on the difference between the before and after dredging surveys you provide. Please have Jerry Kickler continue coordinating this effort with Wendell Mears.

Our records show that the Department has, to date, used 51,333 of it's original 320,000 cubic yard (cy) capacity credit, leaving a present balance of 268,667 yards.

I would also ask that we schedule our quarterly meeting for the first full week of October, preferably the 6th or 7th. Please contact me at your earliest convenience to schedule our meeting.

Sincerely,

JS
J. Patrick Langan
Chief, Project Operations Branch

CF:
FO-MO

Mears *[Signature]*
Bradley *[Signature]*
Langan/

Mobile 11/19/93



ALABAMA STATE DOCKS DEPARTMENT

TELEX 810-741-7748
FAX (205) 441-7110

P.O. BOX 1588
MOBILE, AL 36633-1588

September 15, 1993

Mr. Pat Langan
Mobile District U. S. Corps of Engineers
Operations Branch
P. O. Box 2288
Mobile, AL 36628

*9/17
-W Please provide
prompt response*

Dear Mr. Langan: *Pat*

MAINTENANCE DREDGING

The Department is planning to perform maintenance dredging at our Blakely Terminal. Our plan is to conduct the dredging concurrent with your upcoming Upper Turning Basin project using the same contractor.

We request permission to dispose of approximately 40,000 cubic yards in Mud Lake No. 6 and No. 7. This yardage will be credited in the manner associated with the South Blakely Disposal Area.

Early approval of this project will be appreciated. Please forward the necessary documentation for us to initiate the project.

Sincerely,

John P. Carey
General Manager of Administration

lr

17 SEP 93 8:59