



THE MEMPHIS DEPOT TENNESSEE

ADMINISTRATIVE RECORD COVER SHEET

AR File Number 72



72

1

File: 541-4608
C.G.

72

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET, N.E.
ATLANTA, GEORGIA 30365

AUG 24 1994

4WD-FFA

Commander
Attn: DDMT-DE (Frank Novitski)
Defense Distribution Depot Memphis
2163 Airways Blvd.
Memphis, Tennessee 38114

RECEIVED
DDMT-DE
AUG 29 1994

SUBJ: Defense Distribution Depot, Memphis, Tennessee (DDMT)
Response to EPA Comments, May 3, 1994

Dear Mr. Novitski:

In a May 3, 1994 letter to Mr. Joseph Franzmathes, DDMT submitted its response to the comments EPA had on the following four documents:

- o Generic Remedial Investigation/Feasibility Study Work Plan;
- o Generic Quality Assurance Plan;
- o Generic Health and Safety Plan;
- o Operable Unit 1 Field Sampling Plan.

EPA's comments were enclosed in a March 28, 1994 letter from EPA to DDMT. The vast majority of the responses to EPA's comments were satisfactory. However, there were three comments that need to be addressed further. These comments are enclosed with this letter. If you have any questions or comments, please contact me at 404/347-3016, vmx. 6431.

Sincerely,

Martha Berry
Remedial Project Manager
Federal Facilities Branch

Enclosure

cc: Jordan English, TDEC
Christine Kartman, DDMT-DE

RECEIVED
SEP 19 1994
FEDERAL FACILITIES BRANCH

RECORD COPY

EPA COMMENTS
GENERIC RI/FS WORK PLAN, OPERABLE UNIT 1 FIELD SAMPLING PLAN
DDMT RESPONSE TO EPA COMMENTS, MAY 3, 1994
DEFENSE DISTRIBUTION DEPOT
MEMPHIS, TENNESSEE

GENERIC RI/FS WORK PLAN

EPA Comment #24: Apparently, the intent of this comment was misunderstood. Information regarding the condition of the wells in Allen field should be gathered regardless of whether or not additional offsite monitor wells are to be installed. This information, if available, may have a major impact on the decision regarding necessity and/or placement of additional monitor wells.

EPA Comment #25: Again, the intent of the original comment was misunderstood. EPA is concerned about chlorinated solvents in the groundwater, not in the halogenated by-products produced by treatment of water supplies by chlorine.

EPA Comment # 37: It is stated that preliminary remediation goals (PRGs) which were developed by EPA Region IX were used in the document. This guidance should not be used for PRGs in Region IV. Instead, EPA Region IV recommends that Region III's Risk-Based Concentration Table (updated quarterly) be used for determining PRBs at the site. Region III has developed a table for selecting contaminants of potential concern (COPCs). This table should be used for selecting COPCs and/or as a chemical screening guidance. The table is titled Selecting Exposure Routes and Contaminants of Concern by Risk-Based Screening. A copy of this has been attached to these comments.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III

341 Chestnut Street
Philadelphia, Pennsylvania 19107

July 11, 1994

SUBJECT: Risk-Based Concentration Table, Third Quarter 1994

FROM: Roy L. Smith, Ph.D., Senior Toxicologist
Technical Support Section (3HW13)

TO: RBC Table mailing list

Attached is the EPA Region III risk-based concentration (RBC) table, which we have distributed quarterly to all interested parties since 1991. If you are not currently on the mailing list, but would like to be, please contact Anna Poulton (phone: 215-597-3179, fax: 215-597-9890) and give her your name, address, and phone and fax numbers.

The table contains reference doses and carcinogenic potency slopes (obtained from IRIS through July 1, 1994, HEAST through November March 1994, the Superfund Health Risk Technical Support Center, and other EPA sources) for nearly 600 chemicals. These toxicity constants have been combined with "standard" exposure scenarios to calculate RBCs - chemical concentrations corresponding to fixed levels of risk (i.e., a hazard quotient of 1, or lifetime cancer risk of 10^{-6} , whichever occurs at a lower concentration) in water, air, fish tissue, and soil.

The Region III toxicologists use the table to screen sites not yet on the NPL, respond rapidly to citizen inquiries, and spot-check formal baseline risk assessments. The background materials provide the complete basis for all the calculations, with the intent of showing users exactly how the RBCs were developed. Simply put, RBCs are risk assessments run in reverse. For a single contaminant in a single medium, under standard default exposure assumptions, the RBC corresponds to the target risk or hazard quotient.

The calculations also have several important limitations. Specifically excluded from consideration are (1) transfers from soil to air and groundwater, and (2) cumulative risk from multiple contaminants or media. Also, the toxicity information in the table has been assembled by hand, and (despite extensive checking and years of use) may contain errors. It's advisable to cross-check before relying on any RfDs or CPSs in the table. If you find any errors, please send me a note.

Lately, many callers have asked whether the risk-based concentrations can be used as valid no-action levels or cleanup levels, especially for soils. The answer is a bit complex. First, it is important to realize that the RBC table does not constitute regulation or guidance, and should not be viewed as a substitute for a site-specific risk assessment. For sites where:

1. A single medium is contaminated;
2. A single contaminant contributes nearly all of the health risk;

3. Volatilization or leaching of that contaminant from soil is expected not to be significant;
4. The exposure scenarios used in the RBC table are appropriate for the site;
5. The fixed risk levels used in the RBC table are appropriate for the site; and
6. Risk to ecological receptors is expected not to be significant;

the risk-based concentrations would probably be protective as no-action levels or cleanup goals. However, to the extent that a site deviates from this description, as most do, the RBCs would not necessarily be appropriate.

To summarize, the table should generally not be used to (1) set cleanup or no-action levels at CERCLA or RCRA Corrective Action sites, (2) substitute for EPA guidance for preparing baseline risk assessments, or (3) determine if a waste is hazardous under RCRA.

This issue of the RBC table includes new toxicity constants and media concentrations, which are marked on the table in underlined boldface print. On pg. 4, the source of the toxicological constants labeled "ECAO-Cincinnati" has been clarified.

I get many telephone calls about the RBC table, but am often unable to answer the phone. Many of you have the same problem, so we play a lot of "phone tag". Last quarter, I suggested that you fax me (at 215-597-9890) your technical questions and concerns, so I could respond by return fax. This has worked very well for me, and I hope you have been satisfied with my responses. I would like to continue this method. Of course, if you don't have access to a fax machine, I will also continue to respond to voice mail messages.

Attachment

Risk-Based Concentration Table Background Information

General: Separate carcinogenic and non-carcinogenic risk-based concentrations were calculated for each compound for each pathway. The concentration in the table is the lower of the two, rounded to two significant figures. The following terms and values were used in the calculations:

Exposure variables	Value	Name
1-General:		
Carcinogenic potency slope oral (risk per mg/kg/d):	*	CPSo
Carcinogenic potency slope inhaled (risk per mg/kg/d):	*	CPSi
Reference dose oral (mg/kg/d):	*	RfDo
Reference dose inhaled (mg/kg/d):	*	RfDi
Target cancer risk:	1e-06	TR
Target hazard quotient:	1	THQ
Body weight, adult (kg):	70	BW _a
Body weight, age 1-6 (kg):	15	BW _c
Averaging time carcinogens (d):	25550	AT _c
Averaging time non-carcinogens (d):	ED*365	AT _n
Inhalation, adult (m ³ /d):	20	IR _a
Inhalation, child (m ³ /d):	12	IR _c
Inhalation factor, age-adjusted (m ³ -y/kg-d):	11.66	IFA _{adj}
Tap water ingestion, adult (L/d):	2	IRW _a
Tap water ingestion, age 1-6 (L/d):	1	IRW _c
Tap water ingestion factor, age-adjusted (L-y/kg-d):	1.09	IPW _{adj}
Fish ingestion (g/d):	54	IRF
Soil ingestion, adult (mg/d):	100	IRS _a
Soil ingestion, age 1-6 (mg/d):	200	IRS _c
Soil ingestion factor, age adjusted (mg-y/kg-d):	114.29	IPS _{adj}
2-Residential:		
Exposure frequency (d/y):	350	E _{Fr}
Exposure duration, total (y):	30	ED _{tot}

EPA Region III Risk-Based Concentrations: R.L. Smith (7/1/94)

4

Exposure variables	Value	Name
Exposure duration, age 1-6 (y)	6	EDc
Volatilization factor (L/m ³)	0.5	VF
3-Occupational:		
Exposure frequency (d/y)	250	EFo
Exposure duration (y)	25	EDo
* = Contaminant-specific toxicity parameters		

The priority among sources of toxicological constants was as follows: (1) IRIS; (2) HEAST; (3) HEAST alternative method; (4) EPA Superfund Health Risk Technical Support Center; (5) withdrawn from IRIS or HEAST; and (6) other EPA documents. Each source was used only if numbers from higher-priority sources were unavailable. The EPA Superfund Health Risk Technical Support Center, part of the Chemical Mixtures Branch of ECAO-Cincinnati, develops provisional RfDs and CPSs on request for contaminants not in IRIS or HEAST. These provisional values are labeled "e = EPA-ECAO provisional" in the table. It is possible they may be obsolete. If one of the "e" constants is important to a Superfund risk assessment, consider requesting, through a Regional risk assessor, a new provisional value.

Algorithms:

1. Age-adjusted factors: Because contact rates with tap water, ambient air, and residential soil are different for children and adults, carcinogenic risks during the first 30 years of life were calculated using age-adjusted factors. These factors approximated the integrated exposure from birth until age 30 by combining contact rates, body weights, and exposure durations for two age groups - small children and adults. The age-adjusted factor for soil was obtained from RAGS IB; the others were developed by analogy.

a. Air inhalation ((m³ · y)/(kg · d)):

$$IFA_{adj} = \frac{EDc \cdot IRAc}{BWc} + \frac{(ED_{tot} - EDc) \cdot IRAa}{BWA}$$

b. Tap water ingestion ((L · y)/(kg · d)):

$$IFW_{adj} = \frac{EDc \cdot IRWc}{BWc} + \frac{(ED_{tot} - EDc) \cdot IRWa}{BWA}$$

c. Soil ingestion ([mg · y]/[kg · d]):

$$IFS_{adj} = \frac{EDc \cdot IRSc}{BWc} + \frac{(EDtot - EDc) \cdot IRSa}{BWs}$$

2. Residential water use (µg/L). Volatilization terms were calculated only for compounds with "****" in the "VOC" column. Compounds having a Henry's Law constant greater than 10^{-5} were considered volatile. The list may be incomplete, but is unlikely to include false positives. The equations and the volatilization factor (VF, above) were obtained from RAGS IB. Oral potency slopes and reference doses were used for both oral and inhaled exposures for volatile compounds lacking inhalation values. Inhaled potency slopes were substituted for unavailable oral potency slopes only for volatile compounds; inhaled RfDs were substituted for unavailable oral RfDs for both volatile and non-volatile compounds.

a. Carcinogens: Calculations were based on combined childhood and adult exposure.

$$\frac{TR \cdot ATc \cdot 1000 \frac{\mu g}{mg}}{EFr \cdot ([VF \cdot IFA_{adj} \cdot CPSi] + [IFW_{adj} \cdot CPSo])}$$

b. Non-carcinogens: Calculations were based on adult exposure.

$$\frac{THQ \cdot BWa \cdot ATn \cdot 1000 \frac{\mu g}{mg}}{EFr \cdot EDtot \cdot \left(\frac{VF \cdot IRAa}{RfDi} + \frac{IRWa}{RfDo} \right)}$$

3. Air (µg/m³). Oral potency slopes and references were used where inhalation values were not available.

a. Carcinogens: Calculations were based on combined childhood and adult exposure.

$$\frac{TR \cdot ATc \cdot 1000 \frac{\mu g}{mg}}{EFr \cdot IFA_{adj} \cdot CPSi}$$

b. Non-carcinogens: Calculations were based on adult exposure.

$$\frac{THQ \cdot RfDi \cdot BWa \cdot ATn \cdot 1000 \frac{\mu g}{mg}}{EFr \cdot EDtot \cdot IRAa}$$

EPA Region III Risk-Based Concentrations: R.L. Smith (7/11/94)

6

4. Fish (mg/kg):

a. Carcinogens: Calculations were based on adult exposure.

$$\frac{TR \cdot BW_a \cdot AT_c}{EF_r \cdot ED_{tot}} \cdot \frac{IRF}{1000 \frac{L}{kg}} \cdot CPS_o$$

b. Non-carcinogens: Calculations were based on adult exposure.

$$\frac{THQ \cdot RfDo \cdot BW_a \cdot AT_h}{EF_r \cdot ED_{tot}} \cdot \frac{IRF}{1000 \frac{L}{kg}}$$

5. Soil commercial/industrial (mg/kg): The default exposure assumption that only 50% of incidental soil ingestion occurs at work has been omitted. Calculations were based on adult occupational exposure.

a. Carcinogens:

$$\frac{TR \cdot BW_a \cdot AT_c}{EF_o \cdot ED_o} \cdot \frac{IRS_a}{10^6 \frac{mg}{kg}} \cdot CPS_o$$

b. Non-carcinogens:

$$\frac{THQ \cdot RfDo \cdot BW_a \cdot AT_h}{EF_o \cdot ED_o} \cdot \frac{IRS_a}{10^6 \frac{mg}{kg}}$$

6. Soil residential (mg/kg):

a. Carcinogens: Calculations were based on combined childhood and adult exposure.

$$\frac{TR \cdot AT_c}{EF_r} \cdot \frac{IFS_{adj}}{10^6 \frac{mg}{kg}} \cdot CPS_o$$

b. Non-carcinogens: Calculations were based on childhood exposure only.

$$\frac{THQ \cdot RfDo \cdot BW_c \cdot AT_h}{EF_r \cdot ED_c} \cdot \frac{IRS_c}{10^6 \frac{mg}{kg}}$$

Source: IRIS h=HEAST a=HEAST oil. w=Withdrawn from IRIS or HEAST e=EPA-ECAO provisional o=Other EPA documents

Contaminant	CAS	RD ₅₀ mg/kg/d	RD ₁₀ mg/kg/d	CPS ₅₀ kg/d/mg	CPS ₁₀ kg/d/mg	CPS ₁ kg/d/mg	Top water µg/L	Ambient air µg/m ³	Fish mg/kg	Industrial soil mg/kg	Residential soil mg/kg
Acetate	30560191	4.00E-03	2.57E-03	8.70E-03	7.70E-03	7.70E-03	7.7	0.72	0.36	330	73
Acetaldehyde	75070	2.00E-02	2.00E-02				94	0.81			
Acetochlor	34246821	2.00E-02					730	73	27	20000	1600
Acetone	67641	1.00E-01					3700	370	140	100000	7800
Acetone cyanohydrin	75861	7.00E-02	2.86E-03				2600	10	93	72000	3100
Acetonitrile	75078	6.00E-03	1.43E-02				720	52	2.1	6100	470
Acetophenone	98862	1.00E-01	5.71E-05				0.842	0.021	140	100000	7800
Acidfluorene	62476599	1.30E-02					470	47	18	13000	1000
Acrolein	107028	2.00E-02	5.71E-06				730	0.021	27	20000	1600
Acrylamide	79061	2.00E-04		4.50E+00	4.55E+00		0.015	0.0014	0.0007	0.64	0.14
Acrylic acid	79107	5.00E-01	1.00E-03				18000	3.7	630	510000	39000
Acrylonitrile	107131	1.00E-03	5.71E-04	5.40E-01	2.38E-01		0.12	0.026	0.0018	5.3	1.2
Alachlor	15972608	1.00E-02		6.00E-02			0.84	0.078	0.039	36	8
Alar	1598845	1.00E-01					5500	550	200	150000	12000
Aldicarb	116063	1.00E-03					37	3.7	1.4	1000	78
Aldicarb sulfone	1646884	1.00E-03					37	3.7	1.4	1000	78
Aldrin	309002	3.00E-03		1.70E-01	1.71E+01		0.004	0.00037	0.00019	0.17	0.038
Allyl	74223646	2.50E-01					9100	910	340	250000	20000
Allyl alcohol	107186	5.00E-03					180	18	6.8	5100	390
Allyl chloride	107051	5.00E-02	2.86E-04				1800	1	68	51000	3900
Aluminum phosphide	20819738	4.00E-04					15	1.5	0.54	410	31
Amdro	67485294	3.00E-04					11	1.1	0.41	310	23
Anatryn	834128	9.00E-03					330	33	12	9200	700
m-Aminophenol	991275	7.00E-02					2600	260	95	72000	5500
4-Aminopyridine	304245	2.00E-03					0.73	0.073	0.027	20	1.6
Amibraz	33089611	2.50E-03					91	9.1	3.4	2600	200
Ammonia	7664417		2.86E-02				1000	100			
Ammonium sulfamate	777060	2.00E-01					7300	730	270	200000	16000
Aniline	62533		2.86E-04	5.70E-03			10	1	0.55	500	110
Antimony and compounds	7440150	4.00E-04					15	1.5	0.54	410	31
Antimony pentoxide	1314609	5.00E-04					18	1.8	0.68	510	39
Antimony potassium tartrate	304610	9.00E-04					33	3.3	1.2	920	70
Antimony trioxide	1332316	4.00E-04					15	1.5	0.54	410	31
Antimony trioxide	1309644	4.00E-04					15	1.5	0.54	410	31
Apollo	74115245	1.30E-02					470	47	18	13000	1000
Aramite	140378	5.00E-02		2.50E-02	2.45E-02		2.7	0.25	0.13	110	26
Arsenic	7440382	3.00E-04					11	1.1	0.41	310	23
Arsenic (as carcinogen)	7440382			1.73E+00	1.51E+01		0.038	0.00041	0.0018	1.5	0.37
Arsine	7784428		1.43E-05				0.32	0.032			
Assure	76578148	9.00E-03					330	33	12	9200	700
Asulam	3337711	5.00E-02					1800	180	68	51000	3900
Atrazine	1912249	3.50E-02		2.72E-01			0.3	0.028	0.014	13	2.9

Units of RBC: c = carcinogenic effects A = noncarcinogenic effects

Contaminant	CAS	RfD		CPSd		CPSi	V	Tap water	Ambient air	Fish	Industrial		Residential	
		mg/kg/d	mg/kg/d	kg/d/mg	kg/d/mg						mg/kg	mg/kg	mg/kg	mg/kg
Avermectin B1	6319553	4.00E-04						15 n	1.3 n	0.34 n				31 n
Azobenzene	103333							0.61 n	0.038 n	0.079 n				3.8 n
Barium and compounds	7440393	7.00E-02	1.43E-04	1.10E-01	1.08E-01			2600 n	0.52 n	95 n		7300 n		5300 n
Baygon	114251	4.00E-03						130 n	15 n	5.4 n		4100 n		310 n
Bayleton	43121433	3.00E-02						1100 n	110 n	41 n		31000 n		2300 n
Baythroid	65359375	2.50E-02						910 n	91 n	34 n		26000 n		2000 n
Benfen	1861401	3.00E-01						11000 n	1100 n	410 n		310000 n		23000 n
Benomyl	17804352	3.00E-02						1800 n	180 n	68 n		31000 n		3900 n
Benazolon	25037890	2.50E-03						91 n	9.1 n	3.4 n		2600 n		200 n
Benzaldehyde	100527	1.00E-01						610 n	370 n	140 n		100000 n		7800 n
Benzene	71432		1.71E-03	2.90E-02	2.90E-02			0.36 n	0.22 n	0.11 n		150 n		22 n
Benzeneethiol	106985	1.00E-03						0.37 n	0.037 n	0.014 n		10 n		0.75 n
Benzidine	92875	3.00E-03		2.35E-02	2.35E-02			0.00029 n	0.000027 n	0.000014 n		0.012 n		0.0024 n
Benzoic acid	65850	4.00E+00						150000 n	15000 n	5400 n		1000000 n		310000 n
Benzotrithiolide	98077			1.30E-01				0.0052 n	0.00048 n	0.00024 n		0.32 n		0.049 n
Benzyl alcohol	100316	3.00E-01						11000 n	1100 n	410 n		310000 n		23000 n
Benzyl chloride	100447			1.70E-01				0.062 n	0.037 n	0.019 n		1.17 n		3.8 n
Beryllium and compounds	7440417	3.00E-03		4.30E+00	8.40E+00			0.016 n	0.00075 n	0.00073 n		0.87 n		0.15 n
Bidrin	141662	1.00E-04						3.7 n	0.37 n	0.14 n		100 n		7.8 n
Biphenyl	72637043	1.50E-02						530 n	55 n	20 n		1500 n		1200 n
Biphenyl	92324	3.00E-02						1800 n	180 n	68 n		31000 n		3900 n
Bis(2-chloroisopropyl)ether	39638329	4.00E-02		7.00E-02	3.50E-02			0.26 n	0.18 n	0.045 n		0.21 n		9.1 n
Bis(chloromethyl)ether	342881			2.20E-02	2.17E-02			0.000049 n	0.000029 n	0.000014 n		0.013 n		0.0029 n
Bis(2-chloro-1-methyl)ether				7.00E-02	7.00E-02			0.96 n	0.089 n	0.045 n		0.41 n		9.1 n
Bis(2-ethylhexyl)phthalate (DEHP)	117817	2.00E-02		1.40E-02				4.8 n	0.45 n	0.23 n		200 n		46 n
Bis(chloroethyl)ether	111444			1.10E+00	1.16E+00			0.0092 n	0.0054 n	0.0029 n		0.26 n		0.38 n
Bisphenol A	80057	3.00E-02						1800 n	180 n	68 n		31000 n		3900 n
Boron (and borates)	7440428	9.00E-02						3300 n	21 n	120 n		92000 n		7000 n

Sources: 1=IRIS 2=HEAST 3=HEAST alt. 4=Withdrawn from IRIS or HEAST 5=EPA-ECAO provisional 6=Other EPA documents

Contaminant	CAS	RfD mg/kg/d	RfD mg/kg/d	CPS kg/d/mg	CPS kg/d/mg	V C	Tap water µg/L	Ambient air µg/m ³	Fish mg/kg	Industrial soil mg/kg	Residential soil mg/kg
tert-Butylbenzene	104518	1.00E-02	1.00E-02	6.30E+00	6.30E+00	***	61 n	37 n	14 n	10000 n	780 n
Butylphthalyl butylglycolate	85701	1.00E-00	1.00E-00				37000 n	3700 n	1400 n	1000000 n	78000 n
Cascodylic acid	75603	3.00E-03	3.00E-03				110 n	11 n	4.1 n	3100 n	230 n
Cadmium and compounds	7440439	5.00E-04	5.00E-04				18 n	0.00099 n	0.62 n	510 n	39 n
Caprolactam	105602	5.00E-01	5.00E-01				18000 n	1800 n	680 n	510000 n	39000 n
Captafol	2425061	2.00E-03	2.00E-03	8.60E-03	8.60E-03		7.8 n	0.73 n	0.37 n	330 n	74 n
Captafol	133062	1.30E-01	1.30E-01	3.50E-03	3.50E-03		1.19 n	1.8 n	0.9 n	820 n	180 n
Carbaryl	63252	1.00E-01	1.00E-01				3700 n	370 n	140 n	100000 n	7800 n
Carbazole	85748			2.00E-02	2.00E-02		3.4 n	0.31 n	0.16 n	140 n	32 n
Carbofuran	1563662	5.00E-03	5.00E-03				180 n	18 n	6.8 n	5100 n	390 n
Carbon disulfide	75130	1.00E-01	2.86E-03			***	21 n	10 n	140 n	100000 n	7800 n
Carbon tetrachloride	56235	7.00E-04	3.71E-04	1.30E-01	1.30E-01	***	0.16 n	0.12 n	0.024 n	22 n	4.9 n
Carbosulfan	55285148	1.00E-02	1.00E-02				370 n	37 n	14 n	10000 n	780 n
Carboxin	5234684	1.00E-01	1.00E-01				3700 n	370 n	140 n	100000 n	7800 n
Chloral	75876	2.00E-03	2.00E-03				73 n	7.3 n	2.7 n	2000 n	160 n
Chloramben	133904	1.50E-02	1.50E-02				350 n	35 n	20 n	15000 n	1200 n
Chloranil	118752			4.03E-01	4.03E-01		0.17 n	0.016 n	0.0078 n	7.1 n	1.6 n
Chlordane	57749	6.00E-03	6.00E-03	1.30E-00	1.30E-00		0.032 n	0.0049 n	0.0024 n	2.2 n	0.49 n
Chlorimuron-ethyl	90982324	2.00E-02	2.00E-02				730 n	73 n	27 n	20000 n	1600 n
Chlorine	7782505	1.00E-01	1.00E-01				3700 n	370 n	140 n	100000 n	7800 n
Chlorine dioxide	10049044			3.71E-03	3.71E-03		2.1 n	0.21 n	0.03 n	11 n	2.4 n
Chloroacetaldehyde	107200	6.90E-03	6.90E-03				250 n	25 n	9.3 n	7100 n	540 n
Chloroacetic acid	79118	2.00E-03	2.00E-03				73 n	7.3 n	2.7 n	2000 n	160 n
2-Chloroacetophenone	532274			8.57E-06	8.57E-06		0.31 n	0.031 n	0.012 n	11 n	2.4 n
4-Chloroaniline	106478	4.00E-03	4.00E-03				150 n	15 n	5.4 n	4100 n	310 n
Chlorobenzene	108907	2.00E-02	2.00E-02	3.71E-03	3.71E-03	***	39 n	21 n	27 n	20000 n	1600 n
Chlorobenzilate	510156	2.00E-02	2.00E-02	2.70E-01	2.70E-01		0.25 n	0.023 n	0.012 n	11 n	2.4 n
p-Chlorobenzoic acid	74113	2.00E-01	2.00E-01				7300 n	730 n	270 n	20000 n	1600 n
4-Chlorobenzotrifluoride	98566	2.00E-02	2.00E-02				730 n	73 n	27 n	20000 n	1600 n
2-Chloro-1,3-butadiene	126998	2.00E-02	2.00E-02	2.00E-03	2.00E-03	***	14 n	7.3 n	27 n	20000 n	1600 n
1-Chlorobutane	109693	4.00E-01	4.00E-01			***	2400 n	1500 n	340 n	41000 n	31000 n
Chlorodifluoromethane	75456			1.43E+01	1.43E+01	***	87000 n	52000 n			
Chloroethane	75003	4.00E-01	4.00E-01	2.86E+00	2.86E+00	***	8600 n	10000 n	340 n	41000 n	31000 n
2-Chloroethyl vinyl ether	110758	2.50E-02	2.50E-02			***	150 n	91 n	34 n	20000 n	2000 n
Chloroform	67663	1.00E-02	1.00E-02	6.10E-03	6.10E-03	***	0.15 n	0.078 n	0.32 n	470 n	100 n
Chloromethane	74873			1.30E-02	1.30E-02	***	1.4 n	0.99 n	0.24 n	230 n	49 n
4-Chloro-2,2-methylamine hydrochloride	3165933			4.60E-01	4.60E-01	***	0.15 n	0.014 n	0.0069 n	6.2 n	1.4 n
4-Chloro-2-methylamine	95692			5.80E-01	5.80E-01	***	0.12 n	0.011 n	0.0054 n	4.9 n	1.1 n
Delta-Chloronaphthalene	91587	8.00E-02	8.00E-02			***	2500 n	250 n	110 n	12000 n	6300 n
o-Chloronitrobenzene	88733			2.50E-02	2.50E-02	***	0.42 n	0.25 n	0.13 n	110 n	25 n
p-Chloronitrobenzene	100005			1.80E-02	1.80E-02	***	0.59 n	0.35 n	0.18 n	160 n	35 n
2-Chlorophenol	93371	5.00E-03	5.00E-03				180 n	18 n	6.8 n	5100 n	390 n

Sources: 1=IRIS h=HEAST a=HEAST alk w=Withdrawn from IRIS or HEAST s=EPA-ECOA provisional o=Other EPA documents

Contaminant	CAS	RIDo	RDI	CPSo	CFSi	V	Results of RBC: carcinogenic effects noncarcinogenic effects			
							Tap water	Ambient air	Fish	Industrial soil
		mg/kg/d	mg/kg/d	kg/d/mg	kg/d/mg		ug/L	ug/m ³	mg/kg	mg/kg
2-Chloropropene	71206	1.50E-02	2.86E-02	1.10E-01		***	170 n	100 n		
Chlorothalonil	1897456	2.00E-02				***	6.1 o	0.57 o	0.29 o	260 o
o-Chlorotoluene	95498	2.00E-01					120 n	73 n	27 n	20000 n
Chlorophenol	101213	2.00E-01					7300 n	730 n	270 n	20000 n
Chlorpyrifos	2921882	3.00E-03					110 n	11 n	4.1 n	3100 n
Chlorpyrifos-methyl	359130	1.00E-02					370 n	37 n	14 n	10000 n
Chlorosulfuron	64902723	5.00E-02					180 n	180 n	68 n	51000 n
Chlorothiophos	6023564	8.00E-04					29 n	2.9 n	1.1 n	820 n
Chromium III acid compounds	16063831	1.00E+00	5.71E-07				37000 n	0.0021 n	1400 n	1000000 n
Chromium VI acid compounds	7440473	5.00E-03		4.20E+01			180 n	0.00015 o	6.8 n	5100 n
Coal tar	8001189			2.20E+00				0.0028 o		
Cobalt	7440484	6.00E-02					2200 n	220 n	81 n	61000 n
Coke Oven Emissions	8007452			2.17E+00				0.0029 o		
Copper and compounds	7440508	3.71E-02					1400 n	140 n	50 n	38000 n
Crotonaldehyde	123739	1.00E-02		1.90E+00			0.035 o	0.0033 o	0.0017 o	1.5 o
Cumene	98828	4.00E-02	2.57E-03				1500 n	9.4 n	54 n	41000 n
Cyanides										
Barium cyanide	542621	1.00E-01					3700 n	370 n	140 n	100000 n
Calcium cyanide	592016	4.00E-02					1500 n	150 n	54 n	41000 n
Copper cyanide	544923	5.00E-03					180 n	18 n	6.8 n	5100 n
Cyanazine	2172462	2.00E-03		8.40E-01			0.08 o	0.0075 o	0.0038 o	0.76 o
Cyanogen	460195	4.00E-02					1500 n	150 n	54 n	41000 n
Cyanogen bromide	508683	9.00E-02					3300 n	330 n	120 n	92000 n
Cyanogen chloride	506774	5.00E-02					1800 n	180 n	68 n	51000 n
Free cyanide	37125	2.00E-02					730 n	73 n	27 n	20000 n
Hydrogen cyanide	74908	2.00E-02					730 n	73 n	27 n	20000 n
Potassium cyanide	131508	5.00E-02					1800 n	180 n	68 n	51000 n
Potassium silver cyanide	506616	2.00E-01					7300 n	730 n	270 n	20000 n
Silver cyanide	506649	1.00E-01					3700 n	370 n	140 n	100000 n
Sodium cyanide	143339	4.00E-02					1500 n	150 n	54 n	41000 n
Zinc cyanide	537211	5.00E-02					1800 n	180 n	68 n	51000 n
Cyclohexanone	108941	5.00E+00				***	30000 n	18000 n	6800 n	1000000 n
Cyclohexylamine	108918	2.00E-01					7300 n	730 n	270 n	20000 n
Cyhalothrin/Karate	6008358	5.00E-03					180 n	18 n	6.8 n	5100 n
Cypermethrin	52315078	1.00E-02					370 n	37 n	14 n	10000 n
Cyromazine	66215278	7.50E-03					270 n	27 n	10 n	7700 n
Dacthal	1861321	5.00E-01					18000 n	1800 n	680 n	51000 n
Dalapon	75990	3.00E-02					1100 n	110 n	41 n	31000 n
Danitol	39513418	5.00E-04					18 n	1.8 n	0.68 n	510 n
DDD	72548			2.40E-01			0.28 o	0.026 o	0.013 o	1.2 o
DDE	72559			3.40E-01			0.2 o	0.018 o	0.0093 o	0.4 o
DDT	50293			3.40E-01	3.40E-01		0.2 o	0.018 o	0.0093 o	0.4 o

Sources: I-IRIS A=HEAST alt. w/Withdrawn from IRIS or HEAST. e=EPA-ECAO provisional. o=Other EPA documents. Basis of RBC: c=carcinogenic effect. n=noncarcinogenic effect.

Contaminant	CAS	RfD ₀ mg/kg/d	RfD ₁ mg/kg/d	CPSO kg/d/mg	CPSI kg/d/mg	V	O	C	Tap water µg/L	Ambient air µg/m ³	Fish mg/kg	Industrial soil mg/kg	Residential soil mg/kg
Decabromodiphenyl ether	116319	1.00E-02				***		***	61 n	37 n	14 n	10000 n	780 n
Demeton	806348	4.00E-03				***		***	1.5 n	0.15 n	0.054 n	41 n	3.1 n
Diallate	2303164			6.10E-02 h		***		***	0.17 n	0.1 n	0.032 n	47 n	10 n
Diazinon	333415	9.00E-04 h				***		***	33 n	3.3 n	1.3 n	920 n	70 n
1,4-Dibromobenzene	106376	1.00E-02				***		***	61 n	37 n	14 n	10000 n	780 n
Dibromochloromethane	124481	2.00E-02		8.40E-02		***		***	0.13 n	0.075 n	0.038 n	34 n	2.6 n
1,2-Dibromo-3-chloropropane	96128		5.71E-03	1.40E+00 h	2.42E-03 h	***		***	0.043 n	0.21 n	0.0023 n	2 n	0.46 n
1,2-Dibromomethane	106934		5.71E-03 h	8.50E+01	7.70E-01	***		***	0.00075 n	0.0081 n	0.00037 n	0.034 n	0.0075 n
Dibutyl phthalate	84742	1.00E-01				***		***	3700 n	370 n	140 n	100000 n	7800 n
Dicamba	191809	3.00E-02				***		***	1100 n	110 n	41 n	31000 n	2300 n
1,2-Dichlorobenzene	95301	9.00E-02	5.71E-02			***		***	370 n	210 n	120 n	92000 n	7000 n
1,3-Dichlorobenzene	941731	8.90E-02				***		***	540 n	320 n	120 n	91000 n	7000 n
1,4-Dichlorobenzene	106467		2.29E-01	2.40E-02 h		***		***	0.44 n	0.25 n	0.13 n	8120 n	27 n
3,3'-Dichlorobenzidine	91941			4.50E-01		***		***	0.15 n	0.014 n	0.007 n	64 n	1.4 n
1,4-Dichloro-2-butene	764410				9.30E+00 h	***		***	0.0011 n	0.00067 n			
Dichlorodifluoromethane	75718	2.00E-01	5.71E-02			***		***	390 n	210 n	270 n	200000 n	16000 n
1,1-Dichloroethane	75343	1.00E-01 h	1.43E-01			***		***	810 n	330 n	140 n	100000 n	7800 n
1,2-Dichloroethane (EDC)	107062		2.86E-03	9.10E-02	9.10E-02	***		***	0.12 n	0.069 n	0.035 n	31 n	7 n
1,1-Dichloroethylene	75354	9.00E-03		6.00E-01	1.73E-01	***		***	0.044 n	0.036 n	0.0033 n	4.8 n	1.1 n
1,2-Dichloroethylene (cis)	156592	1.00E-02 h				***		***	61 n	37 n	14 n	10000 n	780 n
1,2-Dichloroethylene (trans)	156605	2.00E-02				***		***	120 n	73 n	27 n	20000 n	1600 n
1,2-Dichloroethylene (mixture)	340590	9.00E-03 h				***		***	53 n	33 n	12 n	9200 n	700 n
2,4-Dichlorophenol	120832	3.00E-03				***		***	110 n	11 n	4.1 n	3100 n	230 n
2,4-Dichlorophenoxyacetic Acid (2,4-D)	94757	1.00E-02				***		***	61 n	37 n	14 n	10000 n	780 n
4-(2,4-Dichlorophenoxy)butyric Acid	94826	8.00E-03				***		***	290 n	29 n	11 n	8200 n	630 n
1,2-Dichloropropane	78873		1.14E-03	6.80E-02 h		***		***	0.16 n	0.092 n	0.046 n	42 n	9.4 n
2,3-Dichloropropanol	616239	3.00E-03				***		***	110 n	11 n	4.1 n	3100 n	230 n
1,3-Dichloropropene	542746	3.00E-04	5.71E-03	1.73E-01 h	1.30E-01 h	***		***	0.077 n	0.048 n	0.018 n	16 n	3.7 n
Dichlorvos	62737	5.00E-04	1.43E-04	2.90E-01		***		***	0.23 n	0.072 n	0.011 n	9.9 n	2.2 n
Dicofol	113322			4.40E-01		***		***	0.13 n	0.014 n	0.0072 n	6.5 n	1.5 n
Dicyclopentadiene	77736	3.00E-02 h	5.71E-03			***		***	0.42 n	0.21 n	41 n	31000 n	2300 n
Dieldrin	60771	5.00E-05		1.60E+01	1.61E+01	***		***	0.0042 n	0.00039 n	0.0002 n	0.18 n	0.04 n
Diesel emissions			1.43E-03			***		***	52 n	5.2 n			
Diethyl phthalate	84662	8.00E-01				***		***	29000 n	2900 n	1100 n	820000 n	63000 n
Diethylene glycol, monobutyl ether	112345		5.71E-03 h			***		***	210 n	21 n			
Diethylene glycol, monoethyl ether	111900	2.00E+00 h				***		***	73000 n	7300 n	2700 n	1000000 n	160000 n
Diethylformamide	617845	1.10E-02 h				***		***	400 n	40 n	13 n	11500 n	850 n
Di(2-ethylhexyl)adipate	103231	6.00E-01		1.20E-03		***		***	56 n	5.2 n	2.6 n	2400 n	330 n
Diethylstilbestrol	56331			4.70E+03 h		***		***	0.000014 n	1.30E-06 n	6.70E-07 n	0.000061 n	0.00016 n
Difenoquat (Avenge)	43222486	8.00E-02				***		***	2900 n	290 n	110 n	82000 n	6300 n
Diflubenzuron	35367383	2.00E-02				***		***	730 n	73 n	27 n	20000 n	1600 n
Disopropyl methylphosphonate (DIMP)	1445736	8.00E-02				***		***	2900 n	290 n	110 n	82000 n	6300 n

Sources: α =RIS β =HEAST γ =HEAST alt. δ =Withdrawn from RIS or HEAST ϵ =EPA-ECAO provisional ϕ =Other EPA documents

Route of RBC: g=carcinogenic effects, n=noncarcinogenic effects										
Contaminant	CAS	RfDo mg/kg/d	RfD mg/kg/d	CPSo kg/dmg	CPSi kg/dmg	V O	Route of RBC			
							Tap water µg/L	Ambient air µg/m3	Fish mg/kg	Industrial soil mg/kg
Dimethyltin	53290647	2.00E-02					730	73	27	20000
Dimethoate	60315	2.00E-04					73	0.73	0.27	200
3,3'-Dimethoxybenzidine	119904		1.40E-02				4.8	0.45	0.23	200
Dimethyl phthalate	131113	1.00E-01					370000	37000	14000	1000000
Dimethyl terephthalate	120616	1.00E-01					3700	370	140	100000
Dimethylamine	124403		5.71E-06				0.21	0.021		
2,4-Dimethylamine hydrochloride	21438964		5.80E-01				0.12	0.011	0.0054	4.9
2,4-Dimethylamine	95681		7.50E-01				0.09	0.0083	0.0042	3.8
N,N-Dimethylamine	121697	2.00E-03					73	7.3	2.7	2000
3,3'-Dimethylbenzidine	119937		9.20E-00				0.0073	0.00068	0.00034	0.31
N,N-Dimethylformamide	68122	1.00E-01	8.57E-03				3700	37	140	100000
1,1-Dimethylhydrazine	57147		2.60E-00	3.50E+00			0.026	0.0018	0.0012	1.1
1,2-Dimethylhydrazine	540738		3.70E+01	3.70E+01			0.0018	0.00017	0.000033	0.077
2,4-Dimethylphenol	103679						730	73	27	20000
2,6-Dimethylphenol	576281	6.00E-04					22	2.2	0.81	610
3,4-Dimethylphenol	95638	1.00E-03					37	3.7	1.4	1000
1,2-Dinitrobenzene	528290	4.00E-04					15	1.5	0.54	410
1,3-Dinitrobenzene	99630	1.00E-04					3.7	0.37	0.14	100
1,4-Dinitrobenzene	100234	4.00E-04					15	1.5	0.54	410
4,6-Dinitro-o-cyclohexyl phenol	131895	2.00E-03					73	7.3	2.7	2000
2,4-Dinitrophenol	51283	2.00E-03					73	7.3	2.7	2000
Dinitrotoluene mixture			6.80E-01				0.059	0.0092	0.0046	4.2
2,4-Dinitrotoluene	121142	2.00E-03					73	7.3	2.7	2000
2,6-Dinitrotoluene	605202	1.00E-03					37	3.7	1.4	1000
Dinoseb	88837	1.00E-03					37	3.7	1.4	1000
di-n-Octyl phthalate	117840	2.00E-02					730	73	27	20000
1,4-Dioxane	123911		1.10E-02				6.1	0.57	0.29	260
Diphenamid	997317	3.00E-02					1100	110	41	31000
Diphenylamine	122394	2.50E-02					910	91	34	26000
1,2-Diphenylhydrazine	122667		8.00E-01	7.70E-01			0.084	0.0081	0.0039	3.6
Diquat	83007	2.20E-03					80	8	3	2200
Direct black 38	1937377		8.60E+00				0.0078	0.00073	0.00037	0.33
Direct blue 6	2602462		8.10E+00				0.0083	0.00077	0.00039	0.33
Direct brown 95	16071866		9.30E+00				0.0072	0.00067	0.00034	0.31
Disulfoton	298044	4.00E-05					1.5	0.15	0.054	41
1,4-Dithiane	505293	1.00E-02					370	37	14	10000
Diuron	330341	2.00E-03					73	7.3	2.7	2000
Dodine	2439103	4.00E-03					150	15	5.4	4100
Endosulfan	115797	6.00E-03					280	22	8.1	6100
Endothall	145733	2.00E-02					730	73	27	20000
Endrin	77208	3.00E-04					11	1.1	0.41	310
Epichlorohydrin	106858	2.00E-03	2.86E-04	9.90E-03	4.20E-03		6.8	1	0.32	290

Source: $1=IRIS$ $2=HEAST$ $3=HEAST$ $4=$ $5=$ $6=$ $7=$ $8=$ $9=$ $10=$ $11=$ $12=$ $13=$ $14=$ $15=$ $16=$ $17=$ $18=$ $19=$ $20=$ $21=$ $22=$ $23=$ $24=$ $25=$ $26=$ $27=$ $28=$ $29=$ $30=$ $31=$ $32=$ $33=$ $34=$ $35=$ $36=$ $37=$ $38=$ $39=$ $40=$ $41=$ $42=$ $43=$ $44=$ $45=$ $46=$ $47=$ $48=$ $49=$ $50=$ $51=$ $52=$ $53=$ $54=$ $55=$ $56=$ $57=$ $58=$ $59=$ $60=$ $61=$ $62=$ $63=$ $64=$ $65=$ $66=$ $67=$ $68=$ $69=$ $70=$ $71=$ $72=$ $73=$ $74=$ $75=$ $76=$ $77=$ $78=$ $79=$ $80=$ $81=$ $82=$ $83=$ $84=$ $85=$ $86=$ $87=$ $88=$ $89=$ $90=$ $91=$ $92=$ $93=$ $94=$ $95=$ $96=$ $97=$ $98=$ $99=$ $100=$ $101=$ $102=$ $103=$ $104=$ $105=$ $106=$ $107=$ $108=$ $109=$ $110=$ $111=$ $112=$ $113=$ $114=$ $115=$ $116=$ $117=$ $118=$ $119=$ $120=$ $121=$ $122=$ $123=$ $124=$ $125=$ $126=$ $127=$ $128=$ $129=$ $130=$ $131=$ $132=$ $133=$ $134=$ $135=$ $136=$ $137=$ $138=$ $139=$ $140=$ $141=$ $142=$ $143=$ $144=$ $145=$ $146=$ $147=$ $148=$ $149=$ $150=$ $151=$ $152=$ $153=$ $154=$ $155=$ $156=$ $157=$ $158=$ $159=$ $160=$ $161=$ $162=$ $163=$ $164=$ $165=$ $166=$ $167=$ $168=$ $169=$ $170=$ $171=$ $172=$ $173=$ $174=$ $175=$ $176=$ $177=$ $178=$ $179=$ $180=$ $181=$ $182=$ $183=$ $184=$ $185=$ $186=$ $187=$ $188=$ $189=$ $190=$ $191=$ $192=$ $193=$ $194=$ $195=$ $196=$ $197=$ $198=$ $199=$ $200=$ $201=$ $202=$ $203=$ $204=$ $205=$ $206=$ $207=$ $208=$ $209=$ $210=$ $211=$ $212=$ $213=$ $214=$ $215=$ $216=$ $217=$ $218=$ $219=$ $220=$ $221=$ $222=$ $223=$ $224=$ $225=$ $226=$ $227=$ $228=$ $229=$ $230=$ $231=$ $232=$ $233=$ $234=$ $235=$ $236=$ $237=$ $238=$ $239=$ $240=$ $241=$ $242=$ $243=$ $244=$ $245=$ $246=$ $247=$ $248=$ $249=$ $250=$ $251=$ $252=$ $253=$ $254=$ $255=$ $256=$ $257=$ $258=$ $259=$ $260=$ $261=$ $262=$ $263=$ $264=$ $265=$ $266=$ $267=$ $268=$ $269=$ $270=$ $271=$ $272=$ $273=$ $274=$ $275=$ $276=$ $277=$ $278=$ $279=$ $280=$ $281=$ $282=$ $283=$ $284=$ $285=$ $286=$ $287=$ $288=$ $289=$ $290=$ $291=$ $292=$ $293=$ $294=$ $295=$ $296=$ $297=$ $298=$ $299=$ $300=$ $301=$ $302=$ $303=$ $304=$ $305=$ $306=$ $307=$ $308=$ $309=$ $310=$ $311=$ $312=$ $313=$ $314=$ $315=$ $316=$ $317=$ $318=$ $319=$ $320=$ $321=$ $322=$ $323=$ $324=$ $325=$ $326=$ $327=$ $328=$ $329=$ $330=$ $331=$ $332=$ $333=$ $334=$ $335=$ $336=$ $337=$ $338=$ $339=$ $340=$ $341=$ $342=$ $343=$ $344=$ $345=$ $346=$ $347=$ $348=$ $349=$ $350=$ $351=$ $352=$ $353=$ $354=$ $355=$ $356=$ $357=$ $358=$ $359=$ $360=$ $361=$ $362=$ $363=$ $364=$ $365=$ $366=$ $367=$ $368=$ $369=$ $370=$ $371=$ $372=$ $373=$ $374=$ $375=$ $376=$ $377=$ $378=$ $379=$ $380=$ $381=$ $382=$ $383=$ $384=$ $385=$ $386=$ $387=$ $388=$ $389=$ $390=$ $391=$ $392=$ $393=$ $394=$ $395=$ $396=$ $397=$ $398=$ $399=$ $400=$ $401=$ $402=$ $403=$ $404=$ $405=$ $406=$ $407=$ $408=$ $409=$ $410=$ $411=$ $412=$ $413=$ $414=$ $415=$ $416=$ $417=$ $418=$ $419=$

Barb of PBC: c=carcinogenic effects n=noncarcinogenic effects

Contaminant	CAS	RfD _o mg/kg/d	RfD _i mg/kg/d	CPS _o kg/d/ing	CPS _i kg/d/ing	Basis of RfC: carcinogenic effects = carcinogenic effects = noncarcinogenic effects				
						Tap water µg/L	Ambient air µg/m ³	Fish mg/kg	Industrial soil mg/kg	Residential soil mg/kg
1,2-Epoxybutane	106887	5.00E-03 /	5.71E-03 /			210 n	21 n			
Ethephon (2-chloroethyl phosphonic acid)	16672870	5.00E-04 /				180 n	18 n	6.8 n	5100 n	390 n
Ethion	563122	5.00E-04 /				18 n	1.8 n	0.68 n	310 n	39 n
2-Ethoxyethanol acetate	111139	3.00E-01 *				11000 n	1100 n	410 n	310000 n	23000 n
2-Ethoxyethanol	110803	4.00E-01 n	5.71E-02 /			15000 n	210 n	540 n	410000 n	31000 n
Ethyl acrylate	140883			4.80E-02 n		1.4 n	0.13 n	0.066 n	60 n	13 n
EPTC (S-Ethyl dipropylthiocarbamate)	759944	2.50E-02 /				910 n	91 n	34 n	26000 n	2000 n
Ethyl ether	60297	2.00E-01 /				1200 n	750 n	270 n	200000 n	16000 n
Ethyl methacrylate	97632	9.00E-02 n				3300 n	330 n	120 n	92000 n	7000 n
Ethyl acetate	141786	9.00E-01 /				33000 n	3300 n	1200 n	920000 n	70000 n
Ethylbenzene	100414	1.00E-01 /	2.85E-01 /			1300 n	1000 n	140 n	100000 n	7800 n
Ethylene cyanohydrin	109794	3.00E-01 n				11000 n	1100 n	410 n	310000 n	23000 n
Ethylene diamine	107133	2.00E-02 n				730 n	73 n	27 n	20000 n	1600 n
Ethylene glycol	107211	2.00E-00 /				73000 n	7300 n	2700 n	1000000 n	160000 n
Ethylene glycol, monobutyl ether	111762		5.71E-03 n			210 n	21 n			
Ethylene oxide	75218			1.02E-00 n	3.50E-01 n	0.66 n	0.018 n	0.0031 n	2.8 n	0.63 n
Ethylene thiourea (ETU)	96437	8.00E-03 /		1.19E-01 n		0.57 n	0.053 n	0.027 n	24 n	5.4 n
Ethyl p-nitrophenyl phenylphosphorothioate	2104543	1.00E-05 /				0.37 n	0.037 n	0.014 n	10 n	0.78 n
Ethylthiourea	759739			1.40E-02 n		0.0048 n	0.00045 n	0.00023 n	0.02 n	0.0046 n
Ethylphthalyl ethyl glycolate	84720	3.00E-00 /				110000 n	11000 n	4100 n	1000000 n	230000 n
Express	10120	8.00E-03 /				290 n	29 n	11 n	8200 n	630 n
Feenamphos	22224926	2.50E-04 /				9.1 n	0.91 n	0.34 n	280 n	20 n
Fluometuron	2164172	1.30E-02 /				470 n	47 n	18 n	13000 n	1000 n
Fluoride	7782414	6.00E-02 /				2200 n	220 n	81 n	61000 n	4700 n
Fluoridone	39756604	8.00E-02 /				2900 n	290 n	110 n	82000 n	6300 n
Flurprimidol	36423913	2.00E-02 /				750 n	75 n	27 n	20000 n	1600 n
Flutolanil	66312963	6.00E-02 /				2200 n	220 n	81 n	61000 n	4700 n
Fluvalinate	59489545	1.00E-02 /				370 n	37 n	14 n	10000 n	780 n
Folpet	133073	1.00E-01 /				119 n	1.8 n	0.9 n	720 n	180 n
Formesafen	72178020					0.35 n	0.033 n	0.017 n	13 n	3.4 n
Formos	944229	2.00E-03 /				73 n	7.3 n	2.7 n	2000 n	160 n
Formaldehyde	50000	2.00E-01 /		4.53E-02 /		7500 n	0.14 n	270 n	200000 n	16000 n
Formic Acid	64186	2.00E-00 n				75000 n	7500 n	2700 n	1000000 n	160000 n
Fosetyl-al	39146243	3.00E-00 /				110000 n	11000 n	4100 n	1000000 n	230000 n
Furan	110009	1.00E-03 /				37 n	3.7 n	1.4 n	1000 n	78 n
Eurezolidone	67438		3.80E-00 n			0.018 n	0.0016 n	0.00083 n	0.75 n	0.17 n
Furfural	98011	3.00E-03 /	1.43E-02 *			110 n	11 n	4.1 n	3100 n	230 n
Furium	531628		5.00E-01 n			0.0013 n	0.00013 n	0.000063 n	0.057 n	0.013 n
Furmecycloz	60568050		3.00E-02 /			2.2 n	0.21 n	0.11 n	95 n	21 n
Glufosinate-ammonium	7718282	4.00E-04 /				15 n	1.5 n	0.54 n	410 n	31 n
Glycidaldehyde	765344	4.00E-04 /	2.85E-04 n			15 n	1.5 n	0.54 n	410 n	31 n
Glypbosate	1071836	1.00E-01 /				3700 n	370 n	40 n	100000 n	7800 n

Source: IRIS = IRIS; H-HEAST = HEAST; all = all; RfD = RfD; CAS = CAS; EPA-ECOTOX = EPA-ECOTOX; Provisional = Provisional; a = Other EPA documents; Basis of RBC: c = carcinogenic effects; n = noncarcinogenic effects.

Contaminant	CAS	RfD mg/kg/d	RfD mg/kg/d	CPS kg/dmg	CPS kg/dmg	Tap water µg/L	Ambient air µg/m ³	Fish mg/kg	Industrial soil mg/kg	Residential soil mg/kg
Haloxypyr-methyl	69804-402	3.00E-03	3.00E-03	6.30E+00	6.30E+00	1.8	0.18	0.068	51	3.9
Harmony	79277773	1.30E-02	1.30E-02			470	47	18	15000	1000
HCH (alpha)	319446					0.011	0.00099	0.0005	0.45	0.1
HCH (beta)	319517					0.037	0.0035	0.0018	1.5	0.35
HCH (gamma) Lindane	58599	3.00E-04	3.00E-04	1.80E+00	1.80E+00	0.012	0.00099	0.0005	0.45	0.1
HCH-technical	608731					0.037	0.0035	0.0018	1.5	0.35
Heptachlor	76448	5.00E-04	5.00E-04	4.50E+00	4.50E+00	0.037	0.0035	0.0018	1.5	0.35
Heptachlor epoxide	1024573	1.30E-05	1.30E-05	9.10E+00	9.10E+00	0.012	0.00099	0.0005	0.45	0.1
Hexabromobenzene	87821	2.00E-03	2.00E-03			12	7.3	2.7	2000	160
Hexachlorobenzene	118741	8.00E-04	8.00E-04	1.60E+00	1.60E+00	0.0066	0.0039	0.002	1.8	0.4
Hexachlorobutadiene	87683	2.00E-04	2.00E-04	7.80E-02	7.80E-02	0.14	0.081	0.04	37	8.2
Hexachlorocyclopentadiene	77474	7.00E-03	7.00E-03	2.00E-01	2.00E-01	0.15	0.073	0.03	2000	160
Hexachlorodibenzo-p-dioxin mixture	19408743					0.00011	1.40E-06	1.10E-07	0.00046	0.0001
Hexachloroethane	67721	1.00E-03	1.00E-03	1.40E-02	1.40E-02	0.75	0.43	0.23	200	46
Hexachlorophene	70304	3.00E-04	3.00E-04			11	1.1	0.41	310	23
Hexahydro-1,3,5-trinitro-1,3,5-triazine	121824	3.00E-03	3.00E-03	1.10E-01	1.10E-01	0.61	0.097	0.029	26	5.8
n-Hexane	110543	6.00E-02	6.00E-02	5.71E-02	5.71E-02	350	210	21	61000	4700
Hexoxazone	51235042	3.30E-02	3.30E-02			1200	120	45	94000	2600
Hydrazine, hydrazine sulfate	302012					0.022	0.00037	0.0011	0.95	0.21
Hydrogen chloride	7647010					73	7.3			
Hydrogen sulfide	7783064	3.00E-03	3.00E-03	2.57E-04	2.57E-04	110	0.94	4.1	3100	230
Hydroquinone	123319	4.00E-02	4.00E-02			1500	150	54	41000	3100
Imazalil	35594440	1.30E-02	1.30E-02			470	47	18	13000	1000
Imazaquin	8133377	2.50E-01	2.50E-01			9100	910	340	260000	20000
Isoprotone	36734197	4.00E-02	4.00E-02			1500	150	54	41000	3100
Isobutanol	78431	3.00E-01	3.00E-01			1600	1100	410	310000	23000
Isophorone	78391	2.00E-01	2.00E-01			71	6.6	3.3	3000	670
Isopropalin	33820430	1.50E-02	1.50E-02			550	55	20	15000	1200
Isopropyl methyl phosphonic acid	1832448	1.00E-01	1.00E-01			3700	370	140	100000	7800
Isosaben	82538107	5.00E-02	5.00E-02			1800	180	68	51000	3900
Kepon	143700					0.0037	0.00035	0.00018	0.16	0.035
Lactofen	77501634	2.00E-03	2.00E-03			73	7.3	2.7	2000	160
Lead (tetraethyl)	78002	1.00E-07	1.00E-07			0.0037	0.00037	0.00014	0.1	0.073
Linuron	330552	2.00E-03	2.00E-03			73	7.3	2.7	2000	160
Lithium	7439932	2.00E-02	2.00E-02			730	73	27	20000	1600
Lindax	83056996	2.00E-01	2.00E-01			7300	730	270	200000	16000
Malathion	121755	2.00E-02	2.00E-02			730	73	27	20000	1600
Maleic anhydride	108316	1.00E-01	1.00E-01			3700	370	140	100000	7800
Maleic hydrazide	123331	5.00E-01	5.00E-01			18000	1800	680	510000	39000
Malononitrile	109773	2.00E-05	2.00E-05			0.73	0.073	0.027	20	1.6
Mancoseb	8018017	3.00E-02	3.00E-02			1100	110	41	31000	2300
Maneb	12427382	5.00E-03	5.00E-03			180	18	6.8	5100	390

Source: IRIS A=HEAST a=HEAST alt. w=Withdrawn from IRIS or HEAST s=EPA ECAO provisional o=Other EPA document

Rate of RBC: c=carcinogenic effects n=noncarcinogenic effects

Contaminant	CAS	RfD _o mg/kg/d	RfD _i mg/kg/d	CPS _o kg/d/mg	CPS _i kg/d/mg	V	Top water µg/L	Ambient air µg/m ³	Fish mg/kg	Industrial soil mg/kg	Residential soil mg/kg
Manganese and compounds											
Mephosfolan	7439965	5.00E-03	1.43E-03				180 n	0.032 n	6.8 n	3100 n	390 n
Mepiquat chloride	950107	9.00E-03					3.3 n	0.33 n	0.12 n	92 n	7 n
Mercury (inorganic)	24307264	3.00E-02					1100 n	110 n	41 n	31000 n	2300 n
Mercury (methyl)	7439976	3.00E-04	1.57E-05				11 n	0.31 n	0.41 n	310 n	23 n
Merphos	22967926	3.00E-04					11 n	1.1 n	0.41 n	310 n	23 n
Merphos oxide	150505	3.00E-03					1.1 n	0.11 n	0.041 n	31 n	23 n
Metalaxyl	78488	3.00E-05					1.1 n	0.11 n	0.041 n	31 n	23 n
Methacrylonitrile	57837191	6.00E-02					2200 n	220 n	81 n	61000 n	4700 n
Methamidophos	125987	1.00E-04	2.00E-04				3.7 n	0.73 n	0.14 n	100 n	7.8 n
Methanol	10761926	5.00E-05					1.8 n	0.18 n	0.068 n	51 n	3.9 n
Methidathion	67561	5.00E-01					18000 n	1800 n	680 n	510000 n	39000 n
Methomyl	950378	1.00E-03					37 n	3.7 n	1.4 n	1000 n	78 n
Methoxychlor	16732773	2.50E-02					910 n	91 n	34 n	26000 n	2000 n
2-Methoxyethanol acetate	72435	5.00E-03					180 n	18 n	6.8 n	5100 n	390 n
2-Methoxyethanol	110496	2.00E-03					73 n	7.3 n	2.7 n	2000 n	160 n
2-Methoxy-5-nitroaniline	109864	1.00E-03	5.71E-03				37 n	21 n	1.4 n	1000 n	78 n
Methyl acetate	99392	1.00E-00		4.60E-02			1.5 n	0.14 n	0.069 n	52 n	14 n
Methyl acrylate	79209	3.00E-02					37000 n	3700 n	1400 n	100000 n	78000 n
2-Methylaniline hydrochloride	96333						3100 n	310 n	41 n	31000 n	2300 n
2-Methylaniline	636215			1.80E-01			0.37 n	0.835 n	0.018 n	16 n	3.5 n
Methyl chloroacetate	95534			2.40E-01			0.28 n	0.826 n	0.013 n	12 n	2.7 n
4-(2-Methyl-4-chlorophenoxy) butyric acid	79221	1.00E-00					37000 n	3700 n	1400 n	100000 n	78000 n
2-Methyl-4-chlorophenoxyacetic acid	94815	1.00E-02					370 n	37 n	14 n	10000 n	780 n
2-(2-Methyl-14-chlorophenoxy)propionic acid	94746	5.00E-04					18 n	1.8 n	0.68 n	510 n	39 n
Methylcyclohexane	97652	1.00E-03					37 n	3.7 n	1.4 n	1000 n	78 n
Methylene bromide	108872		8.57E-01				31000 n	3100 n			
Methylene chloride	74933	1.00E-02					61 n	37 n	14 n	1000 n	780 n
4,4'-Methylene bis(2-chloroaniline)	73092	6.00E-02	8.57E-01	7.50E-03	1.64E-03		4.1 n	3.8 n	0.42 n	380 n	85 n
4,4'-Methylenebisbenzidine	101144	7.00E-04		1.30E-01	1.30E-01		0.52 n	0.048 n	0.074 n	22 n	4.9 n
4,4'-Methylenebis(N,N'-dimethylaniline)	101779			2.50E-01			0.27 n	0.025 n	0.013 n	11 n	2.6 n
4,4'-Methylenebis(N,N'-dimethylaniline)	101611			4.60E-02			1.5 n	0.14 n	0.069 n	52 n	14 n
4,4'-Methylenebis(phenyl isocyanate)	101688		5.71E-06				0.035 n	0.021 n			
Methyl ethyl ketone	78933	6.00E-01	2.56E-01				22000 n	1000 n	810 n	61000 n	47000 n
Methyl hydrazine	60344			1.10E-00			0.061 n	0.0037 n	0.0029 n	2.6 n	0.38 n
Methyl isobutyl ketone	101101	8.00E-02	2.29E-02				2000 n	84 n	110 n	82000 n	6300 n
Methyl methacrylate	80626	6.00E-02					2000 n	290 n	110 n	82000 n	6300 n
2-Methyl-5-nitroaniline	99718	2.50E-04		3.10E-02			2 n	0.19 n	0.096 n	87 n	19 n
Methyl parathion	298000	5.00E-02					9.1 n	0.91 n	0.34 n	260 n	20 n
2-Methylphenol (o-cresol)	95487						1800 n	180 n	68 n	51000 n	3900 n
3-Methylphenol (m-cresol)	103394	5.00E-02					1800 n	180 n	68 n	51000 n	3900 n
4-Methylphenol (p-cresol)	106443	5.00E-03					180 n	18 n	6.8 n	5100 n	390 n
Methyl styrene (mixture)	25013154	6.00E-03	1.14E-02				50 n	42 n	8.1 n	6100 n	470 n

Sources: (a) R/S h-HEAST alt. (b) HEAST alt. (c) Withdrawn from R/S or HEAST (d) EPA-BEAO provisional (e) Other EPA documents (f) Basis of RBC, g=carcinogenic effects, n=noncarcinogenic effects.

Contaminant	CAS	RfD mg/kg/d	RfD mg/kg/d	CPS kg/d/mg	CPS kg/d/mg	CPS kg/d/mg	Top water µg/L	Ambient air µg/m ³	Fish mg/kg	Industrial soil mg/kg	Residential soil mg/kg
Methyl styrene (alpha)	9839	7.00E-02					430	260	95	72000	3500
Methyl tertiary ether (MTBE)	1634044	3.00E-03	8.57E-01				180	3100	6.8	9100	390
Metholac (Dual)	51218452	1.50E-01					5500	950	200	150000	12000
Methibutaz	21807649	2.50E-02					910	91	34	26000	2000
Mirex	2383855	2.00E-04		1.40E+00			0.037	0.0033	0.0018	1.6	0.33
Molinate	2212671	2.00E-03					73	7.3	2.3	2000	160
Molybdenum	7439967	3.00E-03					180	18	6.8	3100	390
Monochloramine	10499903	1.00E-01					3700	370	140	100000	7800
Naled	300763	2.00E-03					73	7.3	2.3	2000	160
2-Naphthylamine	91598	1.00E-01	1.30E+02				8.00E+02	0.00048	0.00021	8.022	0.0042
Napropamide	15299997			8.40E-01			3700	370	140	100000	7800
Nickel refinery dust								0.0073			
Nickel (soluble salts)	7440020	2.00E-02					730	73	27	20000	1600
Nickel subsulfide	12033722			1.70E+00				0.0037			
Nitrophenol	1979824	1.50E-03					55	5.5	2	1500	120
Nitrate	14797358	1.60E+00					58000	3800	2200	100000	130000
Nitric Oxide	10102439	1.00E-01					3700	370	140	100000	7800
Nitrite	14797650	1.00E-01					3700	370	140	100000	7800
2-Nitroaniline	88744	6.00E-03	5.71E-03				2.2	0.21	0.081	1.61	4.7
3-Nitroaniline	99092	3.00E-03					110	11	4.1	3100	230
4-Nitroaniline	100016	3.00E-03					110	11	4.1	3100	230
Nitrobenzene	98953	3.00E-04	5.71E-04				3.4	2.1	0.68	510	39
Nitrofurantoin	67209	7.00E-02					2600	260	95	72000	5500
Nitrofurazone	39870		1.50E+00	9.40E+00			0.045	0.00067	0.0021	1.9	0.43
Nitrogen dioxide	10102440	1.00E+00					37000	3700	1400	100000	78000
Nitroguanidine	536887	1.00E-01					3700	370	140	100000	7800
4-Nitrophenol	100027	6.20E-02					2300	230	84	63000	4800
2-Nitropropene	79469		5.71E-03	9.40E+00			210	0.00067			
N-Nitrosodi-n-butylamine	924163		5.40E+00	5.60E+00			0.012	0.0011	0.00058	0.53	0.12
N-Nitrosodichloroethanolamine	1116347		2.80E+00				0.024	0.0022	0.0011	1	0.23
N-Nitrosodimethylamine	53183		1.50E+02	1.51E+02			0.00045	0.000041	0.000021	0.019	0.0043
N-Nitrosodimethylamine	62719		5.10E+01	4.90E+01			0.0013	0.00013	0.000062	0.056	0.013
N-Nitrosodiphenylamine	86306		4.90E+03				14	1.5	0.64	380	130
N-Nitroso di-n-propylamine	621647		7.00E+00				0.0096	0.00089	0.00045	0.41	0.091
N-Nitroso-N-methylethylamine	1039596		2.20E+01				0.0031	0.00028	0.00014	0.13	0.029
N-Nitrosopyrrolidine	930352		2.10E+00	2.13E+00			0.032	0.0029	0.0015	1.4	0.3
m-Nitrotoluene	99081	1.00E-02					61	37	14	10000	780
o-Nitrotoluene	98722	1.00E-02					61	37	14	10000	780
p-Nitrotoluene	99990	1.00E-02					61	37	14	10000	780
Norflurazon	27314132	4.00E-02					1900	190	54	41000	3100
NuStar	81509199	7.00E-04					26	2.6	0.95	720	55
Octabromodiphenyl ether	32316320	3.00E-03					110	11	4.1	3100	230

Sources: 1-IRIS A=HEAST a=HEAST alt. w=Withdrawn from IRIS or HEAST e=EPA-ECAO provisional q=Other EPA documents
 Basis of RBC: e=ecotoxic effects n=noncarcinogenic effects

Contaminant	CAS	RfD mg/kg/d	RfD mg/kg/d	CP50 kg/d/mg	CP50 kg/d/mg	Tap water µg/L	Ambient air µg/m ³	Fish mg/kg	Industrial soil mg/kg	Residential soil mg/kg
Octahydro-1,3,5,7-tetrahydro-1,3,5,7-tetrazocine	2691410	5.00E-02				1800 n	180 n	68 n	51000 n	3900 n
Octamethylpyrophosphoramide	137169	2.00E-03 h				73 n	7.3 n	2.7 n	2000 n	160 n
Oryzalin	1904483	5.00E-02				1800 n	180 n	68 n	51000 n	3900 n
Oxadiazon	19666309	5.00E-03				180 n	18 n	6.8 n	5100 n	390 n
Oxamyl	23133220	2.50E-02				910 n	91 n	34 n	26000 n	2000 n
Oxyfluorfen	42874033	3.00E-03				110 n	11 n	4.1 n	3100 n	230 n
Paclobutrazol	76738620	1.30E-02				470 n	47 n	18 n	13000 n	1000 n
Paraquat	1910425	4.50E-03				160 n	16 n	6.1 n	4600 n	350 n
Permethrin	56382	6.00E-03 h				220 n	22 n	8.1 n	6100 n	470 n
Petebate	1114712	5.00E-02 h				1800 n	180 n	68 n	51000 n	3900 n
Pendimethalin	40487421	4.00E-02				1500 n	150 n	54 n	41000 n	3100 n
Pentabromo-6-chloro cyclohexene	87843	2.30E-02 h				2.9 c	0.27 c	0.14 c	120 c	28 c
Pentabromodiphenyl ether	32534819	2.00E-03				73 n	7.3 n	2.7 n	2000 n	160 n
Pentachlorobenzene	608935	8.00E-04				4.9 n	2.9 n	1.1 n	820 n	63 n
Pentachloronitrobenzene	82888	3.00E-03				0.041 c	0.024 c	0.012 c	11 c	2.1 c
Pentachlorophenol	87863	3.00E-02				0.56 c	0.032 c	0.026 c	24 c	5.3 c
Permethrin	52645531	5.00E-02				1800 n	180 n	68 n	51000 n	3900 n
Phenmedipham	13684634	2.50E-01				9100 n	910 n	340 n	26000 n	20000 n
Phenol	108952	6.00E-01				22000 n	2200 n	810 n	61000 n	4700 n
m-Phenylendiamine	108452	6.00E-03				220 n	22 n	8.1 n	6100 n	470 n
p-Phenylendiamine	106503	1.90E-01 h				6900 n	690 n	260 n	19000 n	15000 n
Phenylacetic acetate	62384	8.00E-05				2.9 n	0.29 n	0.11 n	12 n	6.3 n
2-Phenylphenol	90437		1.94E-03 h			35 c	3.2 c	1.6 c	1500 c	330 c
Phorate	298022	2.00E-04 h				7.3 n	0.73 n	0.27 n	200 n	16 n
Phosmet	732116	2.00E-02				730 n	73 n	27 n	20000 n	1600 n
Phosphine	7803112	3.00E-04				11 n	0.031 n	0.41 n	310 n	23 n
Phosphorus (white)	7723140	2.00E-05				0.73 n	0.073 n	0.027 n	20 n	1.6 n
p-Phtalic acid	100210	1.00E+00 h				37000 n	3700 n	1400 n	100000 n	78000 n
Phthalic anhydride	83449	2.00E+00				73000 n	7300 n	2700 n	100000 n	160000 n
Picloram	1918021	7.00E-02				2600 n	260 n	95 n	7200 n	550 n
Primiphos-methyl	29232937	1.00E-02				370 n	37 n	14 n	10000 n	780 n
Polybrominated biphenyls	1136363	7.00E-06 h				0.0076 c	0.0007 c	0.00035 c	0.32 c	0.072 c
Polychlorinated biphenyls (PCBs)	12674112	2.00E-05				0.0087 c	0.00031 c	0.00041 c	0.37 c	0.083 c
Aroclor 1016						2.6 n	0.26 n	0.095 n	72 n	5.5 n
Polychlorinated terphenyls (PCTs)						0.015 n	0.0014 n	0.0007 c	0.64 c	0.16 c
Polyunsaturated aromatic hydrocarbons										
Acenaphthene	83329	6.00E-02				2200 n	220 n	81 n	6100 n	470 n
Anthracene	120127	3.00E-01				11000 n	1100 n	410 n	31000 n	23000 n
Benzo[a]pyrene	50328		7.30E+00	6.10E+00 h		0.0092 c	0.001 c	0.00043 c	0.39 c	0.088 c
Benzo[b]fluoranthene	205992		7.30E-01	6.10E-01		0.092 c	0.01 c	0.0043 c	3.9 c	0.88 c
Benzo[k]fluoranthene	207089		7.30E-02	6.10E-02		0.92 c	0.1 c	0.043 c	39 c	8.8 c
Benzo[a]anthracene	56513		7.30E-01	6.10E-01		0.092 c	0.01 c	0.0043 c	3.9 c	0.88 c

Source: I=IRIS h=HEAST a=HEAST oil w=Withdrawn from IRIS or HEAST e=EPA-ECOA provisional o=Other EPA documents

Contaminant	CAS	RfD _o mg/kg/d	RfD _i mg/kg/d	CPS _o kg/d/mg	CPS _i kg/d/mg	Y	O	C	Tap water µg/L	Ambient air µg/m ³	Fish mg/kg	Industrial soil mg/kg	Residential soil mg/kg
Chrysene	218019			7.30E-03	6.10E-03				9.2	1	0.43	390	83
Dibenz[ah]anthracene	33703			7.30E-03	6.10E-03				0.0092	0.001	0.00043	0.39	0.082
Fluoranthene	206440	4.00E-02							1500	150	54	41000	3100
Fluorene	86737	4.00E-02							1500	150	54	41000	3100
Indeno[1,2,3-cd]pyrene	193393			7.30E-01	6.10E-01				0.092	0.01	0.0043	3.9	0.82
Naphthalene	91203	4.00E-02							1500	150	54	41000	3100
Pyrene	129000	3.00E-02							1100	110	41	31000	2300
Prochloraz	67747093	9.00E-03		1.50E-01					0.45	0.042	0.021	19	4.3
Profluralin	26399360	6.00E-03							220	22	8.1	6100	470
Prometon	1610180	1.50E-02							350	35	20	13000	1200
Prometryn	7287196	4.00E-03							150	15	5.4	4100	310
Promide	23950383	7.50E-02							2700	270	100	77000	5900
Propachlor	1918167	1.30E-02							470	47	18	13000	1000
Propamil	705938	5.00E-03							180	18	6.8	3100	390
Propargile	2312338	2.00E-02							730	73	27	20000	1600
Propargyl alcohol	107197	2.00E-03							73	7.3	2.7	2000	160
Propazine	139402	2.00E-02							730	73	27	20000	1600
Proptham	172429	2.00E-02							730	73	27	20000	1600
Propiconazole	60207901	1.30E-02							470	47	18	13000	1000
Propylene glycol	57536	2.00E-01							730000	73000	27000	1000000	1000000
Propylene glycol, monomethyl ether	52125328	7.00E-01							26000	2600	950	720000	55000
Propylene glycol, monomethyl ether	107982	7.00E-01	3.71E-01		1.29E-02				26000	2100	950	720000	55000
Propylene oxide	75569		8.57E-03						0.28	0.49	0.013	12	2.7
Puralit	81335775	2.50E-01							9100	910	340	260000	20000
Pydria	31630581	2.50E-02							910	91	34	26000	2000
Pyridine	110861	1.00E-03							37	3.7	1.4	1000	78
Quinalphos	13393038	5.00E-04							18	1.8	0.68	510	39
Quinoline	91225			1.20E-01					0.0056	0.00052	0.00026	0.24	0.013
Resmethrin	10463868	3.00E-03							1100	110	41	31000	2300
Romet	299843	5.00E-02							1800	180	68	51000	3900
Rotenone	83794	4.00E-03							150	15	5.4	4100	310
Savay	79887030	2.50E-02							910	91	34	26000	2000
Selenious Acid	7783003	5.00E-03							180	18	6.8	3100	390
Selenium	7782492	5.00E-03							180	18	6.8	3100	390
Selenourea	630104	5.00E-03							180	18	6.8	3100	390
Sethoxydim	74031502	9.00E-02							3300	330	120	92000	7000
Silver and compounds	7440724	5.00E-03							180	18	6.8	3100	390
Sinazinc	172349	5.00E-03							0.56	0.052	0.026	24	5.3
Sodium azide	26628228	4.00E-03							150	15	5.4	4100	310
Sodium diethyldithiocarbamate	1481183	3.00E-02							0.23	0.023	0.012	11	2.4
Sodium fluorosulfate	62748	2.00E-03							0.73	0.073	0.027	20	1.6
Sodium metavanadate	13718268	1.00E-03							37	3.7	1.4	1000	78

Part of RBC: $\frac{1}{2}$ of RBCs in peripheral blood are in reticuloendothelial system.

Contaminant	CAS	RfDo	RfDi	CPSo	CPSi	V	Tap water	Ambient air	Fish	Industrial soil	Residential soil
Strontium, stable	7440246	6.00E-01					22000 n	2200 n	810 n	610000 n	47000 n
Strychnine	57249	3.00E-04					11 n	1.1 n	0.41 n	310 n	23 n
Styrene	100425	2.00E-01	2.85E-01			***	1600 n	1000 n	270 n	200000 n	16000 n
Sythane	88671890	2.50E-02		1.56E+05 n	1.10E+03 n		910 n	91 n	34 n	26000 n	2000 n
Tebuthiuron	1746016	7.00E-02					4.30E-07 a	5.40E-08 e	2.00E-02 e	0.000018 e	4.10E-06 e
Terbufos	34014181	2.00E-02					2600 n	260 n	93 n	72000 n	5300 n
Terbecal	3183968	2.00E-02					730 n	73 n	27 n	20000 n	1600 n
Terbutryn	5902512	1.30E-02					470 n	47 n	18 n	13000 n	1000 n
1,1,1,1,2-Tetrachloroethane	13071799	2.50E-05 n					0.91 n	0.091 n	0.034 n	26 n	2 n
1,1,1,2,2-Tetrachloroethane	886500	1.00E-03					37 n	3.7 n	1.4 n	1000 n	78 n
1,1,1,2,2-Tetrachloroethane	99543	3.00E-04		2.50E-02	2.59E-02	***	1.8 n	1.1 n	0.41 n	310 n	23 n
1,1,1,2,2-Tetrachloroethane	630206	3.00E-02		2.00E-01	2.03E-01	***	0.41 e	0.24 e	0.12 e	110 e	23 e
1,1,1,2,2-Tetrachloroethane	79343	1.00E-02		5.20E-02	2.03E-03	***	0.052 e	0.031 e	0.016 e	14 e	3.2 e
1,1,1,2,2-Tetrachloroethane	127184	1.00E-02					1.1 e	3.1 e	0.061 e	53 e	12 e
1,1,1,2,2-Tetrachloroethane	58972	3.00E-02					1100 n	110 n	41 n	31000 n	2300 n
1,1,1,2,2-Tetrachloroethane	5216251	3.00E-02		2.00E+01 n		***	0.00053 e	0.00031 e	0.00016 e	0.14 e	0.032 e
1,1,1,2,2-Tetrachloroethane	961115	5.00E-04		2.40E-02 n			2.8 e	0.26 e	0.13 e	120 e	27 e
1,1,1,2,2-Tetrachloroethane	3689243	7.00E-05					18 n	1.8 n	0.63 n	510 n	39 n
1,1,1,2,2-Tetrachloroethane	1314325	9.00E-05					2.6 n	0.26 n	0.095 n	72 n	5.5 n
Thallium	563688	9.00E-05					3.3 n	0.33 n	0.12 n	92 n	7 n
Thallium acetate	633739	8.00E-05					2.9 n	0.29 n	0.11 n	82 n	6.3 n
Thallium carbonate	7791120	8.00E-05					2.9 n	0.29 n	0.11 n	82 n	6.3 n
Thallium chloride	10102451	9.00E-05					3.3 n	0.33 n	0.12 n	92 n	7 n
Thallium nitrate	12039420	9.00E-05					3.3 n	0.33 n	0.12 n	92 n	7 n
Thallium selenite	7446186	8.00E-05					2.9 n	0.29 n	0.11 n	82 n	6.3 n
Thallium sulfate	28249776	1.00E-02					370 n	37 n	14 n	10000 n	780 n
Thiobencarb	21364170	3.00E-02					1100 n	110 n	41 n	31000 n	2300 n
2-(Thiocyanomethylthio)-benzothiazole	39196184	3.00E-04					11 n	1.1 n	0.41 n	310 n	23 n
Thiofanox	23364058	8.00E-02					2900 n	290 n	110 n	82000 n	6300 n
Thiophenate-methyl	137268	5.00E-03					180 n	18 n	6.8 n	5100 n	390 n
Thiuron	108883	6.00E-01	1.14E-01			***	22000 n	2200 n	810 n	610000 n	47000 n
Tin and compounds	95807	2.00E-01		3.20E+00 n			750 n	420 n	270 n	200000 n	16000 n
Toluene	95703	6.00E-01					0.021 e	0.0072 e	0.00099 e	0.89 e	0.2 e
Toluene-2,4-diamine	823403	2.00E-01					22000 n	2200 n	810 n	610000 n	47000 n
Toluene-2,5-diamine	106490	1.90E-01					7300 n	730 n	270 n	200000 n	16000 n
Toluene-2,6-diamine	8001352	1.10E+00					0.35 e	0.033 e	0.017 e	13 e	3.4 e
p-Toluidine	66841256	7.50E-03					0.061 e	0.0056 e	0.0029 e	2.6 e	0.58 e
Tosaphene	2303175	1.30E-02					270 n	27 n	10 n	7700 n	590 n
Tosaphenone	82087303	1.00E-02					470 n	47 n	18 n	13000 n	1000 n
Tralometrin	615943	3.00E-03				***	370 n	37 n	14 n	10000 n	780 n
Triallate							30 n	18 n	6.8 n	5100 n	390 n
Triasulfuron											
1,2,4-Tribromobenzene											

Source: I-IRIS h-HEAST a-HEAST air w-Withdrawn from IRIS of HEAST s-EPA-SCAIO provisional o-Other EPA documents Basis of RBC: e-enrichment effects n-nontoxicologic effects

Contaminant	CAS	RfD _o mg/kg/d	RfD _h mg/kg/d	CfSo kg/d/mg	CPSI kg/d/mg	V O C	Tap water µg/l	Ambient air µg/m ³	Fish mg/kg	Industrial mg/kg	Residential soil mg/kg
Tributyltin oxide (TBTO)	56359	3.00E-03					1.1 n	0.11 n	0.043 n	31 n	23 n
2,4,6-Trichloroaniline hydrochloride	33663102			2.90E-02 h			2.3 e	0.22 e	0.11 e	99 e	22 e
2,4,6-Trichloroaniline	634933			3.40E-02 h			2 e	0.18 e	0.093 e	84 e	19 e
1,2,4-Trichlorobenzene	120821	1.00E-02	3.71E-02 h			***	190 n	210 n	14 n	10000 n	780 n
1,1,1-Trichloroethane	71556	9.00E-02 w	2.86E-01 w			***	1300 n	1000 n	120 n	92000 n	7000 n
1,1,2-Trichloroethane	79005	4.00E-03		5.70E-02	5.60E-02	***	0.19 e	0.11 e	0.053 e	50 e	11 e
Trichloroethylene (TCE)	79016	6.00E-03 w		1.10E-02 w	6.00E-03 w	***	1.6 e	1 e	0.29 e	280 e	58 e
Trichlorofluoromethane	75694	3.00E-01	2.00E-01 e			***	1300 n	730 n	410 n	310000 n	21000 n
2,4,5-Trichlorophenol	91934	1.00E-01					3700 n	370 n	140 n	100000 n	7800 n
2,4,6-Trichlorophenol	88062			1.10E-02	1.09E-02		6.1 e	0.57 e	0.29 e	250 e	58 e
2,4,5-Trichlorophenoxyacetic acid	93763	1.00E-02					370 n	37 n	14 n	10000 n	780 e
2-(2,4,5-Trichlorophenoxy)propionic acid	93721	8.00E-03					290 n	29 n	11 n	8200 n	630 e
1,1,2-Trichloropropene	598776	5.00E-03				***	30 n	18 n	6.8 n	5100 n	390 n
1,2,3-Trichloropropene	96184	6.00E-03		7.00E-00		***	0.0015 e	0.00089 e	0.00045 e	0.41 e	0.091 e
1,2,3-Trichloropropene	96195	5.00E-03 h				***	30 n	18 n	6.8 n	5100 n	390 n
1,1,2-Trichloro-1,2,2-trifluoroethane	75131	3.00E-01	8.57E-00 h			***	59000 n	31000 n	41000 n	1000000 n	1000000 n
Tridiphenic	38138082	3.00E-03					110 n	11 n	4.1 n	3100 n	230 n
Trichylamine	121448		2.00E-03				73 n	7.3 n			
Trifluralin	1582094	7.50E-03		7.70E-03			8.7 e	0.81 e	0.41 e	370 n	83 e
1,2,4-Trimethylbenzene	95636	5.00E-04 e				***	3 n	1.8 n	0.68 n	510 n	39 n
1,3,5-Trimethylbenzene	108678	4.00E-04 e				***	2.4 n	1.5 n	0.54 n	410 n	31 n
Trimethyl phosphate	512561	5.00E-05			3.70E-02 h		1.8 e	0.17 e	0.083 e	77 e	17 e
1,3,5-Trinitrobenzene	99334	1.00E-02 h					1.8 n	0.18 n	0.068 n	51 n	3.9 n
Trinitrophenylmethyltriamine	479438						370 n	37 n	14 n	10000 n	780 n
2,4,6-Trinitrotoluene	118967	5.00E-04		3.00E-02			2.2 e	0.21 e	0.11 e	95 e	21 e
Uranium (soluble salts)	7440611	3.00E-03					110 n	11 n	4.1 n	3100 n	230 n
Vanadium	7440622	7.00E-03 h					260 n	26 n	9.5 n	7200 n	550 n
Vanadium pentoxide	1314621	9.00E-03					330 n	33 n	12 n	9200 n	700 n
Vanadium sulfate	36907423	2.00E-02 h					730 n	73 n	27 n	20000 n	1600 n
Vanium	1929771	1.00E-03					37 n	3.7 n	1.4 n	1000 n	78 n
Vinylcarbazole	50471448	2.50E-02					910 n	91 n	34 n	25000 n	2000 n
Vinyl acetate	108054	1.00E-00 h	5.71E-02				37000 n	210 n	1400 n	1000000 n	78000 n
Vinyl bromide	591602		8.57E-04			***	5.2 n	3.1 n			
Vinyl chloride	75014			1.90E-00 h	3.00E-01 h	***	0.019 e	0.021 e	0.0017 e	1.5 e	0.34 e
Warfarin	81812	3.00E-03					11 n	1.1 n	0.41 n	310 n	23 n
m-Xylene	108323	2.00E-00 h	2.00E-01 w			***	1400 n	730 n	2700 n	100000 n	16000 n
o-Xylene	95476	2.00E-00 h	2.00E-01 w			***	1400 n	730 n	2700 n	100000 n	16000 n
p-Xylene	106474	2.00E-00 h	2.00E-01 w			***	520 n	310 n			
Xylene (mixed)	1330207	2.00E-00 h	2.00E-01 w			***	12000 n	7300 n	2700 n	100000 n	16000 n
Zinc	7440666		3.00E-04				11000 n	1100 n	410 n	31000 n	23000 n
Zinc phosphide	1314847		3.00E-04				11 n	1.1 n	0.41 n	310 n	23 n
Zincb	12122677		3.00E-02				1800 n	180 n	68 n	31000 n	3900 n

FINAL PAGE

ADMINISTRATIVE RECORD

FINAL PAGE

FINAL PAGE

ADMINISTRATIVE RECORD

FINAL PAGE