	PROJECT NUMBER		WELL NUMBER	
	170039		IW-4	SHEET 1 OF 1
CH2MHILL	WELL COMPLETION DIAGRAM			
PROJECT : EBT Treatability Study				LOCATION : Memphis Depot
DRILLING CONTRACTOR : Boart Longyeau				
WATER LEVELS :	SED : Rotasonic rig (4 inch sample casing / 6 inch outer START : 04/15/2002		04/16/2002	LOGGER : Mike Karafa
3				6 JUN
^{3b} 2 1		1- Ground elevation at well		feet MSL
		2- Top of casing elevation		feet MSL
3a		 3- Wellhead protection cover type a) drain tube? b) concrete pad dimensions 4- Dia./type of well casing 5- Type/slot size of screen 		Flush-mount wellhead pad
				No 3 by 3 feet
8 107 ft 4 4				
				2 inch Schedule 40 PVC
				2 inch 40-slot Schedule 40 PVC
		6- Type screen filtera) Quantity used		Sand, 1 ft of DSI #2 on top of 3 ft of Global #4 bags
		7- Type of seala) Quantity used		Bentonite pellets, DSI Shur-plug 3/8" bags
	5	8- Grout a) Grout mix used		90% grout / 10% bentonite powder
		b) Method of placement c) Vol. of well casing grout Development method		Tremmie Method
15 ft	6			
		Development time Estimated purge volume		hour
				gallons
		Comments	Total Depth (BGS) =	106 feet
	1 foot Sump	•		
			al field parameters collected during well development (/ /):	
		pH =		
<u>6 in</u>		conductivity = temperature =		
		Dissolved Oxygen =		mg/l
Note: Diagram not to scale.			Turbidity =	NTU