

US ARMY ENVIRONMENTAL HYGIENE AGENCY

DRILLING LOG

DD Memphis, TN
PROJECT 38-26-0195-82 **DATE** 24 June 1982
LOCATION Dunn Field Area-20' south of **DRILLERS** Kestner Thoner Curran
north fence & 22' east of west fence
DRILL RIG Acker AD11/6" hollow stem **BORE HOLE** MW - 3
auger

DEPTH	SAMPLE TYPE	DESCRIPTION	REMARKS
	BLOWS PER 6 IN.		
		Brown, silty clay	GL- 290.38' TD - 75' WL (Initial) - 64'-0" WL (24 hr) - 63'-7" TOC
5	BS	dark brown, silty clay	encountered more canisters of unknown material (similar to one found in MW - 2)
		dark gray-black silty clay	
		brown to dark brown, silty clay	
10			
15			

HSE-ES Form 78, 1 Jun 80

Replaces USAEHA Form 95, 12 Aug 74, which will be used.

US ARMY ENVIRONMENTAL HYGIENE AGENCY

DRILLING LOG

DD Memphis, TN
PROJECT 38-26-0195-82 **DATE** 24 June 1982
LOCATION Dunn Field Area-20' south of **DRILLERS** Kestner, Thoner, Curran
north fence & 22' east of west fence
DRILL RIG Acker AD11/6" hollow stem **BORE HOLE** MW - 3
auger

DEPTH	SAMPLE TYPE	DESCRIPTION	REMARKS
	BLOWS PER 6 IN		
20		Brown, silty clay	
25		more clay, and moist	
30	BS		

HSE-ES Form 78, 1 Jun 80

Replaces USAEHA Form 95, 12 Aug 74, which will be used.

F-11

US ARMY ENVIRONMENTAL HYGIENE AGENCY

DRILLING LOG

DD Memphis, TN

PROJECT 38-26-0195-82 DATE 24 June 1982
 LOCATION Dunn Field Area-20' south of DRILLERS Kestner Thoner Curran
north fence & 22' east of west fence
 DRILL RIG Acker AD11/6" hollow stem BORE HOLE MW - 3
auger

DEPTH	SAMPLE TYPE	DESCRIPTION	REMARKS
	BLOWS PER 6 IN		
35		Lt brown, silty sand	Noise from auger?
40		No return, sand sand-silt (red-yellow-lt orange)	Noise, possibly gravel water
45	BS	Red-yellow (lt orange) sand/silt	

HSE-ES Form 78, 1 Jun 80

Replaces USAEHA Form 95, 12 Aug 74, which will be used.

US ARMY ENVIRONMENTAL HYGIENE AGENCY

DRILLING LOG

DD Memphis, TN
PROJECT 38-26-0195-82 **DATE** 24 June 1982
LOCATION Dunn Field Area-20' south of **DRILLERS** Kestner, Thoner, Curran
north fence & 22' east of west fence
DRILL RIG Acker AD11/6" hollow stem **BORE HOLE** MW - 3
auger

DEPTH	SAMPLE TYPE	DESCRIPTION	REMARKS
	BLOWS PER 6 IN		
50		Red-yellow (lt orange) sand/silt	
55		Same/small gravel 1/2" diameter	
60			

HSE-ES Form 78, 1 Jun 80

Replaces USAEHA Form 95, 12 Aug 74, which will be used.

US ARMY ENVIRONMENTAL HYGIENE AGENCY

DRILLING LOG

DD Memphis, TN
 PROJECT 38-26-0195-82 DATE 24 June 1982
 LOCATION Dunn Field Area-20' south of DRILLERS Kestner, Thoner, Curran
north fence & 22' south of west fence
 DRILL RIG Acker AD11/6" hollow stem BORE HOLE MW - 3
auger

DEPTH	SAMPLE TYPE	DESCRIPTION	REMARKS
	BLOWS PER 6 IN.		
		Red-yellow (lt orange) sand/silt - moist	Moist flowing
		24 HR water level	
		Initial water level	
65		Red-yellow (lt orange) silt, sand	Wet
70			Extremely difficult to connect auger flight (flowing sands)
75		BOH	

HSE-ES Form 78, 1 Jun 80

Replaces USAEHA Form 95, 12 Aug 74, which will be used.