



PROJECT NUMBER <b>170039</b>	WELL NUMBER <b>MW-112</b>	SHEET 1 OF 1
<b>WELL COMPLETION DIAGRAM</b>		

PROJECT : EBT Treatability Study

LOCATION : Memphis Depot

DRILLING CONTRACTOR : Boart Longyear


DRILLING METHOD AND EQUIPMENT USED : Rotasonic rig (4 inch sample casing / 6 inch outer casing)

WATER LEVELS :

START : 04/21/2002

END: 04/22/2002

LOGGER : Mike Karafa



Note: Diagram not to scale.

1- Ground elevation at well	feet MSL
2- Top of casing elevation	feet MSL
3- Wellhead protection cover type	Flush-mount wellhead pad
a) drain tube?	No
b) concrete pad dimensions	3 by 3 feet
4- Dia./type of well casing	2 inch Schedule 40 PVC
5- Type/slot size of screen	2 inch 10-slot Schedule 40 PVC
6- Type screen filter	Sand, DSI #2
a) Quantity used	bags
7- Type of seal	Bentonite pellets, DSI Shur-plug 3/8"
a) Quantity used	bags
8- Grout	90% grout / 10% bentonite powder
a) Grout mix used	Tremmie Method
b) Method of placement	
c) Vol. of well casing grout	
Development method	
Development time	hour
Estimated purge volume	gallons
Comments	Total Depth (BGS) = 101 feet
Final field parameters collected during well development ( / / ):	
pH =	
conductivity =	mS/cm
temperature =	°C
Dissolved Oxygen =	mg/l
Turbidity =	NTU