Law Environmental, Inc. Government Services Division

TEST BORING RECORD

BORING NUMBER	REMARKS:	PAGE 1 OF 3
DATE STARTED 3-15-89 DATE COMPLETED 1./3 3-17-89 DRILLED BY JC LOGGED BY FT CHECKED BY RM	Hydraulic Royary (Mud) 3 3/4" clay wing bit Split Spoon Sampling	

ELEV.	DEPTI			-					_
IN	(N	DESCRIPTION	1 1				i	SPT	1
FEET	FEET	L			CPI.	s	LT	N	
300.19	0.0	Very soft reddish brown to gray sitty CLAY, CL	100000000	750000000	- -			VALUE	ı
1	l	TOTAL SOUR LEGISLE ENGALI TO GLAY SIRY CEAY, CE							
									ľ
							i,		•
295.19		İ					,		
233.13								- 2	
]					- 1			I	l
1 1									
									1
haa .al									
290.19	10.0							ا	
		Soft light brown silty CLAY with gray and black						F1 ()
		inclusions and streaks of orange clay, CL						` `	′′
1		• • • • • • • • • • • • • • • • • • • •			İ				
					ł				
<u> 285.19</u>						i			
							ŀ	1	ĺ
	;					l			
1						ŀ			ļ
						ļ			
280.19					- 1				
							ļ	- 4	
1 1					_	ļ		,	
					_	ŀ			
1		•				[1		
275.19	i				- [J		
-10,15					ı	Ì	- 1	- 5	
!							. [~ 3	
1					- 1	ŀ		ı	
	I				- 1	1	- 1		
270.19	30.0	**				- 1			
1		Stiff brownish orange sifty CLAY, CL			1			- 9	
]	ĺ	•				- 1	-	ئے	``\
					- 1			(ノ
						- 1]		
265.19						Į.		, , , J	
			PARTICIPATION	F35 35 35 35				<u>' 1</u> 3	

TEST BORING RECORD

BORING NUMBER	MW-16 11-8531-01	REMARKS:	v = 5°	PAGE 2 OF 3
DATE STARTED	3-15-89	·		
DATE COMPLETED	3-17-89			
DRILLED BY	1C			•
LOGGED BY	FT			
CHECKED BY	RM	1		
		<u> </u>		

ELEV. IN FEET	OEPTH IN FEET	DESCRIPTION			QR.	s	LΤ	SPT N
	35.0	G-a anadana ana	######################################	939393333	-	\vdash		VALUE
	38.5	See previous page						
260.19	ĺ	Very stiff slity sandy CLAY with sandy lenses and pebbles, ML					GS	22
	43.5				1		-AL	
<u>255.</u> 19	i	Very dense yellowish tan to beige clayey sandy- GRAVEL, GW-GM					w	— 50/.4
	49.0			8888				
250.19	53.5	Very dense orangish brown to gray fine to medium grained clayey SAND, SC						— 62
245.19	,	Very dense brownish orange line to medium grained slightly clayey gravelly SAND, SC						— 100/.4
	58.0	GRAVEL, SM		38888		▝		
240.19	59.0	Very dense tan to orange medium to coarse grained gravelly SAND, SP						– 57
<u>235.19</u>	65.0	Very dence howerish orange medium assistation.					GS -AL W	_
230.19	70.0	Very dense brownish orange medium grained welt sorted sand, SP-SM						64

 $\frac{1}{2}$

Law Environmental, Inc. Government Services Division

TEST BORING RECORD

•	4		
BORING NUMBER	MW-16	REMARKS:	PAGE 3 OF 3
JOB NUMBER	11-8531-01		1 AGE CF
DATE STARTED	3-15-89	_	•
DATE COMPLETED	3-17-89	-	
DRILLED BY	JC	-	
LOGGED BY	FĪ	_	:
CHECKED BY	RM	i	i
		-	

ELEV.	IN	DESCRIPTION	-	į		σR	s	LT	SPT	1
FEET	FEET	·	1						VALUE	
<u>225,19</u>	75.0	See previous page Very stiff bright orange silty sandy CLAY, CL							— 119	
220.19									– 25 ₍	
	83.0	Very stiff gray CLAY, CH	4				:			ĺ
<u>215.19</u>	85.0	Boring Terminated	-						- 22	
	·								_	
		•								
					•				- - 1	