### Law Environmental, Inc. Government Services Division

### **TEST BORING RECORD**

18

87

38

REMARKS:

PAGE 1 OF 3

7 1/4" Hollow Stem Auger Split Spoon Sampling

ELEV.	DEPTH	DESCRIPTION					SPT
FEET	IN FEET	DESCRIPTION		CPA	S	Է	N _,VALUE
316.18		Firm to very stiff yellowish brown to dark brown CLAY with minor pebbles in upper section, sitty and mottled in lower section, CL					<b>−</b> 16 .
311.18							— 13 ── 15
306.18							<b>—</b> 16
301.18							7
<u>296.18</u>							11
291.18		•					9
<u> 286.18</u>	30.0	Very firm yellow to brown sandy CLAY, CL			-		- 6
281.18	35.0	·				;	24

### Law Environmental, Inc. Government Services Division

## TEST BORING RECORD

BORING NUMBER JOB NUMBER	MW-17 11-8531-01	REMARKS:	PAGE 2 OF 3
DATE STARTED	3-28-89		
DATE COMPLETED	3-28-89		
DRILLED BY	JC		
LOGGED BY			
CHECKED BY	JA		
'	<u> </u>		

	.EV. IN EET	DEPTH IN FEET	DESCRIPTION			CPR	5	LT	SPT N VALUE	
		35.0 38.0	See previous page							
270	6.18		Very dense orangish tan fine well sorted SAND with muscovite, SM			-				
		43.7	Very dense dark brownish orange coarse micaceous SAND, SM						<b></b> 81	
<u>27</u> ·	1,18		Very dense light tan to light brownish orange line to medium grained well sorted SAND, SM						- 74 (	)
266	5.18	48.0	Very dense light tan fine grained well sorted micaceous SAND with minor pebbles, SP			l			<b>-</b> 75	
261	1.18	53.5	Very dense brownish tan medium grained well sorted gravelly SAND, SP						- 69	
<u>256</u>	i.18	58.0	Very dense tannish orange fine to medium grained well sorted gravelly SAND, SP					-	- 50/.4	
<u>251</u>	.18	64.0	Dense light tan fine grained well sorted SAND grading downward to light tannish brown sand with pink and gray clay, SM						- 42	
<u>2</u> 48	10	68.0	Very dense orange fine to medium grained well sorted micaceous SAND, SM		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
E 70	. 10	70.0		******	******	- 1	1	- 1	<sup>-</sup> 50/.4	

# TEST BORING RECORD

			n - 2 - 2
BORING NUMBER	MW-17	REMARKS:	.PAGE_3_OF_3_
JOB NUMBER	11-8531-01		
DATE STARTED	3-28 <b>-</b> 89		
DATE COMPLETED	3-28-89		
DRILLED BY	JC		
LOGGED BY	FT		
CHECKED BY	JA		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION			ĊЯ	s	LŤ	SPT N VALUE
	70.0	See previous page	2000					
241.18		Dense orangish brown GRAVEL, GM			·			<b>–</b> 47
236.18	78.5	Very dense brownish orange fine to medium grained gravelly SAND, SP-SM						50/.4
<u>231.18</u>						_	GS AL W	<b>—</b> 50/.3
226.18	94.0	Very stiff light orange CLAY, CH					GS -AL	50/.5
221.18	95.0	Boring Terminated				1	w	26
		·						_