

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER	MW-18
JOB NUMBER	11-8531-01
DATE STARTED	4-2-89
DATE COMPLETED	4-2-89
DRILLED BY	JC
LOGGED BY	FWT
CHECKED BY	JA

REMARKS:

PAGE 1 OF 4

Hydraulic Royary (Mud)

3 3/4" clay wing bit

Split Spoon Sampling

(No Water Table)

[illegible]

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER	MW-18	REMARKS:	PAGE <u>2</u> OF <u>4</u>
JOB NUMBER	11-8531-01		
DATE STARTED	4-2-89		
DATE COMPLETED	4-2-89		
DRILLED BY	JC		
LOGGED BY	FWT		
CHECKED BY	JA		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
		See Previous Page							
268.25								GS AL W	25
263.25	43.5	Dense light orange clean fine to medium grained SAND, SC							
									31
258.25									50
253.25	53.5	Very dense light orange gravelly fine grained SAND, SP							50/.42
248.25	58.5	Very dense orange clean fine to medium grained SAND							50/.5
243.25									50/.42
238.25	68.5	Very dense brownish orange gravelly sand with gravel increasing downward							50/.42

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER	<u>MW-18</u>	REMARKS:	PAGE <u>3</u> OF <u>4</u>
JOB NUMBER	<u>11-8531-01</u>		
DATE STARTED	<u>4-2-89</u>		
DATE COMPLETED	<u>4-2-89</u>		
DRILLED BY	<u>JC</u>		
LOGGED BY	<u>FWT</u>		
CHECKED BY	<u> </u>		

[illegible]

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER <u> MW-18 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 4-2-89 </u> DATE COMPLETED <u> 4-2-89 </u> DRILLED BY <u> JC </u> LOGGED BY <u> FWT </u> CHECKED BY <u> </u>	REMARKS: PAGE <u> 4 </u> OF <u> 4 </u>
--	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
	105	Light colored clay							
	106	Very dense gray and grayish-tan clayey fine grained SAND, SC							
198.25									58
193.25	113.5	Dense light orange grading into a tan clean fine to medium grained SAND, SM							30
188.25									46
183.25		Very dense tannish-yellow clayey fine to medium grained SAND, SP-SM							76
178.25									
173.25									
168.25	140.0	Boring Terminated at 140'						GS AL W	50/5