

182 941

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER MW-19
JOB NUMBER 11-8531-01
DATE STARTED 3-27-89
DATE COMPLETED 3-28-89
DRILLED BY JC
LOGGED BY FWT
CHECKED BY JA

REMARKS:

PAGE 1 OF 3

7 1/4" Hollow Stem Auger
Split Spoon Sampling

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				OR	S	LT	SPT N VALUE
290.86	0.0	Firm to very stiff light yellow brown to dark brown silty CLAY, CL							15
285.86									7
									7
280.86									6
275.86									6
270.86									27
265.86	25.0	Stiff yellowish tan sandy CLAY, CL							14
260.86									28
	33.5	See following page							
255.86	35.0								76/5

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

18 3095 84

BORING NUMBER <u>MW-19</u> JOB NUMBER <u>11-8531-01</u> DATE STARTED <u>3-27-89</u> DATE COMPLETED <u>3-28-89</u> DRILLED BY <u>JC</u> LOGGED BY <u>FWT</u> CHECKED BY <u>JA</u>	REMARKS: _____ PAGE <u>2</u> OF <u>3</u>
--	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
	35.0	Very dense brownish orange fine to coarse grained poorly sorted slightly clayey gravelly SAND, SP							
250.86	38.0	Very dense light tan to orange medium to coarse grained well sorted gravelly SAND, SW-SM						GS AL W	50/4
245.86	44.0	Very dense bright orange medium grained SAND, SM							50/4
240.86	48.5	Very coarse light tannish orange medium grained well sorted gravelly SAND, SP							62/2
235.86									30/5
230.86									50/5
225.86									67
220.86	70.0								32

18 88 96 01

Law Environmental, Inc.
Government Services Division
TEST BORING RECORD

BORING NUMBER	MW-19	REMARKS:	PAGE 3 OF 3
JOB NUMBER	11-8531-01		
DATE STARTED	3-27-89		
DATE COMPLETED	3-28-89		
DRILLED BY	JC		
LOGGED BY	FWT		
CHECKED BY	JA		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION			CR	S	LT	SPT N VALUE
	70.0	See previous page						
	73.0	Very hard pink and light gray CLAY, SP						
215.86	74.0	Very dense light tan fine to medium grained well sorted SAND, SM						50/5
210.86								50/4
205.86	83.0	Very dense light tan to orange fine grained well sorted SAND, SM						50/4
200.86	88.0	Very dense lannish brown fine to coarse grained poorly sorted gravelly SAND, SP-SM						
	90.0	Very stiff gray CLAY, CL						50/5
195.86	95.0	Boring Terminated						18

GS
AL
W