

BOREHOLE NO.: MW-205A TOTAL DEPTH: 166.5 ft.

PROJECT INFORMATION

PROJECT: Phase 2 Wells and April LTM Report

PROJECT NO.: 3202-019
SITE LOCATION: MI

PROJECT MANAGER: T. Holmes

FIELD STAFF: J. Anstaett

BOREHOLE STARTED: 4/9/2007 13:00 BOREHOLE FINISHED: 4/10/2007 09:40

DRILLING INFORMATION

DRILLING CO.: Prosonic

DRILLER: J. Asua

DRILLING METHOD/RIG: Sonic BOREHOLE DIAMETER: 6-in.

GROUND SURFACE ELEVATION: 292.32 (ft, msl)

WATER DEPTH/ DATE: 94.64-ft. toc -5/4/07

BOREHOLE USE: Monitoring Well

NOTES:

| Depth | Soil Symbol | Soil Description | Well Completion | Well Description |
|------------------------------|--|---|--------------------|---------------------|
| | 20020000000000000000000000000000000000 | Gravel and crushed stone | | |
| 10- | | CL Silty clay - dark yellowish brown 10YR (4/4), low plasticity, moist. | | Grouted Annulus |
| - - - - - 20- | | CH Silty clay - dark yellowish brown 10YR (4/4), medium plasticity, moist. | | |
| - | | CL Silty clay - brownish yellow 10YR (6/6), with gray mottling, medium plasticity, moist. | | |
| 30- | | CL Sandy clay - red 2.5YR (4/6), with some gravel medium plasticity, fine grained sand, sub-rounded gravel, moist. | | |

Created By: WTR

Checked By: KMS

PAGE: 1 of 6



BOREHOLE NO.: MW-205A TOTAL DEPTH: 166.5 ft.

| Depth | Soil Symbol | Soil Description | Well Completion | Well Description |
|-------------|----------------|--|--------------------|---------------------|
| | | SP Clayey sand - reddish yellow 5YR (6/8), with some gravel, fine grained sand, sub-rounded gravel, poorly graded, moist. | | |
| - | | SP Sand - yellowish red 5YR (5/8), fine to coarse grained sand, poorly graded, moist. | | |
| 40 | | SW Silty sand - reddish yellow 7.5YR (8/6), with few gravel, fine to coarse grained sand, subrounded gravel, well graded, dry. | | |
| - - - | | SP Sand - yellowish red 5YR (5/8), fine to coarse grained sand, poorly graded, moist. | | |
| | | SW Gravely sand - reddish yellow 5YR (6/8), fine to coarse grained sand, sub-rounded to subangular gravel, well graded, moist. | | |
| 50 | | | | |
| | | | | |
| : : | | SW Gravely sand - yellow 10YR (7/8), fine to coarse grained sand, sub-rounded to sub-angular gravel, well graded, moist. | | |
| 60 | | | | |

Created By: WTR

Checked By: KMS



BOREHOLE NO.: MW-205A TOTAL DEPTH: 166.5 ft.

| Depth | Soil Symbol | Soil Description | Well Completion | Well Description |
|-------|----------------|---|--------------------|---------------------|
| | | | | |
| 70- | | SW Gravely sand - yellowish red 5YR (5/8), fine to coarse grained sand, sub-rounded gravel, well graded, wet. | | |
| | | SP Silty sand - very pale brown 10YR (8/2), fine grained sand, poorly graded, moist. | | |
| - | | SW Gravely sand - brownish yellow 10YR (6/8), fine to coarse grained sand, sub-rounded to sub-angular gravel, well graded, moist. | | |
| 80- | | SP Silty sand - very pale brown 10YR (8/3), fine grained sand, poorly graded, dry. | | |
| - I | | SM Sandy Silt - light gray 5YR (7/1), fine to medium grained sand, possible siltstone, poorly graded, dry. | | |
| 90- | | | | |

Created By: WTR

Checked By: KMS

PAGE: 3 of 6



BOREHOLE NO.: MW-205A TOTAL DEPTH: 166.5 ft.

| Depth | Soil Symbol | Soil Description | Well Completion | Well Description |
|-------|----------------|--|-----------------------------|---------------------|
| | | SW Gravely sand - yellow 10YR (7/6), fine to coarse grained sand, sub-rounded to subangular gravel, well graded, moist. | ı <mark>√</mark> 94.64- ft. | |
| 100- | | SW Gravely sand - yellowish brown 10YR (5/8), fine to coarse grained sand, sub-rounded to sub-angular gravel, well graded, wet. | | |
| | | SW Gravely sand - dark grayish brown 10YR (4/2), fine to coarse grained sand, sub- rounded gravel, well graded, wet. | | |
| 110 | | SW Gravely sand - red 2.5YR (5/8), trace cobbles, fine to coarse grained sand, subrounded gravel, sub-rounded cobbles, well graded, wet. | | |
| | | SW Gravely sand - reddish yellow 7.5YR (6/6), fine to coarse grained sand, sub-rounded gravel, well graded, wet. | | |
| 120- | | | | |

Created By: WTR

Checked By: KMS

PAGE: 4 of 6



BOREHOLE NO.: MW-205A TOTAL DEPTH: 166.5 ft.

| Depth | Soil Symbol | Soil Description | Well Completion | Well Description |
|-------|----------------|--|--------------------|---------------------|
| | | SW Silty sand - reddish yellow 7.5YR (7/8), few gravel, fine to medium grained sand, sub- rounded gravel, well graded, wet. | | |
| | | SW Gravely sand - reddish yellow 7.5YR (6/6), fine to coarse grained sand, sub-rounded gravel, well graded, wet. | | |
| | | SW Silty sand - reddish yellow 7.5YR (6/8), with few gravel, fine to medium grained sand, sub-rounded gravel, well graded, wet. | | |
| 130- | | GW Sandy gravel - pale yellow 2.5YR (8/2), trace clay, coarse grained sand, sub-rounded to sub-angular gravel, well graded, wet. | | Bentonite Plug |
| - | | SW Gravely sand - olive yellow 2.5Y (6/8), medium to coarse grained sand, sub- rounded gravel, well graded, moist. | | |
| 140 | | SP Silty sand - pinkish gray 7.5YR (7/2), fine grained sand, poorly graded, wet. | | |
| _ | | | | Sand Pack |
| | | SP Silty sand - pinkish gray 7.5YR (7/2), fine grained sand, poorly graded, wet. | | Screened Interva |
| 150- | | | | |

Created By: WTR

Checked By: KMS

PAGE: 5 of 6



BOREHOLE NO.: MW-205A TOTAL DEPTH: 166.5 ft.

| SP Silty sand - yellowish red 5YR (5/8), fine grained sand, poorly graded, wet. | | |
|---|--|--|
| CH Clay - dark gray 2.5Y (4/1), medium plasticity hard, moist. | | |
| | | |
| | /->(-/->(-/->(-/- \(-)\(-/->(-/->\(-/-\) \(-)\(-/->(-/->(-/-\) \(-)\(-/->\(-/->\) | |
| Fodettee | | |
| End of Log | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| I By: WTR | Silty sand - yellowish red 5YR (5/8), fine grained sand, poorly graded, wet. CH Clay - dark gray 2.5Y (4/1), medium plasticity hard, moist. End of Log | Sithy sand - yellowish red 5YR (5/8), fine grained sand, poorly graded, wet. CH Clay - dark gray 2.5Y (4/1), medium plasticity hard, moist. End of Log |

Created By: WTR

Checked By: KMS

PAGE: 6 of 6