Law Environmental, Inc. Government Services Division

TEST BORING RECORD

BORING NUMBER	REMARKS: PAGE 1 OF 4 7 1/4" Hollow Stern Auger Split Spoon Sampling
LOGGED BY FWT CHECKED BY JA	0 - 35' Sampler was hydraulically pushed, SPT N Values taken from 40 - 110'

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION			СЯ	s.	LT	SPT N VALUE
295.11		Light brown silty gravelly CLAY, CL	2	900			1 -	
1	1.5	Dark brown sitty CLAY, CL					'	
		Dark Growth Sally OBAT, OL						1
	ļ		200 200 200 200 200 200 200 200 200 200					
290.11	1						•	- I
1								
	7.5					.		
l		Orange silty clay with trace sand and gravel, CL						
285.11	}		200 200					
] ;		· *			1			
1						ſ		
280.11					\mathbf{H}			
]				- 1		j	-
		·			i			
					- 1	•	•	
<u> 275.</u> 11	18.5 19.5	Orange coarse grained gravelly SAND, ML			l	Ì		
10.11	}	Reddish orange mottled clayey SAND, SC						- I
						i		ı
							ł	
<u>270.11</u>							ļ	- 1
	29.0 29.5				Į			ŀ
265.11	29.5	Light gray and pink stiff sandy CLAY, ML - Dark orange clayey SAND, SC						_
	30.0	Grayish tan fine to medium grained SAND with gravel			İ			_
!		content increasing downward, SP						
		<u> </u>			ļ		GS -AL	Ì
260.11	35.0				Į.		ŵ	_

Law Environmental, Inc. Government Services Division

TEST BORING RECORD

en18 8101

BORING NUMBER JOB NUMBER DATE STARTED DATE COMPLETED DRILLED BY LOGGED BY	MW-21 11-8531-01 3-27-89 3-28-89 CEN FWT	REMARKS:	PAGE 2 OF 4
CHECKED BY	JA		

F		· · · · · · · · · · · · · · · · · · ·			_		_	
ELEV.	DEPTH				1			SPT
IN IN	IN	DESCRIPTION	!		CR	S	LT	N
FEET	FEET		<u> </u>					VALUE
•	35.0	See previous page		(8)	i			
		''			l	ĺ		
					1			
					ł	.		
					1			
255.11					l	•		
					İ		'	T 40
1		•			l	<u> </u>		i l
j						! ;		
	40.5							
i I	43.5				1	•		
250.11		Very Dense orange to tan medium grained SAND with						
		gravel increasing downward, SP						- 50
					1			1
]	.,,			1	1		
		· ,			ł	ľ		i
		•			1		İ	
245,11					l	'		
240,11					1			- 54
i I	!	•			ł	,]
	,				1	:]
		;			Į.	1 ,	. :	
	ĺ				S	•	`	
					ł	•		
240,11	55:0				i	!		L !
	00/0	Dense orange coarse grained gravelly SAND, SP						- 50
1	i	Tariba aranga adalah giziring giziring Grato, of			1			
1	j				ł			
					1	.		
F					l	! '		
235.11					1	! .		
						1		— 29
					1	•		
) ,		
				70000000000000000000000000000000000000				
	ļ							
230.11					1			
								 28
				WX/19/19/19				
1								
]	ا ۽ مما							
	68.5	Dense light orange line arginal ellebth, armally CAME						
225.11	70.0	Dense light orange fine grained slightly gravelly SAND, SP-SM						
423.1 l	70.0	OF-3M	5393939	F884848		1		50

Law Environmental, Inc. Government Services Division TEST BORING RECORD

JOB NUMBER 11-8531-01 DATE STARTED 3-27-89	PAGE 3	
DATE STARTED 3-27-89		
DATE COMPLETED 3-28-89		
DRILLED BY CEN		
LOGGED BY FWT		
CHECKED BY JA		

ELEV. IN FEET	IN FEET	DESCRIPTION	:	СЯ	s	LT	SPT N VALUE
220.11 215.11	70.0 73.5	See previous page Dense light tan and orange fine grained SAND with trace to no gravel at top but increases downward, SP-SM					-50 -50
210.11 205.11							 33
200,11		Light tan and orange gravelly medium grained SAND, SP			▼ -	GS -AL W	- 17
195,11 190.11		Tannish brown medium and coarse grained SAND, SP					- - -

Law Environmental, Inc. Government Services Division

TEST BORING RECORD

18 . 103 qq 265

BORING NUMBER JOB NUMBER DATE STARTED	MW-21 11-8531-01 3-27-89	REMARKS:	PAGE 4 OF 4
DATE COMPLETED	3-28-89		
DRILLED BY	CEN		
LOGGED BY	FWT		
CHECKED BY	JA	. •	
		1	

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION		OR.	S	LT	SPT N VALUE
	105.0	See previous page					
185.11	105.5	Boring Terminated		-			_
	• !			•			_
_		-					-
							_
							-
		•					_
							_,