

BOREHOLE NO.: MW-214A TOTAL DEPTH: 147 ft.

PROJECT INFORMATION

PROJECT: Phase 2 Wells and April LTM Report

PROJECT NO.: 3202-019
SITE LOCATION: MI

PROJECT MANAGER: T. Holmes

FIELD STAFF: J. Anstaett

BOREHOLE STARTED: 3/12/2007 08:00 BOREHOLE FINISHED: 3/2/2007 15:15

DRILLING INFORMATION

DRILLING CO.: Prosonic

DRILLER: J. Asua

DRILLING METHOD/RIG: Sonic BOREHOLE DIAMETER: 6-in.

GROUND SURFACE ELEVATION: 303.96 (ft, msl) WATER DEPTH/ DATE: 102.85-ft. toc -5/4/07

BOREHOLE USE: Monitoring Well

NOTES:

Depth	Soil Symbol	Soil Description	Well Completion	Well Description
10-	- U U U U U U U U U U	Asphalt Asphalt and gravel CL Silty clay - brown 7.5YR 95/4), medium plasticity, moist.		Grouted Annulu
20-		CL Silty clay - brown 7.5YR (5/4), with trace sand, fine grained, medium plasticity, moist.		
- - - -		CL Sandy clay - red 2.5YR (4/8), fine grained, medium plasticity, grey mottling, moist.		
30-		CL Sandy clay - red 2.5YR (4/8), fine grained, low plasticity, grey mottling, moist.		

Created By: WTR

Checked By: KMS

PAGE: 1 of 5



BOREHOLE NO.: MW-214A TOTAL DEPTH: 147 ft.

Depth	Soil Symbol	Soil Description	Well Completion	Well Description
- - - -		SC Clayey sand - light red 2.5YR (6/6), fine to medium grained, poorly graded, moist.		
- - - 40-		SC Clayey sand - light red 2.5YR (6/6), fine to medium grained, poorly graded, moist. SP Sand - yellow 10YR (8/8), with trace clay, fine to medium grained, poorly graded, moist.		
- - - -				
50- - - - -		SM Silty sand - reddish yellow 7.5YR (7/8), with gravel, fine to course grained sand, subangular to sub-rounded gravel, well graded, dry.		
- - -		SW Gravely sand - reddish yellow 7.5YR (7/6), fine to course grained sand, sub-angular to sub-rounded gravel, well graded, dry.		

Created By: WTR

Checked By: KMS



BOREHOLE NO.: MW-214A TOTAL DEPTH: 147 ft.

Depth	Soil Symbol	Soil Description	Well Completion	Well Description
_				
- - - -		SM Silty sand - yellow 10YR (8/6), with trace gravel, fine to medium grained sand, subrounded to sub-angular gravel, well graded, dry.		
70-		SM Silty sand - yellow 10YR (8/6) with trace gravel, fine to medium grained sand, sub- rounded to sub-angular gravel, well graded, dry.		
-		SW Gravelly sand - yellowish red 5YR (5/6) medium to course grained sand, sub-angular to sub-rounded gravel, well graded, dry.		
80-		SW Gravelly sand - yellowish red 5YR (5/6) medium to course grained sand, sub-angular to sub-rounded gravel, well graded, wet.		
-		SW Gravelly sand - reddish yellow 5YR (7/6) with some cobbles, fine to medium grained sand, sub-angular to sub-rounded gravel, well graded, wet.		
		CL Sandy clay - pink 5YR (7/4) fine to medium grained sand, low plasticity, wet.		

Created By: WTR

Checked By: KMS



BOREHOLE NO.: MW-214A TOTAL DEPTH: 147 ft.

Depth	Soil Symbol	Soil Description	Well Completion	Well Description
-		SW Silty sand - reddish yellow 5YR (6/8) with some clay, fine grained sand, poorly graded, wet.		
100-		SP Sand - reddish yellow 7.5YR (7/6) with little clay, find to medium grained, poorly graded, wet.	5- ft.	
_		CL Clay - weak red 10R (4/4) medium plasticity, moist.	102.85- ft.	
- - -		SP Sand - reddish yellow 7.5YR (8/6) with little clay, fine to medium grained, poorly graded, wet.		
110-		SP Sand - pink 7.5YR (8/4) with little clay, fine to medium grained, poorly graded, wet.		Bentonite Plug
- - -				Sand Pack
		SP		Sailu Fack
_		Sand - pink 7.5YR (8/4) with little clay, fine to medium grained, poorly graded, wet.		
120-				Screened Interv


Created By: WTR

Checked By: KMS

PAGE: 4 of 5



BOREHOLE NO.: MW-214A TOTAL DEPTH: 147 ft.



Checked By: KMS

PAGE: 5 of 5