

701 81  
18 108

Law Environmental, Inc.  
Government Services Division  
**TEST BORING RECORD**

BORING NUMBER <u>      MW-23      </u> JOB NUMBER <u>      11-8531-01      </u> DATE STARTED <u>      3-8-89      </u> DATE COMPLETED <u>      3-8-89      </u> DRILLED BY <u>      JC      </u> LOGGED BY <u>      FWT      </u> CHECKED BY <u>      RM      </u>	REMARKS: <span style="float: right;">PAGE <u>1</u> OF <u>4</u></span>  <div style="text-align: center;">             7 1/4" Hollow Stem Auger              Split Spoon Sampling           </div>
--	--

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
299.04	0.0	Firm to very stiff brown silty CLAY with black inclusions in middle and lower section, CL							
294.04									11
289.04									6
284.04									11
279.04									24
274.04	24.0	Hard brownish orange silty sandy CLAY, CL							32
269.04	28.0	Dense bright yellowish orange to orange medium grained clayey gravelly SAND, SC							48
	33.0	Hard pinkish red to light gray CLAY, CL							
264.04	34.0	Dense bright orange fine to medium grained gravelly SAND, SP							49
	35.0								

Law Environmental, Inc.  
Government Services Division  
**TEST BORING RECORD**

018 109

BORING NUMBER <u>MW-23</u> JOB NUMBER <u>11-8531-01</u> DATE STARTED <u>3-8-89</u> DATE COMPLETED <u>3-8-89</u> DRILLED BY <u>JC</u> LOGGED BY <u>FWT</u> CHECKED BY <u>RM</u>	REMARKS: _____  PAGE <u>2</u> OF <u>4</u>
--	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
	35.0	Very dense light tan to orange fine to coarse grained gravelly SAND, SP							
259.04									62
254.04									50/4
249.04									66
244.04									50/4
239.04	60.0	Very dense brownish tan medium grained gravelly SAND, SP							50/4
234.04									50/4
229.04	68.0 70.0	Very dense brownish orange medium to coarse grained gravelly SAND, SP							77

018 110

Law Environmental, Inc.  
Government Services Division  
**TEST BORING RECORD**


BORING NUMBER	MW-23	REMARKS:	PAGE 3 OF 4
JOB NUMBER	11-8531-01		
DATE STARTED	3-8-89		
DATE COMPLETED	3-8-89		
DRILLED BY	JC		
LOGGED BY	FWT		
CHECKED BY	RM		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				OR	S	LT	SPT N VALUE
	70.0	See previous page							
224.04	73.0	Very dense light tan sandy GRAVEL, GM							72
219.04	78.0	Very dense light tan to light orange fine grained well sorted SAND, SM							76
214.09	85.0	Very dense light tan gravelly SAND with clay lenses in upper section, SP							50/4
209.04									
204.04									50/4
199.04									50/3
194.04	105.0								

GS  
AL  
W

## 181113

PAGE 4 OF 4

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION				CR	S	LT	SPT N VALUE
	105.0	See previous page							GS AL W  66
189.04									
184.04	115.0	Boring Terminated							