

BOREHOLE NO.: MW-245 TOTAL DEPTH: 110

PROJECT INFORMATION

PROJECT: Off Depot RA PROJECT NO.: 3200-064

SITE LOCATION: Offsite NW of Dunn Field

PROJECT MANAGER: T. Holmes

FIELD STAFF: J. Sperry

BOREHOLE STARTED: 6/29/2009 BOREHOLE FINISHED: 6/29/2009

DRILLING INFORMATION


DRILLING CO.: WDC DRILLER: C. Rockhill

DRILLING METHOD/RIG: SONIC BOREHOLE DIAMETER: 6-inch

GROUND SURFACE ELEVATION: 290.55 WATER DEPTH/ DATE: 75.17 / 7/27/2009

BOREHOLE USE: Monitoring Well

NOTES:



Created By: WTR

Checked By: KMS

PAGE: 1 of 4



BOREHOLE NO.: MW-245 TOTAL DEPTH: 110

Depth	Soil Symbol	Soil Description	Well Completion	Well Description
_		CL Sandy clay - reddish yellow (7.5YR 6/6) slightly plastic with medium sized sand grains, moist		
- 		SC Clayey sand with trace gravel - red (2.5YR 5/8) sand is medium to coarse grained, moist		
40-		SC Clayey sand with trace gravel - red (2.5YR 5/8) sand is medium to coarse grained, moist		
		SW Sand - red (2.5YR 5/8) fine to medium grained with trace gravel, dry		
		SW Sand - red (2.5YR 5/8) fine to medium grained with trace gravel, dry		
50		SW Sand with trace gravel - reddish yellow (7.5YR 6/8) medium grained, dry		
		SW Sand with trace gravel - reddish yellow (7.5YR 6/8) medium grained, dry		

Created By: WTR

Checked By: KMS



BOREHOLE NO.: MW-245 TOTAL DEPTH: 110

Depth	Soil Symbol	Soil Description	Well Completion	Well Description
		SW Sand with trace gravel - red (2.5YR 6/8) medium to coarse grained, moist		
70-		SW Sand - light brown (7.5YR 6/3) medium to fine grained. Some small (2-5mm) subangular gravel, moist		
80-		SW Sand - light brown (7.5YR 6/3) medium to coarse grained sand, wet		Bentonite Plug
-		SW Sand - light brown (7.5YR 6/3) medium to coarse grained sand, wet		Sand Pack
90-				Screened Interv


Created By: WTR

Checked By: KMS

PAGE: 3 of 4



BOREHOLE NO.: MW-245 TOTAL DEPTH: 110



Created By: WTR

Checked By: KMS

PAGE: 4 of 4