


LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION
TEST BORING RECORD

BORING NUMBER <u> MW-28 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 11-13-89 </u> DATE COMPLETED <u> 11-14-89 </u> DRILLED BY <u> E. FLEMMING </u> LOGGED BY <u> F. THOMAS </u> CHECKED BY <u> J. ABSALON </u>	REMARKS: PAGE <u> 1 </u> OF <u> 3 </u> <div style="text-align: center;"> 7 7/8" Hollow Stem Auger Split Spoon Sampling </div>
---	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
294.89	0.0	Very stiff light to dark brown silty CLAY, CL				
289.89						20
284.89						10
279.89						15
274.89						22
269.89	25.0	Stiff to very stiff orangish red sandy CLAY, CL				15
264.89	30.0	Dense reddish orange slightly clayey gravelly SAND, SP				45
259.89	35.0					>50

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION
TEST BORING RECORD

BORING NUMBER <u> MW-28 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 11-13-89 </u> DATE COMPLETED <u> 11-14-89 </u> DRILLED BY <u> E. FLEMMING </u> LOGGED BY <u> F. THOMAS </u> CHECKED BY <u> J. ABSALON </u>	REMARKS: PAGE <u> 2 </u> OF <u> 3 </u>
---	---



LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION
TEST BORING RECORD

BORING NUMBER <u> MW-28 </u> JOB NUMBER <u> 11-8531-01 </u> DATE STARTED <u> 11-13-89 </u> DATE COMPLETED <u> 11-14-89 </u> DRILLED BY <u> E. FLEMMING </u> LOGGED BY <u> F. THOMAS </u> CHECKED BY <u> J. ABSALON </u>	REMARKS: PAGE <u> 3 </u> OF <u> 3 </u>
---	---

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION			SYM- BOLS	LAB TESTS	SPT N VALUE
	70.0	See previous page						
- 219.89								>50
- 214.89	80.0							
- 213.39	81.5	Firm gray and brown silty to lean CLAY, CL					GS AL W	20
		Boring Terminated						