

BOREHOLE NO.: MW-302 TOTAL DEPTH (FT BGS): 171

#### **PROJECT INFORMATION**

PROJECT: SRI Phase 3
PROJECT NO.: 10058697

SITE LOCATION: DDMT, Main Installation

PROJECT MANAGER: T. Holmes
FIELD STAFF: J. Ruffing / C. Mokri
BOREHOLE STARTED: 6/28/2017
BOREHOLE FINISHED: 8/4/2018

#### **DRILLING INFORMATION**

DRILLING CO.: Cascade Drilling, L.P.


DRILLER: Thesius Taylor and Larry Yancey
DRILLING METHOD/RIG: SR-20/SuperSonic II

**BOREHOLE DIAMETER: 12 in., 6 in.** 

GROUND SURFACE ELEVATION (FT NAVD): 291.92 WATER DEPTH/ DATE(FT BTOC): 90.79 on 8/11/18


**BOREHOLE USE: Monitoring Well** 

NOTES: PID readings collected from at least 5 foot intervals beginning at ground surface; all readings were 0 parts per million (ppm) except for 3.9 ppm at 127 ft. bgs. No water used during drilling. Well installed 08/04, pad constructed 08/05 and well developed 08/06/18.





BOREHOLE NO.: MW-302 TOTAL DEPTH (FT BGS): 171




Created By: WTR Created Date: 9/6/18 PAGE: 2 of 4

Checked By: CM/TCH Checked Date: 9/27/18



BOREHOLE NO.: MW-302 TOTAL DEPTH (FT BGS): 171




Created By: WTR Created Date: 9/6/18 PAGE: 3 of 4

Checked By: CM/TCH Checked Date: 9/27/18



BOREHOLE NO.: MW-302 TOTAL DEPTH (FT BGS): 171



Created By: WTR Created Date: 9/6/18
PAGE: 4 of 4

Checked By: CM/TCH Checked Date: 9/27/18