

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER MW-31
JOB NUMBER 11-8531-01
DATE STARTED 12-2-89
DATE COMPLETED 12-3-89
DRILLED BY E. FLEMMING
LOGGED BY F. THOMAS
CHECKED BY J. ABSALON

REMARKS:

PAGE 1 OF 3

7 7/8" Hollow Stem Augers

Split Spoon Samples

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
287.38	0.0	Stiff brown to black silty CLAY, CL				
	-282.38					14 -
	-277.38					13 -
	-272.38					11 -
	-267.38					12 -
	25.0	Perched water table				
	282.38	Stiff brownish orange gravelly sandy CLAY, CL				13 -
	30.0					
	257.38	Very dense bright orange clayey gravelly SAND, SP-SC				>50 -
	35.0					>50

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER MW-31
JOB NUMBER 11-8531-01
DATE STARTED 12-2-89
DATE COMPLETED 12-3-89
DRILLED BY E. FLEMMING
LOGGED BY F. THOMAS
CHECKED BY J. ABSALON

REMARKS:

PAGE 2 OF 3

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	35.0	Very dense orange gravelly SAND, SP				
-247.38	40.5	Very dense to dense orange and tan fine to medium grained clean SAND, SP			>50	
-242.38					>50	
-237.38	51.2	Very dense orange to brownish orange gravelly SAND to a sandy GRAVEL, SP-GM			38	
-232.38					50	
-227.38	60.0	Firm to very dense light orange medium to coarse grained well sorted clean SAND sand size is coarsening downwards, SP		▽	>50	
-222.38					GS AL W	26
217.38	70.0					>50

**LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION**

TEST BORING RECORD

BORING NUMBER MW-31
JOB NUMBER 11-8531-01
DATE STARTED 12-2-89
DATE COMPLETED 12-3-89
DRILLED BY E. FLEMMING
LOGGED BY F. THOMAS
CHECKED BY J. ABSALON

REMARKS:

PAGE 3 OF 3

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	70.0	See previous page				
- 212.38						
- 210.88	76.3	<u>Orange lean CLAY CL</u>			GS AL W	
	76.5	Boring Terminated				>50