

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER MW-34
JOB NUMBER 11-8531-01
DATE STARTED 11-17-89
DATE COMPLETED 11-21-89
DRILLED BY T. TOMES
LOGGED BY P. VOGEL
CHECKED BY F. THOMAS

REMARKS: PAGE 1 OF 5
8 1/4" Hollow Stem Augers (0 - 90')
4 1/4" Mud Rotary (90 - 158.5')
Split Spoon Samples

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
300.78	0.0	Gravel fill				
	2.0	Brown silty CLAY, CL				
295.78						5
290.78						4
285.78						11
280.78						19
275.78						11
270.78	30.0					37
		Brown to red fine to medium grained clayey SAND, SP				
265.78	35.0					21

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION
TEST BORING RECORD

BORING NUMBER MW-34
 JOB NUMBER 11-8531-01
 DATE STARTED 11-17-89
 DATE COMPLETED 11-21-89
 DRILLED BY T. TOMES
 LOGGED BY P. VOGEL
 CHECKED BY F. THOMAS

REMARKS:

PAGE 2 OF 5

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	35.0	See previous page				
260.78	41.0	Tan, orange, white and brown, fine to medium grained gravelly SAND, SP				47
255.78						48
250.78						>50
245.78						38
240.78						>50
235.78						>50
230.78	70.0					>50

























LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

TEST BORING RECORD

BORING NUMBER MW-34
 JOB NUMBER 11-8531-01
 DATE STARTED 11-17-89
 DATE COMPLETED 11-21-89
 DRILLED BY T. TOMES
 LOGGED BY P. VOGEL
 CHECKED BY F. THOMAS

REMARKS:

PAGE 3 OF 5

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
	70.0	See previous page				
						
						
						
						
						
						
						
						
						
						
						
						
						
						
						
						
						
						
						
						
						
						
						

White to brown fine grained silty SAND with thin clay lenses, SP


GS
-AL
W

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

BORING NUMBER MMW-34
 JOB NUMBER 11-8531-01
 DATE STARTED 11-17-89
 DATE COMPLETED 11-21-89
 DRILLED BY T. TOMES
 LOGGED BY P. VOGEL
 CHECKED BY F. THOMAS

REMARKS:

PAGE 4 OF 5

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
160.78	140.0	See previous page				39
165.78	47					
170.78	44					
175.78	41					
180.78	37					
185.78	50					
190.78	47					

LAW ENVIRONMENTAL, INC.
GOVERNMENT SERVICES DIVISION

MMW-34

11-8531-01

11-17-89

11-21-89



T. TOMES

P. VOGEL

F. THOMAS

REMARKS:

PAGE 5 OF 5

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION	MONITORING WELL CONSTRUCTION	SYM- BOLS	LAB TESTS	SPT N VALUE
155.78	140.0	See previous page			GS AL W	33
150.76						>50
145.78		Same as above but sand is coarse grained				
142.28	158.3 158.5	Gray silty CLAY CL Boring Terminated				