1853 3384

TEST BORING RECORD

BORING NUMBER	STB-4 11-8531-01	REMARKS:	PAGE 1 OF 3
DATE STARTED	2-16-89		•
DATE COMPLETED	2-28-89	7 1/4" Hollow Sterr	n Auger Continuous Sample
DRILLED BY	J.C	1	
LOGGED BY	FWT		
CHECKED BY	RDM	(
		.	

_		· · · · · · · · · · · · · · · · · · ·	12						
ELE IN FEI	NI I	DESCRIPTION				ØЯ	s	LT	SPT N VALUE
	0.0	Brown muddy GRAVEL, GM		T	ì				77.00
1	ŀ		!		i		l		
	2.5	I Connaigh brown aller CLAV CL	┨						
	3.5	-	1						
<u> </u>		Grayish green silly CLAY, CL							_
1	i								
	۱ ۵۵								
	9.0	Light brown sitty CLAY, CL	1						
		Light order sky obat; ob							⊢ ∤
		9		ŀ				١.,	
		• ,	ŀ						
1	ľ	·							
\vdash	-				1				_ I
1	ļ	·			ì				
1	i]				١,		
1					İ				
				-					
	İ	·							_
1			1				i		
1	23.0		1						
1		Light brown sandy-silty CLAY with sand content							
\vdash	┥	Increasing downward, CL-SC	i		1				_
	-					i			
<u></u>	_ .								
	30.5	One-like the second of the sec	{						-
1		Orangish brown clayey SAND, SC	1				Ì		ŀ
									ļ
1	35.0		.					. 1	
<u></u>	1 33.0	· · · · · · · · · · · · · · · · · · ·	<u></u>	L					

Law Environmental, Inc. Government Services Division

TEST BORING RECORD

BORING NUMBER - STB-4	REMARKS;	PAGE 2 OF 3
JOB NUMBER11-8531-01		
DATE STARTED <u>2-16-89</u> DATE COMPLETED 2-28-89		
DRILLED BY JC	·	
LOGGED BY FWT		
CHECKED BY ROM		

ELEV. IN FEET	DEPTH IN FEET	DESCRIPTION			ОR	s	LT	SPT N VALUE]
·	35.0	See previous page		·		"		11.202	1
	37.0 38.3	Tan SAND, SW]. 		
<u> </u>	55.5	Orange clayey SAND, SC	1			ľ			
	40.5	Orange clean SAND, SW	1						ı
	43.5						GS -AL	ĺ	
ļ		Orange clean SAND, SM					w	_	,
		- a -	1						r'
	48.5	0							
		Orange gravelly medium grained SAND, SP						_	l
									l
	53.5 53.7	Light gray sandy CLAY, SC	<u> </u>				·		l
	55.4 55.8	Orange and tan sand with thin clay layers, SC-SM Pink CLAY, CL						F	l
		Tan grading to orange gravelly coarse grained SAND.			Ì				ı
		gravel content increasing downward, SP							l
								_	
		,							
								ų Į	
	69.2 70.0	Light orange gravelly SNAD, SP					-	1	

Law Environmental, Inc. Government Services Division

TEST BORING RECORD

18 . 35

BORING NUMBER JOB NUMBER DATE STARTED DATE COMPLETED DRILLED BY LOGGED BY CHECKED BY	STB-4 11-8531-01 2-16-89 2-28-89 JC FWT ROM	REMARKS:	PAGE_3_OF_3_
CHECKED BY	MOM	· .	

ELEV.	DEPTH			i i			-	SPT
IN.	IN	DESCRIPTION			CPЯ	S	LT	N
FEET	FEET			ļi				VALUE
	70.0	Orange clean medium grained SAND, SP-SM						
	73.8							
<u> </u>		Orange gravelly medium grained SAND, SP						_
		•						
	79.0	Tan gravelly medium to coarse grained SAND, SP						
		rangavany modernic coarce granted CAME, Gr						
		ikagis Teriy]				
	83.5							
		Tan and light orange banded SAND, SP					i	
	88.0			i i				
		Orangish-tan gravetly coarse grained SAND, SP						
<u> </u>		-						-
								j
	93.5							
		Tan and orange atternating layers of SAND and gravel, SP						
	95.4	Orange clean fine to medium grained SAND, SP					GS - AL	_
1		The second secon				ļ	W	
	98.5	Omnos emistin fine emised Children], [ĺ			
┝┈┤	Į	Orange gravelly fine grained SAND with gravel content increasing downwards, SP						_
		·					ŀ	
	[<u> </u>			Ì			
	103.5	Boring Terminated						,]