

**Corrective Measures Effectiveness Report  
Eleventh Year Long-Term Monitoring  
Former Small Weapons Repair Shop, Parcel 66(7)  
McClellan, Anniston, Alabama**

**Prepared for:**



**McClellan Development Authority  
Anniston, Alabama**

**Prepared by:**



**283 Rucker St  
Anniston, AL 36205**

**(256) 847-0780  
Fax (256) 847-0905**

**January 2022  
Revised October 2022**

*This page intentionally left blank*

## TABLE OF CONTENTS

<b>LIST OF TABLES .....</b>	<b>II</b>
<b>LIST OF FIGURES .....</b>	<b>II</b>
<b>LIST OF APPENDICES .....</b>	<b>II</b>
<b>LIST OF ACRONYMS .....</b>	<b>III</b>
<b>EXECUTIVE SUMMARY .....</b>	<b>1</b>
<b>1.0 INTRODUCTION.....</b>	<b>1-1</b>
1.1 REPORT PURPOSE AND OBJECTIVES .....	1-1
1.2 REPORT ORGANIZATION .....	1-1
<b>2.0 SITE CHARACTERIZATION .....</b>	<b>2-1</b>
2.1 SITE DESCRIPTION .....	2-1
2.2 LAND USE AND LAND USE CONTROLS .....	2-1
2.3 SUMMARY OF PREVIOUS INVESTIGATIONS .....	2-1
2.4 2010/2011 CORRECTIVE MEASURES IMPLEMENTATION .....	2-2
2.5 2018 CORRECTIVE MEASURES IMPLEMENTATION .....	2-2
<b>3.0 SUMMARY OF ELEVENTH YEAR OF LTM ACTIVITIES.....</b>	<b>3-1</b>
3.1 GROUNDWATER SAMPLING.....	3-1
3.1.1 Sampling Method .....	3-1
3.2 MANAGEMENT OF INVESTIGATION DERIVED WASTE.....	3-2
3.3 DATA QUALITY REVIEW .....	3-2
3.4 DEVIATIONS FROM PLANNED LTM.....	3-2
<b>4.0 RESULTS OF ELEVENTH YEAR OF LTM ACTIVITIES.....</b>	<b>4-1</b>
4.1 GROUNDWATER SAMPLING.....	4-1
4.1.1 Groundwater Elevations .....	4-1
4.1.2 Groundwater Field Parameter Results.....	4-1
4.1.3 Analytical Data and Data Quality Review.....	4-1
4.1.4 Summary of Groundwater Analytical Results.....	4-2
4.1.5 Concentration Trends Over Time .....	4-2
4.1.6 Distribution of Corrective Action COCs in Groundwater.....	4-2
<b>5.0 SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS .....</b>	<b>5-1</b>
5.1 SUMMARY OF ACTIVITIES .....	5-1
5.2 SUMMARY OF RESULTS.....	5-1
5.3 CONCLUSIONS AND RECOMMENDATIONS.....	5-1
<b>6.0 REFERENCES.....</b>	<b>6-1</b>

## **LIST OF TABLES**

- 4-1 Groundwater Elevations, Eleventh Year LTM
- 4-2 Horizontal Hydraulic Gradients, Eleventh Year LTM
- 4-3 Vertical Hydraulic Gradients, Eleventh Year LTM
- 4-4 Field Parameters, Eleventh Year LTM
- 4-5a Groundwater Analytical Results for COCs and Degradation Products
- 4-5b Groundwater Analytical Results for Dissolved Gases

## **LIST OF FIGURES**

- 1-1 Site Location Map
- 1-2 Parcel Location Map
- 4-1 Estimated Residuum Groundwater Potentiometric Contours, May 2021
- 4-2 Estimated Residuum Groundwater Potentiometric Contours, October 2021
- 4-3 Volatile Concentrations in Residuum Well PPMP-66-MW02/ PPMP-66-MW02R
- 4-4 Volatile Concentrations in Residuum Well PPMP-66-MW06/ PPMP-66-MW06R
- 4-5 Volatile Concentrations in Transition Well PPMP-66-MW23/ PPMP-66-MW23R
- 4-6 Volatile Concentrations in Transition Well PPMP-66-MW24/ PPMP-66-MW24R
- 4-7 Estimated Lateral Extent of Corrective Action COC Concentrations in Residuum LTM Wells Exceeding Groundwater RBTLs, September/October 2010 (Baseline)
- 4-8 Estimated Lateral Extent of Corrective Action COC Concentrations in Transition LTM Wells Exceeding Groundwater RBTLs, September/October 2010 (Baseline)
- 4-9 Estimated Lateral Extent of Corrective Action COC Concentrations in Residuum LTM Wells Exceeding Groundwater RBTLs, May 2021
- 4-10 Estimated Lateral Extent of Corrective Action COC Concentrations in Transition LTM Wells Exceeding Groundwater RBTLs, May 2021
- 4-11 Estimated Lateral Extent of Corrective Action COC Concentrations in Residuum LTM Wells Exceeding Groundwater RBTLs, October 2021
- 4-12 Estimated Lateral Extent of Corrective Action COC Concentrations in Transition LTM Wells Exceeding Groundwater RBTLs, October 2021

## **LIST OF APPENDICES**

- Appendix A: Groundwater Sampling Documentation
- Appendix B: Chain-of-Custody Forms
- Appendix C: Data Quality Summary

## LIST OF ACRONYMS

1,1-DCE	1,1-dichloroethene
ADEM	Alabama Department of Environmental Management
ASTM	ASTM International
CA	<i>Cleanup Agreement</i>
cis-1,2-DCE	cis-1,2-dichloroethene
CMER	Corrective Measures Effectiveness Report
CMIR	Corrective Measures Implementation Report
COC	Chemical of concern
<i>Draft CMIR</i>	<i>Draft Corrective Measures Implementation Report, Former Small Weapons Repair Shop, Parcel 66(7)</i>
EBS	Environmental Baseline Study
ESE	Environmental Science & Engineering, Inc.
<i>Final CMIP</i>	<i>Final Corrective Measures Implementation Plan, Former Small Weapons Repair Shop, Parcel 66(7)</i>
<i>Final CMIP Addendum</i>	<i>Tech Memo Addendum to the Final CMIP</i>
GES	Groundwater & Environmental Services, Inc.
ISCO	In-Situ Chemical Oxidation
IT	IT Corporation
LTM	Long-term monitoring
LUC	Land use control
LUCER	Land use control effectiveness report
McClellan	Former Fort McClellan
MDA	McClellan Development Authority
MES	Matrix Environmental Services, LLC
PDB	Passive Diffusion Bag
QA	Quality Assurance
<i>QAP</i>	<i>Quality Assurance Plan</i>
RBTL	Risk-Based Target Level
RCRA	Resource Conservation and Recovery Act
RFI	RCRA Facility Investigation
RI	Remedial Investigation
<i>SAP</i>	<i>Installation-Wide Sampling and Analysis Plan</i>
<i>Second Addendum to CMIP</i>	<i>Second Addendum to Corrective Measures Implementation Plan, Former Small Weapons Repair Shop, Parcel 66(7)</i>
Shaw	Shaw Environmental, Inc.
SI	Site Investigation
Site	Former Small Weapons Repair Shop, Parcel 66(7)
TCE	Trichloroethene
trans-1,2-DCE	trans-1,2-dichloroethene
VOC	Volatile organic compound

*This page intentionally left blank*

## EXECUTIVE SUMMARY

The purpose of this Corrective Measures Effectiveness Report (CMER) is to document the effectiveness of the remedial action for contaminated groundwater at the Former Small Weapons Repair Shop, Parcel 66(7) (Site), located at the former Fort McClellan (McClellan) in Anniston, Alabama, during the eleventh year of Long-Term Monitoring (LTM) from May 2021 to October 2021. This report was prepared by Matrix Environmental Services, LLC (MES) on behalf of the McClellan Development Authority (MDA).

Pursuant to the *Second Amendment to Corrective Measures Implementation Plan, Former Small Weapons Repair Shop, Parcel 66(7) McClellan, Anniston, Alabama (MES, 2018)*, In-situ Chemical Oxidation (ISCO) using hydrogen peroxide with sodium persulfate injection was performed in December 2018. The ISCO was performed to further lower the concentrations of the chemicals of concern (COCs) (cis-1,2-dichloroethene (DCE), trichloroethene (TCE), and vinyl chloride) and their degradation products (1,1-DCE and trans-1,2-DCE). This reporting period covers the on-going monitoring events and post injection events.

Groundwater samples were collected from eight LTM wells (four residuum wells, three transition wells, and one bedrock well) and other select wells during the post-injection sampling events in between May 2021 and October 2021 and analyzed for one or more of the following: COCs, degradation products and dissolved gases. The groundwater sample results were compared to the groundskeeper risk-based target levels (RBTLs) to assess progress of the corrective measures at the Site.

Only vinyl chloride exceeded the groundskeeper RBTLs during the eleventh year of LTM, in residuum wells PPMP-66-MW02RR and in transition well PPMP-66-MW23R. Both of these wells are located in the vicinity of the estimated source area, south and southwest of the former Building 335. The lateral extent of vinyl chloride remained static in both the residuum and transition groundwater zones, compared to the baseline sampling event.

*This page intentionally left blank*



## 1.0 INTRODUCTION

The purpose of this CMER is to document the effectiveness of the remedial action for contaminated groundwater at the Former Small Weapons Repair Shop, Parcel 66(7) (Site), located at the former Fort McClellan (McClellan) in Anniston, Alabama, during the eleventh year of LTM from May to October 2021. Figure 1-1 shows a site map of McClellan and Figure 1-2 shows a parcel location map of the Site. This report was prepared by MES on behalf of the MDA.

### 1.1 Report Purpose and Objectives

This CMER summarizes groundwater monitoring data collected from May 2021 to October 2021, to evaluate the effectiveness of corrective measures as outlined in the *Final Corrective Measures Implementation Plan, Former Small Weapons Repair Shop, Parcel 66(7) (Final CMIP)* (MES, 2007) and the *Tech Memo Addendum to the Final CMIP (Final CMIP Addendum)* (MES, 2009) and the *Second Addendum to Corrective Measures Implementation Plan, Former Small Weapons Repair Shop (Second Addendum to CMIP), Parcel 66(7) McClellan, Anniston, Alabama (MES, 2018)*.

Objectives for these monitoring events and this CMER include:

- Describe the activities performed at the Site during the eleventh year of LTM.
- Summarize environmental sampling data from previous investigations and monitoring events and present analytical results for the May to October 2021 monitoring events.
- Compare the current results of the groundwater samples to historical groundwater results to evaluate the effectiveness of the corrective measures for COCs in groundwater at the Site.
- Compare the results to risk-based target levels (RBTLs) to assess whether continued monitoring of the corrective measures is necessary.

### 1.2 Report Organization

This CMER is organized as follows:

- Section 1.0 - summarizes the project background, purpose of the CMER, and report organization.
- Section 2.0 - presents a summary of the Site characterization.
- Section 3.0 - describes the activities conducted during the eleventh year of LTM.
- Section 4.0 - presents the results of the eleventh year of LTM.
- Section 5.0 - presents the summary, conclusions, and recommendations.
- Section 6.0 - provides the references cited in this report.
- Tables that support the CMER.
- Figures that support the CMER.
- Appendix A contains the Groundwater Sampling Documentation.
- Appendix B contains the Chain-of-Custody Forms.
- Appendix C contains the Data Quality Summary.

*This page intentionally left blank*

## **2.0 SITE CHARACTERIZATION**

This section summarizes the Site description and physical setting, land use, previous investigations, and corrective measures activities performed at the Site.

### **2.1 Site Description**

The Site consists of 1.15 acres and is located in the central portion of McClellan at the intersection of Waverly Road and Fremont Road (Figure 1-2). Two buildings (Buildings 335 and 336) were formerly located within the parcel boundary of the Site. Building 335 formerly housed the Small Weapons Repair Shop where weapons used for training exercises were stored, disassembled, and cleaned using various solvents. It is reported that the main part of Building 335 was used primarily for Tank Repair (IT Corporation [IT], 2002). Building 336, located just east of Building 335, historically was used as boiler plant and as a paint storage area.

The Small Weapons Repair Shop was built in 1941, although it is not known when operations began at this location. The operation was moved to the Consolidated Maintenance Facility (Building 350) in approximately 1991. From 1991 to circa 2003, Building 335 was used by the Alabama National Guard for boiler plant storage (Environmental Science & Engineering, Inc. [ESE], 1998). The history of the Site is described in more detail in the *Final CMIP* (MES, 2007).

Drainage ditches border the Site along Waverly Road to the north and Fremont Road to the west. Buildings 335 and 336 were removed from the Site in 2007 (MES, 2012).

### **2.2 Land Use and Land Use Controls**

The proposed future land use for the Site is a light industrial and business park. Based on the presence of volatile organic compounds (VOC) in groundwater, MDA has implemented land use controls (LUCs) to limit exposure to groundwater. LUCs include a prohibition on consumptive use or direct contact with groundwater and installation of any well for extraction of groundwater for purposes of consumptive or other uses within the covenant boundary. In accordance with the *Cleanup Agreement* (CA) and Alabama Uniform Environmental Covenants Act, Code of Alabama 1975, §§ 35-19-1 to 35-19-14 and the Alabama Department of Environmental Management (ADEM) Admin Code r. 335-5, effective May 26, 2009, MDA filed Environmental Covenant No. FY 12-07.00 in Calhoun County Probate on March 7, 2013, which documents the LUCs. A copy of the recorded Environmental Covenant No. FY 12-07.00 was included as a slip page to the Department for incorporation into the *Final Corrective Measures Implementation Report (CMIR)* dated January 10, 2013. MDA will administer and enforce the LUCs and certify, after inspection, that the LUCs are in place in an Annual Land Use Controls Effectiveness Report (LUCER).

### **2.3 Summary of Previous Investigations**

Investigative activities at the Site were conducted in multiple phases from 1998 to 2004 by several contractors to the Army and the JPA, including: ESE, IT, (formerly Shaw Environmental, Inc. currently APTIM), and MES. The previous investigations included:

- 1998 Environmental Baseline Study (EBS) (ESE, 1998)
- 1999 Site Investigation (SI) (IT, 2002)
- 2002 Remedial Investigation (RI) (IT, 2002)
- 2004 RCRA Facility Investigation (RFI) (MES, 2006)

These investigations led to the development of a Corrective Measures Implementation Plan in 2007 to address VOCs in the groundwater.

## **2.4 2010/2011 Corrective Measures Implementation**

Based on the data assessment presented in the *Final CMIP* (MES, 2007) and *Final CMIP Addendum* (MES, 2009), cis-1,2-DCE, TCE, and vinyl chloride in groundwater were determined to be human health COCs at the Site. No ecological COCs were identified in media at the Site.

From October 2010 to February 2011, corrective measures were implemented at the Site as outlined in the *Final CMIP* (MES, 2007) and *Final CMIP Addendum* (MES, 2009) to reduce concentrations of VOCs in groundwater at the Site to levels acceptable for industrial use. Details of the corrective measures activities are documented in the *Final Corrective Measures Implementation Report (CMIR), Former Small Weapons Repair Shop, Parcel 66(7) (Final CMIR)* (MES, 2013).

Corrective measures activities included: 1) the abandonment of groundwater monitoring wells PPMP-66-MW02, PPMP-66-MW06, PPMP-66-MW12, PPMP-66-MW18, PPMP-66-MW23, and PPMP-66-MW24 located in the target treatment area, 2) anhydrous quicklime blending into the soil of the target treatment area to reduce residual COCs concentrations in the soil that may provide a source of contaminants to the groundwater plume, 3) direct application of solid potassium permanganate to the exposed bedrock during quicklime mixing activities to promote the chemical oxidation of the COCs in groundwater, 4) site restoration and re-vegetation, and 5) replacement of the residuum and transition groundwater monitoring wells in the target treatment area, that were previously abandoned, for use in LTM.

## **2.5 2018 Corrective Measures Implementation**

Based on the data assessment presented in the *Second Addendum to CMIP (MES, 2018)* cis-1,2-DCE, TCE, and vinyl chloride were determined to be human health COCs at the Site. No ecological COCs were identified in media at the Site.

In December 2018, Corrective measures were implemented at the Site as outlined in the *Second Addendum to CMIP* (MES, 2018) to reduce the VOCs further in groundwater at the Site to levels acceptable for industrial use. Details of the corrective measures activities are documented in the *Corrective Measures Implementation Report Addendum* (Groundwater & Environmental Services, Inc., 2019). Corrective measures consisted of in-situ chemical oxidation (ISCO) of strong oxidizing agents – hydrogen peroxide activated sodium persulfate into 13 shallow temporary injection points ranging in depth from 3 ft below ground surface (bgs) to 15 ft bgs and 13 deep temporary injection points ranging in depth from 11 ft bgs to 30 ft bgs.

### 3.0 SUMMARY OF ELEVENTH YEAR OF LTM ACTIVITIES

To meet the recommended actions outlined in the *Final CMIP* (MES, 2007) and the *Final CMIP Addendum* (MES, 2009) and Second Addendum (MES, 2018), and provide data to evaluate the long-term performance of the corrective measures, the following activities were performed during the eleventh year of LTM:

- Collected groundwater samples and groundwater level measurements from eight LTM wells (four residuum wells, three transition wells, and one bedrock well) during the 2021 semi-annual sampling events. Samples were analyzed for the COCs (cis-1,2-DCE, TCE, and vinyl chloride) and their degradation products (1,1-DCE and trans-1,2-DCE) by EPA Method SW8260B.
- Collected groundwater samples from select wells and analyzed for one of more of the following; COCs, degradation products and dissolved gases.

#### 3.1 Groundwater Sampling

Since the completion of the corrective measures performed at the Site in 2010 (see Section 2.4 for details), groundwater samples have been collected from eight LTM wells (listed below).

Residuum Wells	Transition Wells	Bedrock Wells
PPMP-66-MW02RR	PPMP-66-MW17	PPMP-66-MW08
PPMP-66-MW06R	PPMP-66-MW23R	
PPMP-66-MW16	PPMP-66-MW24R	
PPMP-66-MW18R		

During the eleventh year of LTM, groundwater samples were collected in May 2021 and October 2021.

##### 3.1.1 Sampling Method

Groundwater samples were collected using low-flow sampling procedures, i.e., using an adjustable rate pump to remove water from the screened interval at a rate that produces minimal drawdown, as well as turbidity in the sample. Tubing leading from the discharge side of the submersible pump was connected to a flow-through cell equipped with a multiparameter meter to measure chemical and physical parameters. These measurements were used to indicate when groundwater quality stabilized and sampling could begin.

Elevated turbidity readings were measured in well PPMP-66-MW02RR during the May 2021 sampling event. The well was pumped dry, allowed to recharge and then sampled using a bailer. Despite the elevated turbidity, COC results are believed to be representative. Although it is well documented that turbidity levels can impact metal concentrations, Paul and Puls (2007) conducted a study that demonstrated TCE and vinyl chloride concentrations are essentially unaffected due to increased turbidity levels. PPMP-66-MW02RR was redeveloped following the May 2021 sampling event and turbidity levels were much lower during the October 2021 sampling event.

Laboratory-supplied sample bottles were filled, labeled, placed in a chilled cooler, and shipped under chain-of-custody procedures to TestAmerica Laboratories, Inc., Savannah, Georgia. The chain-of-custody forms for the groundwater samples collected during each sampling event are provided in Appendix B.

Groundwater levels were measured to the nearest hundredth of a foot using a Solinst™ water level indicator and recorded. The monitoring well sample collection documentation is provided in Appendix A.

### **3.2 Management of Investigation Derived Waste**

The aqueous investigation derived waste generated during the groundwater sampling was collected in a 55-gallon drum stored on-site, including the left-over purged water.

### **3.3 Data Quality Review**

MES reviewed the analytical data for the groundwater samples collected during the May to October 2021 sampling events. The data quality review was performed in accordance with the *Quality Assurance Plan (QAP)* (MES, 2004) to assess compliance with the Quality Assurance (QA) objectives, and to assess hard copy and electronic deliverable consistency and integrity and is included in Appendix C along with the analytical data packages for the May to October 2021 monitoring events.

### **3.4 Deviations from Planned LTM**

LTM activities were performed in accordance with the *Final CMIP Addendum* (MES, 2009) and *Second Amendment to Corrective Measures Implementation Plan* (MES, 2018). No deviations occurred during the sampling events.

## **4.0 RESULTS OF ELEVENTH YEAR OF LTM ACTIVITIES**

The activities conducted at the Site during the eleventh year of LTM from May 2021 to October 2021 are presented in the following subsections.

### **4.1 Groundwater Sampling**

This section discusses the results of the groundwater sampling events at the Site.

#### **4.1.1 Groundwater Elevations**

Groundwater elevations measured during the May to October 2021 groundwater sampling events are presented in Table 4-1. Figures 4-1 and 4-2 show groundwater elevations and potentiometric elevations for the residuum groundwater zone for the May to October 2021 sampling events. Transition groundwater wells are located only in the source area and additionally are co-located with residuum wells, thus not providing any additional potentiometric elevation information. For this reason, no transition potentiometric maps were constructed. Furthermore, potentiometric groundwater maps were not constructed for the bedrock zone due to the limited number of LTM wells.

Groundwater was encountered at the Site at shallow depths for both semi-annual monitoring events during the eleventh year of LTM. During the eleventh year of LTM, groundwater in the residuum and transition zones appeared to flow radially from the site (Figures 4-1 and 4-2) and is consistent with past data.

To further aid in assessing groundwater flow at the Site, horizontal and vertical hydraulic gradients were calculated using the groundwater measurements during the eleventh year of LTM, and are presented in Tables 4-2 and 4-3, respectively. The hydraulic gradients in the residuum, bedrock, and transition zones were low indicating a relatively flat water table, which is consistent with historical horizontal gradients calculated at the Site.

#### **4.1.2 Groundwater Field Parameter Results**

Field screening parameters, i.e., pH, conductivity, dissolved oxygen, turbidity, etc., are typically used by field personnel to assess when a well has been adequately purged and a representative groundwater sample can be collected. Field parameters are presented in Table 4-4.

#### **4.1.3 Analytical Data and Data Quality Review**

The analytical data for the May to October 2021 monitoring events is included in Appendix C. Samples were analyzed for VOCs by Method SW8260B, dissolved gases by RSK-175 and total organic carbon by Method SW9060. MES reviewed the analytical data in accordance with the QAP (MES, 2004). Based on the data quality review, the analytical data generated for these monitoring events are adequate to fulfill program objectives and are suitable for preparation of this report.

#### **4.1.4      *Summary of Groundwater Analytical Results***

The analytical results for the groundwater samples collected during the eleventh year of LTM are shown in Tables 4-5a and 4-5b. The historical analytical results for COCs from previous sampling events are also shown in the Tables.

VOC concentrations detected in the groundwater samples were compared to the groundskeeper RBTLs in Table 4-5a. One COC (vinyl chloride) exceeded the groundskeeper RBTL in two groundwater wells from samples collected during the eleventh year of LTM.

Samples collected from the wells were used to 1) evaluate the effectiveness of the corrective measures, and 2) evaluate contaminant concentration changes over time that occurred in response to the corrective measures, and 3) assess the long-term performance of the corrective measures in reducing contaminant concentrations.

#### **4.1.5      *Concentration Trends Over Time***

Figures 4-3 to 4-6 show the trends in concentrations over time for the COCs. As indicated in the trend figures and Table 4-5a, wells PPMP-66-MW02RR and PPMP-66-MW23R showed small decreasing fluctuations during the eleventh year of monitoring compared to the prior years.

The COC concentrations in wells PPMP-66-MW06, PPMP-66-MW08, PPMP-66-MW16, PPMP-66-MW17, PPMP-66-MW18, PPMP-66-MW22, and PMP-66-MW24R were less than the groundskeeper RBTLs during this reporting period.

#### **4.1.6      *Distribution of Corrective Action COCs in Groundwater***

Figures 4-7 and 4-8 present the estimated lateral extent of TCE and vinyl chloride concentrations exceeding the groundskeeper RBTLs for the residuum and transition groundwater zones at the Site for the baseline September/October 2010 sampling event. Figures 4-9 to 4-12 present the estimated lateral extent of TCE and vinyl chloride concentrations for the residuum and transition groundwater zones at the Site for the eleventh year of LTM. The concentrations of vinyl chloride exceeding the groundskeeper RBTL in groundwater during this reporting period were located south and southwest of former Building 335.

During the eleventh year of LTM, the vinyl chloride plume for both the residuum and transition groundwater zones remained in the vicinity of the estimated source area. The lateral extent of vinyl chloride exceeding groundskeeper RBTLs is limited to only one residuum well and one transition well located to the south and southwest of former Building 335. Although vinyl chloride concentrations were above groundskeeper RBTLs for both events in monitoring wells PPMP-66-MW02RR and PPMP-66-MW23R the concentrations have decreased over time.



## **5.0 SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS**

This section summarizes the activities performed and the results from groundwater monitoring during the eleventh year of LTM at the Site and presents conclusions and recommendations.

### **5.1 Summary of Activities**

Activities conducted at the Site included:

- Collected semi-annual groundwater samples and groundwater level measurements from four residuum wells, three transition wells, and one bedrock well in 2021 semi-annual sampling events in May and October. Analyzed the groundwater samples for the COCs and their degradation products.
- Collected groundwater samples from select wells during the post-injection sampling semi-annual events in May and October. Analyzed the groundwater samples for one or more of the following: COCs, degradation products, dissolved gases and total organic carbon.

### **5.2 Summary of Results**

Results from the eleventh year of LTM at the Site indicate the following:

- Groundwater was encountered at the Site at shallow depths and the direction of flow was radially from the site.
- Groundwater occurrence and flow direction are consistent with historical patterns.
- One of the three COCs (vinyl chloride) exceeded the groundskeeper RBTL in groundwater collected during the eleventh year of LTM from May to October 2021 at only one location (two adjacent wells).
- Vinyl chloride concentrations exceeding the groundskeeper RBTL during the eleventh year of LTM were found in groundwater from residuum well PPMP-66-MW02RR and the adjacent transition well PPMP-66-MW23R located in the vicinity of the estimated source area.
- The overall trend in Site groundwater COCs showed small fluctuations during the eleventh year of LTM compared to the prior year.

### **5.3 Conclusions and Recommendations**

MDA has implemented two rounds of groundwater remediation (2010/2011 and 2018) at the site with some improvement observed after each round. Analytical results indicate the ISCO injection had some impact on reducing the COC concentrations. During the eleventh year of LTM, COC concentrations in residuum well PMP-66-MW06R did not exhibit any rebound and concentrations continued to stay below RBTLs. Although vinyl chloride exceeded RBTLs for both the residuum and transition groundwater zones (PMP-66-MW02RR and PMP-66-MW23R), it is a decomposition product of the initial chlorinated compound contaminants, and concentrations of vinyl chloride have slightly decreased indicating the remediation process is working. MDA recommends allowing monitored natural attenuation to continue with routine groundwater monitoring unless there should be an observed significant spike in contaminant concentrations or MDA desires to attempt additional treatment. This proposed course of action

is supported by the facts that the site is located in an identified industrial park, potable water is provided, there is no use of the groundwater for any reason other than groundwater monitoring, and any construction on the site would have to address impacts to construction workers and vapor intrusion in any buildings erected. Therefore, it is recommended sampling and analysis continue on a semi-annual basis in accordance with the *Cleanup Agreement* and *Second Addendum to CMIP*.

## 6.0 REFERENCES

- Environmental Science & Engineering, Inc. (ESE). 1998. *Final Environmental Baseline Survey, Fort McClellan, Alabama*, prepared for the U.S. Army Environmental Center, Aberdeen Proving Ground, Maryland. January.
- IT Corporation (IT). 2002. *Draft Remedial Investigation Report Small Weapons Repair Shop, Parcel 66(7)*. May.
- MES. 2004. *Quality Assurance Plan (Appendix A of the Installation Wide Sampling and Analysis Plan)*. January.
- MES. 2006. *Final Resource Conservation and Recovery Act Facility Investigation for Small Weapons Repair Shop, Parcel 66(7)*. February.
- MES. 2007. *Final Corrective Measures Implementation Plan, Former Small Weapons Repair Shop, Parcel 66(7)*. March.
- MES. 2009. *Tech Memo Addendum to the Final Corrective Measures Implementation Plan, Former Small Weapons Repair Shop, Parcel 66(7)*. March.
- MES. 2013. *Final Corrective Measures Implementation Report, Former Small Weapons Repair Shop, Parcel 66(7)*. January.
- MES. 2018. *Second Amendment to Corrective Measures Implementation Plan, Former Small Weapons Repair Shop, Parcel 66(7)*. June.
- MES. 2019. *Corrective Measures Implementation Report, Former Small Weapons Repair Shop, Parcel 66(7)*. (March).
- Paul, C.J. and R.W. Puls. 2007. *Impact of Turbidity on TCE and Degradation Products in Groundwater*, Groundwater Monitoring and Remediation. <https://doi.org/10.1111/j.1745-6592.1997.tb01192.x>.
- United States Environmental Protection Agency (EPA). 1986. *Test Methods for Evaluating Solid Waste-Physical Chemical Methods*. Office of Solid Waste, Washington, D.C., SW-846, 3rd Edition. Update I, 1992, Updates II, IIA, and III 1996, Updates IIIA and IIIB 2002.

*This page intentionally left blank*

## Tables

**Table 4-1: Groundwater Elevations,  
Eleventh Year LTM  
Small Weapons Repair Shop, Parcel 66(7), McClellan, Anniston, Alabama**

Well Location	Well Type	Ground Elevation (feet msl)	TOC Elevation (feet msl)	Date Measured	Well Depth (feet BTOC)	Depth to Water (feet BTOC)	Groundwater Elevation (feet msl)
<b>May 2021 Sampling Event</b>							
PPMP-66-MW01	residuum	780.10	782.12	5/17/2021	26.03	4.19	777.93
PPMP-66-MW02RR	residuum	780.59	780.37	5/17/2021	23.50	3.96	776.41
PPMP-66-MW03	residuum	781.11	780.74	5/17/2021	28.27	3.94	776.80
PPMP-66-MW04	residuum	779.99	781.90	5/17/2021	26.40	4.33	777.57
PPMP-66-MW06R	residuum	781.45	781.41	5/17/2021	27.80	2.22	779.19
PPMP-66-MW07	residuum	782.41	782.17	5/17/2021	28.65	4.55	777.62
PPMP-66-MW08	bedrock	780.89	780.66	5/17/2021	73.90	3.17	777.49
PPMP-66-MW09	bedrock	781.14	780.88	5/17/2021	74.80	3.42	777.46
PPMP-66-MW10	bedrock	779.79	782.01	5/17/2021	77.40	5.75	776.26
PPMP-66-MW11	bedrock	781.10	780.89	5/17/2021	84.35	1.87	779.02
PPMP-66-MW13	bedrock	781.93	781.65	5/17/2021	74.30	3.79	777.86
PPMP-66-MW14	residuum	781.92	781.70	5/17/2021	20.71	4.10	777.60
PPMP-66-MW16	residuum	780.86	780.47	5/17/2021	12.75	2.43	778.04
PPMP-66-MW17	transition	781.63	781.29	5/17/2021	17.71	3.30	777.99
PPMP-66-MW18R	residuum	781.68	781.25	5/17/2021	15.00	1.97	779.28
PPMP-66-MW21	residuum	780.78	780.44	5/17/2021	14.40	2.09	778.35
PPMP-66-MW22	transition	780.79	780.44	5/17/2021	24.71	2.93	777.51
PPMP-66-MW23R	transition	781.12	780.87	5/17/2021	29.25	3.28	777.59
PPMP-66-MW24R	transition	781.57	781.20	5/17/2021	34.15	3.18	778.02
<b>October 2021 Sampling Event</b>							
PPMP-66-MW01	residuum	780.10	782.12	10/27/2021	26.03	5.56	776.56
PPMP-66-MW02RR	residuum	780.59	780.37	10/27/2021	23.50	4.30	776.07
PPMP-66-MW03	residuum	781.11	780.74	10/27/2021	28.00	4.99	775.75
PPMP-66-MW04	residuum	779.99	781.90	10/27/2021	26.50	5.83	776.07
PPMP-66-MW06R	residuum	781.45	781.41	10/27/2021	27.80	4.06	777.35
PPMP-66-MW07	residuum	782.41	782.17	10/27/2021	28.65	5.74	776.43
PPMP-66-MW08	bedrock	780.89	780.66	10/27/2021	73.90	4.49	776.17
PPMP-66-MW09	bedrock	781.14	780.88	10/27/2021	74.75	4.71	776.17
PPMP-66-MW10	bedrock	779.79	782.01	10/27/2021	77.41	7.11	774.90
PPMP-66-MW11	bedrock	781.10	780.89	10/27/2021	84.35	3.77	777.12
PPMP-66-MW13	bedrock	781.93	781.65	10/27/2021	74.03	5.15	776.50
PPMP-66-MW14	residuum	781.92	781.70	10/27/2021	20.71	5.47	776.23
PPMP-66-MW16	residuum	780.86	780.47	10/27/2021	12.75	4.67	775.80
PPMP-66-MW17	transition	781.63	781.29	10/27/2021	17.71	4.82	776.47
PPMP-66-MW18R	residuum	781.68	781.25	10/27/2021	15.00	4.02	777.23
PPMP-66-MW21	residuum	780.78	780.44	10/27/2021	14.40	2.81	777.63
PPMP-66-MW22	transition	780.79	780.44	10/27/2021	24.65	4.25	776.19
PPMP-66-MW23R	transition	781.12	780.87	10/27/2021	29.25	4.63	776.24
PPMP-66-MW24R	transition	781.57	781.20	10/24/2021	34.15	4.83	776.37

**Notes:**

BTOC = Below top of casing                      \* Water at top of casing  
 LTM = Long-term monitoring  
 msl = Mean sea level  
 TOC = Top of casing

**Table 4-2: Horizontal Hydraulic Gradients,  
Eleventh Year LTM  
Small Weapons Repair Shop, Parcel 66(7)  
McClellan, Anniston, Alabama**

Upgradient Monitoring Well	Well Type	Groundwater Elevation	Downgradient Monitoring Well	Well Type	Groundwater Elevation	Estimated Groundwater Flow Direction	Horizontal Distance	Groundwater Elevation Difference (feet)	Horizontal Gradient (feet per foot)
<b>May 2021</b>									
PPMP-66-MW02RR	residuum	776.41	PPMP-66-MW01	residuum	777.93	west	96	-1.52	-0.016
PPMP-66-MW02RR	residuum	776.41	PPMP-66-MW07	residuum	777.62	east	150	-1.21	-0.008
PPMP-66-MW02RR	residuum	776.41	PPMP-66-MW06R	residuum	779.19	southeast	82	-2.78	-0.034
PPMP-66-MW18R	residuum	779.28	PPMP-66-MW07	residuum	777.62	northeast	75	1.66	0.022
PPMP-66-MW14	residuum	777.60	PPMP-66-MW03	residuum	776.80	southwest	79	0.80	0.010
PPMP-66-MW13	bedrock	777.86	PPMP-66-MW11	bedrock	779.02	northwest	71	-1.16	-0.016
PPMP-66-MW13	bedrock	777.86	PPMP-66-MW08	bedrock	777.49	west	134	0.37	0.003
PPMP-66-MW17	transition	777.99	PPMP-66-MW24R	transition	778.02	west	47	-0.03	-0.001
PPMP-66-MW24R	transition	778.02	PPMP-66-MW23R	transition	777.59	northwest	68	0.43	0.006
<b>Average May 2020 Horizontal Gradient:</b>									<b>-0.004</b>
<b>October 2021</b>									
PPMP-66-MW02RR	residuum	776.07	PPMP-66-MW01	residuum	776.56	southwest	88	-0.49	-0.006
PPMP-66-MW02RR	residuum	776.07	PPMP-66-MW07	residuum	776.43	east	150	-0.36	-0.002
PPMP-66-MW02RR	residuum	776.07	PPMP-66-MW06R	residuum	777.35	southeast	82	-1.28	-0.016
PPMP-66-MW18R	residuum	777.23	PPMP-66-MW06R	residuum	777.35	southwest	26	-0.12	-0.005
PPMP-66-MW18R	residuum	777.23	PPMP-66-MW14	residuum	776.23	southeast	55	1.00	0.018
PPMP-66-MW18R	residuum	777.23	PPMP-66-MW07	residuum	776.43	northeast	75	0.80	0.011
PPMP-66-MW18R	residuum	777.23	PPMP-66-MW02RR	residuum	776.07	west	104	1.16	0.011
PPMP-66-MW14	residuum	776.23	PPMP-66-MW03	residuum	775.75	southwest	79	0.48	0.006
PPMP-66-MW13	bedrock	776.50	PPMP-66-MW11	bedrock	777.12	northwest	71	-0.62	-0.009
PPMP-66-MW08	bedrock	776.17	PPMP-66-MW11	bedrock	777.12	northeast	124	-0.95	-0.008
PPMP-66-MW08	bedrock	776.17	PPMP-66-MW13	bedrock	776.50	east	134	-0.33	-0.002
PPMP-66-MW17	transition	776.47	PPMP-66-MW24R	transition	776.37	west	47	0.10	0.002
PPMP-66-MW23R	transition	776.24	PPMP-66-MW24R	transition	776.37	southeast	68	-0.13	-0.002
<b>Average October 2020 Horizontal Gradient:</b>									<b>0.000</b>

**Notes:**

Elevations in feet above mean sea level.

LTM = Long-term monitoring

**Table 4-3: Vertical Hydraulic Gradients, Eleventh Year LTM**  
**Small Weapons Repair Shop, Parcel 66(7)**  
**McClellan, Anniston, Alabama**

Well Cluster IDs	Well Zone	Midpoint of Screen (Elevation)	GWE		dL	dH		VHG (ft/ft)	
			May21	Oct21		May21	Oct21	May21	Oct21
PPMP-66-MW06R	residuum	763.49	779.19	777.35	10.27	1.17	0.98	0.1139	0.0954
PPMP-66-MW24R	transition	753.22	778.02	776.37					
PPMP-66-MW02RR	residuum	764.49	776.41	776.07	6.51	-1.18	-0.17	-0.1813	-0.0261
PPMP-66-MW23R	transition	757.98	777.59	776.24					
PPMP-66-MW02RR	residuum	764.49	776.41	776.07	48.97	-1.08	-0.10	-0.0221	-0.0020
PPMP-66-MW08	bedrock	715.52	777.49	776.17					
PPMP-66-MW23R	transition	757.98	777.59	776.24	42.46	0.1	0.07	0.0024	0.0016
PPMP-66-MW08	bedrock	715.52	777.49	776.17					
PPMP-66-MW18R	residuum	772.68	779.28	777.23	5.3	1.29	0.76	0.2434	0.1434
PPMP-66-MW17	transition	767.38	777.99	776.47					
PPMP-66-MW21	residuum	771.83	778.35	777.63	9.86	0.84	1.44	0.0852	0.1460
PPMP-66-MW22	transition	761.97	777.51	776.19					
PPMP-66-MW16	residuum	773.79	778.04	775.8	1.96	-0.31	-1.83	-0.1582	-0.9337
PPMP-66-MW21	residuum	771.83	778.35	777.63					

**Notes:**

ft/ft = feet per foot (a negative value indicates an upward vertical gradient)

ID = identification

LTM = Long-term monitoring

dH = difference in groundwater elevation (feet)

dL = distance between screened intervals (feet)

GWE = Groundwater Elevation

VHG = Vertical Hydraulic Gradient

Elevations in feet above mean sea level.



**Table 4-4: Field Parameters, Eleventh Year LTM**  
**Small Weapons Repair Shop, Parcel 66(7)**  
**McClellan, Anniston, Alabama**

Well ID	Well Type	Sample Date	Temperature (°C)	Conductivity (µs/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	TDS (g/L)	Turbidity (NTU)	pH
<b>May 2021</b>									
PPMP-66-MW01	residuum	5/17/2021	21.1	3115	0.3	-149	2.02	6	6.9
PPMP-66-MW02RR	residuum	5/18/2021	26.5	3977	2.9	3	2.59	172	6.7
PPMP-66-MW04	residuum	5/17/2021	23.6	1473	0.2	-95	0.96	10	6.8
PPMP-66-MW06R	residuum	5/18/2021	18.9	1247	5.3	-151	0.81	11	11.7
PPMP-66-MW07	residuum	5/17/2021	22.1	2797	0.1	-11	1.82	10	6.8
PPMP-66-MW08	bedrock	5/18/2021	19.6	2301	1.5	-43	1.50	3	7.0
PPMP-66-MW11	bedrock	5/17/2021	23.6	289	0.4	12	0.19	9	7.4
PPMP-66-MW13	bedrock	5/17/2021	26.6	1150	0.4	-102	0.75	9	7.3
PPMP-66-MW14	residuum	5/17/2021	21.1	1769	0.2	-127	1.15	17	6.9
PPMP-66-MW16	residuum	5/18/2021	22.1	676	1.0	8	0.44	16	6.7
PPMP-66-MW17	transition	5/17/2021	22.9	769	0.3	-200	0.50	18	7.2
PPMP-66-MW18R	residuum	5/17/2021	20.8	545	0.9	-105	0.35	4	7.1
PPMP-66-MW22	transition	5/18/2021	20.2	1121	1.1	-79	0.73	23	7.2
PPMP-66-MW23R	transition	5/18/2021	21.8	2311	0.5	-117	1.50	5	12.1
PPMP-66-MW24R	transition	5/18/2021	21.5	1706	0.3	-105	1.11	11	7.2
<b>October 2021</b>									
PPMP-66-MW01	residuum	10/25/2021	23.6	3107	0.8	-39	2.01	5	7.0
PPMP-66-MW02RR	residuum	10/25/2021	24.1	2199	4.2	70	1.43	28	6.6
PPMP-66-MW04	residuum	10/25/2021	20.3	2308	1.7	-87	1.50	2	6.9
PPMP-66-MW06R	residuum	10/26/2021	21.8	1153	0.2	-83	0.75	19	11.9
PPMP-66-MW07	residuum	10/23/2021	24.5	2757	0.3	-35	1.80	8	6.8
PPMP-66-MW08	bedrock	10/25/2021	22.4	1505	0.6	-44	0.98	4	7.1
PPMP-66-MW11	bedrock	10/25/2021	21.6	292	2.1	-36	0.19	3	7.6
PPMP-66-MW13	bedrock	10/23/2021	23.5	1095	0.7	-121	0.71	5	7.4
PPMP-66-MW14	residuum	10/23/2021	22.5	1761	1.4	-56	1.14	32	7.0
PPMP-66-MW16	residuum	10/25/2021	24.9	736	3.2	41	0.48	6	6.6
PPMP-66-MW17	transition	10/23/2021	23.1	775	6.5	-19	0.51	17	7.3
PPMP-66-MW18R	residuum	10/23/2021	21.6	568	1.8	19	0.37	14	7.1
PPMP-66-MW22	transition	10/25/2021	22.5	617	1.4	-107	0.40	11	7.2

**Table 4-4: Field Parameters, Eleventh Year LTM**  
**Small Weapons Repair Shop, Parcel 66(7)**  
**McClellan, Anniston, Alabama**

Well ID	Well Type	Sample Date	Temperature (°C)	Conductivity (µs/cm)	Dissolved Oxygen (mg/L)	ORP (mV)	TDS (g/L)	Turbidity (NTU)	pH
PPMP-66-MW23R	transition	10/25/2021	21.6	1947	0.6	-223	1.27	12	12.2
PPMP-66-MW24R	transition	10/26/2021	22.5	1505	1.0	-82	0.98	11	7.2

**Notes:**

°C = Degrees Celsius

mg/L = Milligrams per liter

µs/cm = Microsiemens per centimeter

mV = Millivolts

NM = Not measured

NS = Not sampled

NTU = Nephelometric turbidity units

ORP = Oxidation-reduction potential

TDS = Total Dissolved Solids

Table 4-5a: Groundwater Analytical Results for COCs and Degradation Products  
Small Weapons Repair Shop, Parcel 66(7)  
McClellan, Anniston, Alabama

VOCs (µg/L)	GS RBTL	Residuum PPMP-66-MW01									
		10/30/18	1/15/19	02/26/19	5/21/19	8/6/19	11/04/19	5/6/20	10/26/20	5/17/21	10/25/21
COCs											
Cis-1,2-Dichloroethene	991	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trichloroethene	205	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Vinyl Chloride	3.86	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Degradation Products											
1,1-Dichloroethene	4800	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1	< 1	0.39 J (UB)	< 1	< 1	< 1	< 1	< 1	< 1	< 1

VOCs (µg/L)	GS RBTL	Residuum Well PPMP-66-MW02/PPMP-66-MW02R/PPMP-66-MW02RR *																									
		3/6/01	4/24/02	5/13/04	11/7/07	5/21/08	10/1/10	5/11/11	8/11/11	11/2/11	2/6/12	5/7/12	8/6/12	11/12/12	2/4/13	5/8/13	8/26/13	1/2/14	2/5/14	5/7/14	8/11/14	11/3/14	2/3/15	5/18/15	8/3/15	11/12/15	2/9/16
COCs		Historical					Baseline & First Year LTM					2nd Year LTM				3rd Year LTM				4th Year LTM				5th Year LTM			
Cis-1,2-Dichloroethene	991	7.5	9.5 (nv)	36	210	130	200	41	29	28	220	300	320	310	530	520	well damaged, could not be sampled	7.9	4.2	2.7	2.9	23	25	34	19	40	31
Trichloroethene	205	40	29 (nv)	74	480	27	170	34	52	45	87	130	160	140	530	450		3.1	1.0	0.49 J	0.31 J	12	19	35	10	29	27
Vinyl Chloride	3.86	60	67 (nv)	110	100	71	41	10	8.7	17	85	72	65	59	72	73		10	9.3	6.3	5.1	12	11	11	9.1	12	9.1
Degradation Products																											
1,1-Dichloroethene	4800	9.2	11 (nv)	28	97	30	37	5	1.8	1.6	8	9.7	10	10	15	15		0.3 J	< 1.0	< 1.0	< 1.0	0.45 J	0.58 J	0.72 J	0.39 J	0.78 J	0.58 J
Trans-1,2-Dichloroethene	1950	6.4	6.7 nv)	10	13	7.2	7.6	12	8.7	15	72	97	110	100	280	220		2.1	1.0	0.57 J	0.71 J	7.1	9.7	15	6.9	18	15

VOCs (µg/L)	GS RBTL	Residuum PPMP-66-MW02RR																			
		5/3/16	8/4/16	11/1/16	2/14/17	5/18/17	8/7/17	11/20/17	2/8/18	5/3/18	8/8/18	10/31/18	1/28/19	2/26/19	5/21/19	8/7/19	11/4/19	5/6/20	10/27/20	5/19/21	10/25/21
COCs		6th Year LTM				7th Year LTM				8th Year LTM				9th Year LTM				10th Year LTM		11th Year LTM	
Cis-1,2-Dichloroethene	991	28	23	18	31	25	39	32	57	45	41	42 (JM)	18	19	20	12 (J)	14	14	9.5 B	12	14
Trichloroethene	205	28	11	6.9	24	21	23	19	31	32	27	27 (JM)	6.5	8.1	5.1	3.4 (J)	3.2	2.8	2.8	3.5	4.2
Vinyl Chloride	3.86	6.4	9.6	8.0	7.2	5.4	13	7.6	15	22	17	20	10	8.1	11	5.5 (J)	7.5	5.2	3.9	7.7	6.5
Degradation Products																					
1,1-Dichloroethene	4800	0.49 J	0.43 J	0.29 J	0.57 J	0.34 J	0.68 J	0.55 J	0.77 J	0.90 J	0.69 J	0.67 J	0.38 J	0.39 J	0.39 J	< 1 (J)	< 1	< 1.0	< 1.0	0.36 J	0.44 J
Trans-1,2-Dichloroethene	1950	13	8.5	5.1	16	11	19	15	27	26	26	26	7.1	10 B	6.9	3.7 (J)	4.7	3.8	3.3	4.4	5.7

VOCs (µg/L)	GS RBTL	Residuum PPMP-66-MW04									
		10/29/18	1/14/19	2/25/19	5/20/19	8/5/19	11/1/19	5/5/20	10/26/20	5/17/21	10/25/21
COCs											
Cis-1,2-Dichloroethene	991	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trichloroethene	205	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Vinyl Chloride	3.86	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Degradation Products											
1,1-Dichloroethene	4800	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1	< 1	0.49 J (UB)	< 1	< 1	< 1	< 1	< 1	< 1	< 1

Table 4-5a: Groundwater Analytical Results for COCs and Degradation Products  
Small Weapons Repair Shop, Parcel 66(7)  
McClellan, Anniston, Alabama

VOCs (µg/L)	GS RBTL	Residuum Well PPMP-66-MW06/PPMP-66-MW06R *																									
		3/14/01	4/25/02	5/17/04	11/5/07	5/19/08	9/28/10	5/11/11	8/11/11	11/2/11	2/6/12	5/7/12	8/6/12	11/12/12	2/4/13	5/8/13	8/26/13	11/19/13	2/5/14	5/7/14	8/11/14	11/3/14	2/3/15	5/18/15	8/3/15	11/12/15	2/9/16
COCs		Historical					Baseline & First Year LTM					2nd Year LTM				3rd Year LTM				4th Year LTM				5th Year LTM			
Cis-1,2-Dichloroethene	991	500	720 (nv)	1600	810	700	580	47	71	46	34	38	56	48	30	25	31	41	29	21	32	33	15	14	17	14	12
Trichloroethene	205	9200	14000 (nv)	13000	2900	3900	2100	180	260	380	240	230	310	270	180	150	190	200	150	120	140	180	88	82	69	75	56
Vinyl Chloride	3.86	< 5	3.5 (nv)	10	26	26	27	2.2	4.8	8.5	5.8	6.1	10	9.9	5.4	4.0	7.9	14	6.9	4.6	7.0	10	3.4	3.1	3.6	1.8	2.0
Degradation Products																											
1,1-Dichloroethene	4800	310	360 (nv)	300	46	52	44	4.5	7.6	2.8	1.6	1.6	2	1.8	1	0.91 J	1.1	1.3	0.65 J	0.49 J	0.86 J	0.76 J	0.39 J	0.33 J	0.47 J	0.34 J	0.32 J
Trans-1,2-Dichloroethene	1950	17	31 (nv)	130	34	33	30	2.1	4.9	12	7.6	7.9	13	13	8	6.3	8.8	12	7.2	5.9	7.9	9.8	4.9	4.3	4.5	3.8	3.2

VOCs (µg/L)	GS RBTL	Residuum Well PPMP-66-MW06R																			
		5/3/16	8/4/16	11/1/16	2/14/17	5/18/17	8/7/17	11/20/17	2/8/18	5/3/18	8/8/18	10/31/18	1/16/19	02/26/19	05/22/19	08/07/19	11/05/19	5/7/20	10/27/20	5/18/21	10/26/21
COCs		6th Year LTM				7th Year LTM				8th Year LTM				9th Year LTM				10th Year LTM		11th Year LTM	
Cis-1,2-Dichloroethene	991	11	24	25	11	13	19	14	16	8.1	8.8	33	6	5.9	7.8	8.8	6.5	4.1	4.1	3.2	4.7
Trichloroethene	205	48	78	79	37 J	55	64	45	49	30	40	71	21	26	30	31	32	28	28	21	34
Vinyl Chloride	3.86	2.4	7.1	6.5	3.0	3.8	5.7	3.5	6.1	2.4	< 1	1.8	1.4	1.2	1.4	1.2 (J)	0.93 J	0.53 J	< 1.0	< 1	0.59 J
Degradation Products																					
1,1-Dichloroethene	4800	0.29 J	0.64 J	0.59 J	0.34 J	0.29 J	0.66 J	0.45 J	0.49 J	0.44 J	< 1	1.5	< 1	< 1	< 1	< 1	< 1	< 1.0	< 1.0	< 1	< 1
Trans-1,2-Dichloroethene	1950	2.8	6.0	5.9	2.9	3.3	5.2	3.3	3.8	2.1	2.2	2.4	2.3	2.8	3.2	2.7	3.4	2.3	2.3	1.9	3.5

VOCs (µg/L)	GS RBTL	Residuum PPMP-66-MW07										
		10/29/18		01/14/19	2/25/19	5/20/19	8/6/19	11/4/19	5/5/20	10/26/20	5/17/21	10/23/21
<u>COCs</u>												
Cis-1,2-Dichloroethene	991	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trichloroethene	205	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Vinyl Chloride	3.86	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
<u>Degradation Products</u>												
1,1-Dichloroethene	4800	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1	< 1	0.45 J (UB)	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1

VOCs (µg/L)	GS RBTL	Bedrock Well PPMP-66-MW08																							
		3/6/01	5/12/04	5/20/08	10/1/10	5/11/11	8/11/11	11/2/11	2/6/12	5/7/12	8/6/12	11/12/12	2/4/13	5/8/13	8/26/13	11/19/13	2/5/14	5/7/14	8/11/14	11/3/14	2/3/15	5/18/15	8/3/15	11/12/15	2/9/16
COCs		Historical			Baseline & First Year LTM					2nd Year LTM				3rd Year LTM				4th Year LTM				5th Year LTM			
Cis-1,2-Dichloroethene	991	< 5	< 1.0	< 1.0	0.29 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	205	< 5	< 1.0	0.28 J	0.98 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl Chloride	3.86	< 5	< 1.0	< 1.0	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8
Degradation Products																									
1,1-Dichloroethene	4800	< 5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trans-1,2-Dichloroethene	1950	< 5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0

Table 4-5a: Groundwater Analytical Results for COCs and Degradation Products  
Small Weapons Repair Shop, Parcel 66(7)  
McClellan, Anniston, Alabama

VOCs (µg/L)	GS RBTL	Bedrock Well PPMP-66-MW08																			
		5/3/16	8/4/16	11/1/16	2/14/17	5/18/17	8/7/17	11/20/17	2/8/18	5/3/18	8/8/18	10/30/18	1/15/19	2/26/19	5/21/19	8/7/19	11/4/19	5/6/20	10/27/20	5/17/21	10/23/21
COCs		6th Year LTM				7th Year LTM				8th Year LTM				9th Year LTM				10th Year LTM		11th Year LTM	
Cis-1,2-Dichloroethene	991	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trichloroethene	205	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Vinyl Chloride	3.86	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 1 F2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Degradation Products																					
1,1-Dichloroethene	4800	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1

VOCs (µg/L)	GS RBTL	Bedrock PPMP-66-MW11									
		10/29/18	01/14/19	02/25/19	05/20/19	08/05/19	11/01/19	5/5/20	10/26/20	5/17/21	10/25/21
<b>COCs</b>											
Cis-1,2-Dichloroethene	991	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trichloroethene	205	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Vinyl Chloride	3.86	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
<b>Degradation Products</b>											
1,1-Dichloroethene	4800	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1	< 1	0.4 J (UB)	< 1	< 1	< 1	< 1	< 1	< 1	< 1

VOCs (µg/L)	GS RBTL	Bedrock PPMP-66-MW13									
		10/29/18	1/15/19	02/25/19	05/20/19	08/05/19	11/04/19	5/5/20	10/26/20	5/17/21	10/23/21
<b>COCs</b>											
Cis-1,2-Dichloroethene	991	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trichloroethene	205	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Vinyl Chloride	3.86	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
<b>Degradation Products</b>											
1,1-Dichloroethene	4800	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1	< 1	0.42 J (UB)	< 1	< 1	< 1	< 1	< 1	< 1	< 1

VOCs (µg/L)	GS RBTL	Residuum PPMP-66-MW14									
		10/29/18	01/14/19	02/25/19	05/20/19	08/05/19	11/04/19	5/5/20	10/26/20	5/17/21	10/23/21
<b>COCs</b>											
Cis-1,2-Dichloroethene	991	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trichloroethene	205	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Vinyl Chloride	3.86	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
<b>Degradation Products</b>											
1,1-Dichloroethene	4800	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1	< 1	0.44 J (UB)	< 1	< 1	< 1	< 1	< 1	< 1	< 1

Table 4-5a: Groundwater Analytical Results for COCs and Degradation Products  
Small Weapons Repair Shop, Parcel 66(7)  
McClellan, Anniston, Alabama

VOCs (µg/L)	GS RBTL	Residuuum Well PPMP-66-MW16																								
		10/17/01	5/13/04	11/7/07	5/20/08	10/1/10	5/11/11	8/11/11	11/2/11	2/6/12	5/7/12	8/6/12	11/12/12	2/4/13	5/8/13	8/26/13	11/19/13	2/5/14	5/7/14	8/11/14	11/3/14	2/3/15	5/18/15	8/3/15	11/12/15	2/9/16
COCs		Historical				Baseline & First Year LTM					2nd Year LTM				3rd Year LTM				4th Year LTM				5th Year LTM			
Cis-1,2-Dichloroethene	991	< 1.0	< 1.0	0.5 J	< 1.0	0.28 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	205	< 1.0	< 1.0	0.77 J	0.6 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl Chloride	3.86	< 1.0	0.26 J	0.57 J	< 1.0	0.21 J	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8
Degradation Products																										
1,1-Dichloroethene	4800	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trans-1,2-Dichloroethene	1950	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0

VOCs (µg/L)	GS RBTL	Residuuum Well PPMP-66-MW16																			
		5/3/16	8/4/16	11/1/16	2/14/17	5/18/17	8/7/17	11/20/17	2/8/18	5/3/18	8/8/18	10/30/18	1/15/19	2/26/19	5/21/19	8/7/19	11/4/19	5/6/20	10/26/20	5/18/21	10/25/21
COCs		6th Year LTM				7th Year LTM				8th Year LTM				9th Year LTM				10th Year LTM		11th Year LTM	
Cis-1,2-Dichloroethene	991	< 1.0	< 1.0	0.30 J	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Trichloroethene	205	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Vinyl Chloride	3.86	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Degradation Products																					
1,1-Dichloroethene	4800	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Trans-1,2-Dichloroethene	1950	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	

VOCs (µg/L)	GS RBTL	Transition Well PPMP-66-MW17																							
		5/20/04	5/20/08	9/29/10	5/11/11	8/11/11	11/2/11	2/6/12	5/7/12	8/6/12	11/12/12	2/4/13	5/8/13	8/26/13	11/19/13	2/5/14	5/7/14	8/11/14	11/3/14	2/3/15	5/18/15	8/3/15	11/12/15	2/9/16	
COCs		Historical		Baseline & First Year LTM						2nd Year LTM				3rd Year LTM				4th Year LTM				5th Year LTM			
Cis-1,2-Dichloroethene	991	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trichloroethene	205	< 1.0	0.84 J	0.88 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Vinyl Chloride	3.86	< 1.0	< 1.0	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	
Degradation Products																									
1,1-Dichloroethene	4800	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trans-1,2-Dichloroethene	1950	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	

VOCs (µg/L)	GS RBTL	Transition Well PPMP-66-MW17																			
		5/3/16	8/4/16	11/1/16	2/14/17	5/18/17	8/7/17	11/20/17	2/8/18	5/3/18	8/8/18	10/30/18	1/15/19	2/25/19	5/21/19	8/5/19	11/1/19	5/5/20	10/27/20	5/17/21	10/23/21
COCs		6th Year LTM				7th Year LTM				8th Year LTM				9th Year LTM				10th Year LTM		11th Year LTM	
Cis-1,2-Dichloroethene	991	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	0.55 J	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trichloroethene	205	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	0.98 J	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Vinyl Chloride	3.86	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Degradation Products																					
1,1-Dichloroethene	4800	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1

Table 4-5a: Groundwater Analytical Results for COCs and Degradation Products  
Small Weapons Repair Shop, Parcel 66(7)  
McClellan, Anniston, Alabama

VOCs (µg/L)	GS RBTL	Residuum Well PPMP-66-MW18/PPMP-66-MW18R *																						
		5/12/04	5/20/08	9/28/10	5/11/11	8/11/11	11/2/11	2/6/12	5/7/12	8/6/12	11/12/12	2/4/13	5/8/13	8/26/13	11/19/13	2/5/14	5/7/14	8/11/14	11/3/14	2/3/15	5/18/15	8/3/15	11/12/15	2/9/16
COCs		Historical		Baseline & First Year LTM					2nd Year LTM				3rd Year LTM				4th Year LTM				5th Year LTM			
Cis-1,2-Dichloroethene	991	< 1.0	< 1.0	< 1.0	7.5	14	3.6	1.3	3	7.6	5.2	2.2	2.2	5.2	4.9	1.5	2.1	1.0	2.3	0.26 J	0.67 J	2.3	< 1.0	< 1.0
Trichloroethene	205	< 1.0	4.6	< 1.0	21	42	10	3.4	4.5	2.2	0.58 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1 J	1.2	0.68 J	0.6 J	0.31 J
Vinyl Chloride	3.86	< 1.0	< 1.0	< 0.8	0.66 J	6.2	2.4	1	0.96	1.5	1.3	0.64 J	0.76 J	1.8	1.4	0.45 J	0.47 J	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8
Degradation Products																								
1,1-Dichloroethene	4800	< 1.0	< 1.0	< 1.0	0.25 J	0.32 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trans-1,2-Dichloroethene	1950	< 1.0	< 1.0	< 1.0	0.47 J	2.5	0.36 J	< 1.0	< 1.0	0.38 J	0.29 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	

VOCs (µg/L)	GS RBTL	Residuum Well PPMP-66-MW18R																			
		5/3/16	8/4/16	11/1/16	2/14/17	5/18/17	8/7/17	11/20/17	2/8/18	5/3/18	8/8/18	10/30/18	1/15/19	2/25/19	5/21/19	8/6/19	11/4/19	5/5/20	10/27/20	5/17/21	10/23/21
COCs		6th Year LTM				7th Year LTM				8th Year LTM				9th Year LTM				10th Year LTM		11th Year LTM	
Cis-1,2-Dichloroethene	991	0.72 J	2.8	1.7	< 1.0	0.28 J	1.1	0.73 J	0.37 J	< 1	< 1	1.1	< 1	< 1	1.0	0.79 J (B)	< 1	< 1	< 1	< 1	
Trichloroethene	205	0.48 J	0.44 J	0.57 J	0.76 J	0.74 J	0.76 J	0.34 J	0.28 J	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Vinyl Chloride	3.86	<0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Degradation Products																					
1,1-Dichloroethene	4800	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
Trans-1,2-Dichloroethene	1950	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	0.39 J (UB)	< 1	< 1	< 1	< 1	< 1	< 1	

VOCs (µg/L)	GS RBTL	Transition PPMP-66-MW22									
		10/30/18	1/15/19	2/26/19	5/21/19	8/6/19	11/04/19	5/6/20	10/26/20	5/18/21	10/25/21
<b>COCs</b>											
Cis-1,2-Dichloroethene	991	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trichloroethene	205	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Vinyl Chloride	3.86	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
<b>Degradation Products</b>											
1,1-Dichloroethene	4800	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1

VOCs (µg/L)	GS RBTL	Transition Well PPMP-66-MW23/PPMP-66-MW23R *																							
		5/13/04	11/7/07	5/21/08	10/1/10	5/11/11	8/11/11	11/2/11	2/6/12	5/7/12	8/6/12	11/12/12	2/4/13	5/8/13	8/26/13	11/19/13	2/5/14	5/7/14	8/11/14	11/3/14	2/3/15	5/18/15	8/3/15	11/12/15	2/9/16
COCs		Historical			Baseline & First Year LTM					2nd Year LTM				3rd Year LTM				4th Year LTM				5th Year LTM			
Cis-1,2-Dichloroethene	991	1.6	110	75	58	92	550	180	130	93	180	170	150	130	210	270	170	170	210	220	180	140	91	160	160
Trichloroethene	205	1.4	89	290	39	77	940	550	370	200	210	180	130	75	120	170	120	110	140	210	120	100	62	110	120
Vinyl Chloride	3.86	9.2	16	20	6.6	4.5	15	14	20	19	39	33	31	32	48	59	31	41	39	54	33	26	20	28	23
Degradation Products																									
1,1-Dichloroethene	4800	2.2	34	57	18	31	96	45	29	16	19	16	11	8.2	11	14	10	5.4	7.1	6.2	10	7.5	4.1	9.6	9.2
Trans-1,2-Dichloroethene	1950	< 1.0	0.77 J	2.7	0.47 J	1.2	7.9	5.9	7.2	6.2	22	27	23	24	43	68	22	52	67	84	39	33	27	35	37

Table 4-5a: Groundwater Analytical Results for COCs and Degradation Products  
Small Weapons Repair Shop, Parcel 66(7)  
McClellan, Anniston, Alabama

VOCs (µg/L)	GS RBTL	Transition Well PPMP-66-MW23R																			
		5/3/16	8/4/16	11/1/16	2/14/17	5/18/17	8/7/17	11/20/17	2/8/18	5/3/18	8/8/18	10/30/18	1/15/19	2/26/19	5/21/19	8/6/19	11/5/19	5/6/20	10/27/20	5/18/21	10/25/21
COCs		6th Year LTM				7th Year LTM				8th Year LTM				9th Year LTM				10th Year LTM		11th Year LTM	
Cis-1,2-Dichloroethene	991	80	110	110	170	110	90	130	140	71	43	86	91	88	90	92	76	62	50 B	41	49
Trichloroethene	205	66	76	67	120	89	78	120	130	69	47	80	200	150	120	130	140	180	140	120	140
Vinyl Chloride	3.86	12	19	16	30	16	24	21	24	22	9.8	29	15	14	13	13	13	6.1	5.7	5.1	5.5
Degradation Products																					
1,1-Dichloroethene	4800	4.0	6.0	5.1	11	4.9	5.6	7.5	11	4.3	2.7	5.1	4.3	3	3.4	3.4	2.7	2	1.4	1.6	1.4
Trans-1,2-Dichloroethene	1950	23	31	23	45	29	37	41	57	31	17	40	73	71 B	63	62	73	62	46	41	46

	GS	Transition Well PPMP-66-MW24/PPMP-66-MW24R *																							
VOCs (µg/L)	RBTL	5/17/04	11/5/07	5/20/08	9/29/10	5/11/11	8/11/11	11/2/11	2/6/12	5/7/12	8/6/12	11/12/12	2/4/13	5/8/13	8/26/13	11/19/13	2/5/14	5/7/14	8/11/14	11/3/14	2/3/15	5/18/15	8/3/15	11/12/15	2/9/16
COCs		Historical			Baseline & First Year LTM					2nd Year LTM				3rd Year LTM				4th Year LTM				5th Year LTM			
Cis-1,2-Dichloroethene	991	130	290	260	80	0.47 J	0.47 J	0.39 J	0.46 J	0.39 J	0.64 J	0.55 J	0.32 J	0.4 J	0.55 J	0.54 J	0.36 J	0.46 J	0.57 J	0.55 J	0.42 J	0.64 J	0.84 J	0.51 J	0.46 J
Trichloroethene	205	5000	2500	4000	5.5	2.4	1.1	0.78 J	0.66 J	0.54 J	0.48 J	0.58 J	0.53 J	0.44 J	0.38 J	0.4 J	0.45 J	0.46 J	0.37 J	0.4 J	0.44 J	0.45 J	0.25 J	0.37 J	0.39 J
Vinyl Chloride	3.86	1.2	16	11	20	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	
Degradation Products																									
1,1-Dichloroethene	4800	180	100	98	4	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	
Trans-1,2-Dichloroethene	1950	8.2	7.6	8.5	1.2	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	

VOCs (µg/L)	GS RBTL	Transition Well PPMP-66-MW24R																			
		5/3/16	8/4/16	11/1/16	2/14/17	5/18/17	8/7/17	11/20/17	2/8/18	5/3/18	8/8/18	10/31/18	1/16/19	2/26/19	5/22/19	8/7/19	11/4/19	5/7/20	10/27/20	5/18/21	10/26/21
COCs		6th Year LTM				7th Year LTM				8th Year LTM				9th Year LTM				10th Year LTM		11th Year LTM	
Cis-1,2-Dichloroethene	991	0.80 J	1.1	0.95 J	0.74 J	0.59 J	0.93 J	0.65 J	0.73 J	< 1	0.5 J	0.47 J	0.77 J	0.69 J	0.68 J	0.76 J (B)	0.63 J	0.72 J	0.60 J	1	0.62 J
Trichloroethene	205	0.24 J	0.29 J	0.30 J	0.48 J	0.32 J	0.38 J	0.46 J	0.49 J	< 1	< 1	< 1	1.2	0.91 J	< 1	0.5 J (B)	0.53 J	0.60 J	0.55 J	< 1	0.3 J
Vinyl Chloride	3.86	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 0.8	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Degradation Products																					
1,1-Dichloroethene	4800	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Trans-1,2-Dichloroethene	1950	< 1.0	< 1.0	< 1.0	< 1.0	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1

**Notes:**  
< = Indicates the analyte was not detected at the reported quantitation limit shown.  
µg/L = micrograms per liter  
COCs = Constituents of concern  
GS = Groundskeeper  
(nv) = Not validated  
LTM = Long-term monitoring  
RBTL = Risk-Based Target Level (10<sup>-5</sup> Risk)  
VOCs = Volatile Organic Compounds

\* Groundwater samples were collected from the original wells during the historical and baseline rounds (i.e., from March 2001 through October 2010).  
Groundwater samples were collected from the replacement wells (noted with a "R" suffix) during the LTM rounds from May 2011 to the present, with the exception of well PPMP-66-MW02R.  
Groundwater samples were collected from replacement well PPMP-66-MW02R from May 2011 through May 2013 and from the second replacement well PPMP-66-MW02RR from January 2014 to the present.

**Lab Flag:**  
J = Estimated detection. The analyte is positively identified and the concentration is less than the reporting limit but greater than the method detection limit.  
F2 = MS/MSD RPD exceeds control limits.

Result exceeds GS RBTL



**Table 4-5b: Groundwater Analytical Results for Dissolved Gases**  
**Small Weapons Repair Shop, Parcel 66(7)**  
**McClellan, Anniston, Alabama**

	PPMP-66-MW02RR	PPMP-66-MW02RR	PPMP-66-MW02RR
	10/27/20	5/19/21	10/25/21
<b>Gases RSK-175 (µg/L)</b>	Post-ISO	Post-ISO	Post-ISO
Ethane	< 1.1	< 1.1	< 1.1
Ethene	0.55 J	0.56 J	0.47 J
Methane	18	8.6	2.7

	PPMP-66-MW06R	PPMP-66-MW06R	PPMP-66-MW06R
	10/27/20	5/18/21	10/26/21
<b>Gases RSK-175 (µg/L)</b>	Post-ISO	Post-ISO	Post-ISO
Ethane	< 1.1	< 1.1	0.58 J
Ethene	< 1	< 1	< 1
Methane	77	100	190

	PPMP-66-MW23R	PPMP-66-MW23R
	5/18/21	10/25/21
<b>Gases RSK-175 (µg/L)</b>	Post-ISO	Post-ISO
Ethane	0.7 J	0.75 J
Ethene	1.2	1.3
Methane	40	40


**Notes:**


ISO - In-Situ Chemical Oxidation

**Lab Qualifier:**


J = Estimated detection. The analyte is positively identified and the concentration is less than the reporting limit but > MDL

## Figures





FILE: G:\p...projects\Fort McClellan\03\_094\_007\water\maps\Small Weapons.dwg(7/17/2022) Figure 4-1 Residuum Potentiometric Contours, May 2021 Small Weapons Repair Shop, Parcel 66(7) McClellan, Anniston, Alabama








Figure 4-3: Volatile Concentrations in Residium Well  
PPMP-66-MW02 / PPMP-66-MW02R / PPMP-66-MW02RR  
Small Weapons, Parcel 66(7)  
McClellan, Anniston, Alabama




Figure 4-4: Volatile Concentrations in Residuum Well  
PPMP-66-MW06 / PPMP-66-MW06R  
Small Weapons, Parcel 66(7)  
McClellan, Anniston, Alabama






Figure 4-5: Volatile Concentrations in Transition Well  
PPMP-66-MW23 / PPMP-66-MW23R  
Small Weapons, Parcel 66(7)  
McClellan, Anniston, Alabama




Figure 4-6: Volatile Concentrations in Transition Well  
PPMP-66-MW24 / PPMP-66-MW24R  
Small Weapons, Parcel 66(7)  
McClellan, Anniston, Alabama

