

Enclosure 30

FWS Sturgeon Eggs, Flow and Temperature Data, 2005

Date	Temp (C)
14-Mar-05	16.70
18-Mar-05	16.00
23-Mar-05	16.70
5-Apr-05	18.00
11-Apr-05	20.00
14-Apr-05	19.50
18-Apr-05	20.00
20-Apr-05	20.00
21-Apr-05	21.17
22-Apr-05	21.58
27-Apr-05	20.86
28-Apr-05	19.93
2-May-05	20.30
6-May-05	20.50
9-May-05	21.84
11-May-05	22.60
13-May-05	23.76
16-May-05	24.31

Date	Temp (°C)	Stage (ft)	Eggs
1-Apr		70.05	
2-Apr			
3-Apr			
4-Apr			
5-Apr	18.0	68.9	
6-Apr		67.03	
7-Apr		65.43	
8-Apr		66.33	
9-Apr		66.78	
10-Apr		66.15	
11-Apr	20.0	63.7	
12-Apr		60.14	
13-Apr		57.02	
14-Apr	19.5	55.03	
15-Apr		54.36	
16-Apr		53.48	
17-Apr		53.2	
18-Apr	20.0	51.93	
19-Apr		49.38	
20-Apr	20.0	48.23	
21-Apr	21.2	48.71	
22-Apr	21.6	49.35	
23-Apr		49.12	
24-Apr		48.78	
25-Apr	20.47	49.69	
26-Apr		52.3	
27-Apr	20.9	53.05	53.05
28-Apr	19.9	52.94	
29-Apr	20.48	52.4	52.4
30-Apr		52.04	
1-May		52.15	
2-May	20.3	52.07	52.07
3-May		52.55	
4-May		53.18	
5-May		52.8	
6-May	20.5	51.75	
7-May		49.85	
8-May		48.34	
9-May	21.8	47.59	
10-May		47.41	
11-May	22.6	47.29	
12-May		47.3	
13-May	23.8	47.12	47.12
14-May		46.56	
15-May		46.37	
16-May	24.3	45.56	
17-May		45.3	
18-May		45.07	
19-May		45.01	
20-May		45.02	
21-May		45.28	

22-May	45.81
23-May	46.25
24-May	46.13
25-May	45.9
26-May	45.91
27-May	45.98
28-May	45.81
29-May	45.54
30-May	45.54

```

# -----WARNING-----
# The data you have obtained from this automated
# U.S. Geological Survey database have not received
# Director's approval and as such are provisional
# and subject to revision. The data are released
# on the condition that neither the USGS nor the
# United States Government may be held liable for
# any damages resulting from its use.
#
# Additional information can be obtained from the USGS at
# http://waterdata.usgs.gov/fl/nwis/help/?provisional
#
# retrieved: 2005-05-31 16:13:56 EDT      Revised discharges substituted from a Feb. 06 download
#
# This file consists of tab-separated columns of data for a list of sites.
# Each site is separated by a header section of comments and a new column
# header and format header section.
#
# The column headers include the following fields
#
# column      column definition
# -----
# agency_cd   Agency collection or maintaining the site
# site_no     USGS site identification number
# datetime    date and time in ISO format (YYYY-mm-dd)
#
# The remaining fields vary for each site. The field names
# use the following form '##_#####' where the first two numbers
# uniquely define sensor (the 'data descriptor') and the
# used to collect the data used to collect the data
# and the 5 number sequence is the 'parameter_cd'
# that defines the type of data shown in the column.
#
#
# Data for the following stations is contained in this file
# -----
# USGS 02358000 APALACHICOLA RIVER AT CHATTAHOOCHEE FLA
#
#
#
#
# List of available data for this site. Lines preceded by
# an asterix '*' are included in the data file.
#
# DD parameter statistic - Description
# -- ---- ----
# *02 00060 00003 - Discharge, cubic feet per second (Mean)
# *03 00065 00003 - Gage height, feet (Mean)
#
agency_cd site_no  datetime  03_00065_02_00060_00003
5s        15s      16s       14s       14s                temp


```

USGS	2358000	1/1/2005	46.83	20800
USGS	2358000	1/2/2005	46.52	20000
USGS	2358000	1/3/2005	46.44	19800
USGS	2358000	1/4/2005	46.44	19800
USGS	2358000	1/5/2005	45.97	18700
USGS	2358000	1/6/2005	45.35	17200
USGS	2358000	1/7/2005	44.86	16100
USGS	2358000	1/8/2005	44.99	16400
USGS	2358000	1/9/2005	45.11	16600
USGS	2358000	1/10/2005	45.43	17400
USGS	2358000	1/11/2005	44.66	15600
USGS	2358000	1/12/2005	45.3	17100
USGS	2358000	1/13/2005	46.56	20100
USGS	2358000	1/14/2005	49.07	26600
USGS	2358000	1/15/2005	50.63	30900
USGS	2358000	1/16/2005	50.68	31000
USGS	2358000	1/17/2005	50.65	30900
USGS	2358000	1/18/2005	50.08	29300
USGS	2358000	1/19/2005	49.11	26600
USGS	2358000	1/20/2005	48.43	24800
USGS	2358000	1/21/2005	47.65	22800
USGS	2358000	1/22/2005	46.99	21100
USGS	2358000	1/23/2005	45.46	17500
USGS	2358000	1/24/2005	45.14	16700
USGS	2358000	1/25/2005	45.62	17800
USGS	2358000	1/26/2005	45.28	17000
USGS	2358000	1/27/2005	45.93	18600
USGS	2358000	1/28/2005	46.72	20500
USGS	2358000	1/29/2005	47.54	22500
USGS	2358000	1/30/2005	47.5	22400
USGS	2358000	1/31/2005	47.16	21600
USGS	2358000	2/1/2005	46.4	19700
USGS	2358000	2/2/2005	47.75	23100
USGS	2358000	2/3/2005	47.99	23700
USGS	2358000	2/4/2005	48.26	24400
USGS	2358000	2/5/2005	48.46	24900
USGS	2358000	2/6/2005	49.23	27000
USGS	2358000	2/7/2005	49.65	28100
USGS	2358000	2/8/2005	49.63	28100
USGS	2358000	2/9/2005	49.22	26900
USGS	2358000	2/10/2005	48.46	24900
USGS	2358000	2/11/2005	48.36	24700
USGS	2358000	2/12/2005	49.1	26700
USGS	2358000	2/13/2005	49.47	27600
USGS	2358000	2/14/2005	49.62	28100
USGS	2358000	2/15/2005	49.37	27400
USGS	2358000	2/16/2005	48.96	26200
USGS	2358000	2/17/2005	48	23800
USGS	2358000	2/18/2005	47.21	22100
USGS	2358000	2/19/2005	47.5	22400
USGS	2358000	2/20/2005	47.25	21800
USGS	2358000	2/21/2005	46.9	20900


USGS	2358000	2/22/2005	46.91	20900
USGS	2358000	2/23/2005	46.9	20900
USGS	2358000	2/24/2005	46.98	21100
USGS	2358000	2/25/2005	46.97	21100
USGS	2358000	2/26/2005	46.99	21100
USGS	2358000	2/27/2005	48.21	24300
USGS	2358000	2/28/2005	50.27	29800
USGS	2358000	3/1/2005	51.41	33100
USGS	2358000	3/2/2005	51.81	34300
USGS	2358000	3/3/2005	52.25	35600
USGS	2358000	3/4/2005	52.13	35200
USGS	2358000	3/5/2005	51.45	33200
USGS	2358000	3/6/2005	51.42	33100
USGS	2358000	3/7/2005	50.62	30900
USGS	2358000	3/8/2005	49.01	26400
USGS	2358000	3/9/2005	47.29	21900
USGS	2358000	3/10/2005	46.75	20600
USGS	2358000	3/11/2005	46.95	21000
USGS	2358000	3/12/2005	47.45	22300
USGS	2358000	3/13/2005	47.49	22400
USGS	2358000	3/14/2005	47.38	22100
USGS	2358000	3/15/2005	47.29	21900
USGS	2358000	3/16/2005	47.72	23000
USGS	2358000	3/17/2005	47.85	23300
USGS	2358000	3/18/2005	48.14	24100
USGS	2358000	3/19/2005	48.85	25900
USGS	2358000	3/20/2005	49.44	27600
USGS	2358000	3/21/2005	50.7	31000
USGS	2358000	3/22/2005	50.02	29200
USGS	2358000	3/23/2005	50.33	30000
USGS	2358000	3/24/2005	51.63	33800
USGS	2358000	3/25/2005	52	34800
USGS	2358000	3/26/2005	52.15	35300
USGS	2358000	3/27/2005	57.67	61300
USGS	2358000	3/28/2005	63.12	95200
USGS	2358000	3/29/2005	66.25	121000
USGS	2358000	3/30/2005	68.22	138000
USGS	2358000	3/31/2005	69.19	147000
USGS	2358000	4/1/2005	70.05	155000
USGS	2358000	4/2/2005		158000
USGS	2358000	4/3/2005		156000
USGS	2358000	4/4/2005		151000
USGS	2358000	4/5/2005	68.9	144000
USGS	2358000	4/6/2005	67.03	127000
USGS	2358000	4/7/2005	65.43	114000
USGS	2358000	4/8/2005	66.33	121000
USGS	2358000	4/9/2005	66.78	125000
USGS	2358000	4/10/2005	66.15	120000
USGS	2358000	4/11/2005	63.7	100000
USGS	2358000	4/12/2005	60.14	74300
USGS	2358000	4/13/2005	57.02	55400
USGS	2358000	4/14/2005	55.03	44400

USGS	2358000	4/15/2005	54.36	41900		
USGS	2358000	4/16/2005	53.48	38800		
USGS	2358000	4/17/2005	53.2	37900		
USGS	2358000	4/18/2005	51.93	33800		
USGS	2358000	4/19/2005	49.38	26200		
USGS	2358000	4/20/2005	48.23	23200		
USGS	2358000	4/21/2005	48.71	24500		
USGS	2358000	4/22/2005	49.35	26100		
USGS	2358000	4/23/2005	49.12	25500		
USGS	2358000	4/24/2005	48.78	24600		
USGS	2358000	4/25/2005	49.69	27100		
USGS	2358000	4/26/2005	52.3	35000		
USGS	2358000	4/27/2005	53.05	37400	53.05	37400
USGS	2358000	4/28/2005	52.94	37100		
USGS	2358000	4/29/2005	52.4	35300	52.4	35300
USGS	2358000	4/30/2005	52.04	34100		
USGS	2358000	5/1/2005	52.15	34400		
USGS	2358000	5/2/2005	52.07	34200	52.07	34200
USGS	2358000	5/3/2005	52.55	35800		
USGS	2358000	5/4/2005	53.18	37800		
USGS	2358000	5/5/2005	52.8	36600		
USGS	2358000	5/6/2005	51.75	33200		
USGS	2358000	5/7/2005	49.85	27500		
USGS	2358000	5/8/2005	48.34	23500		
USGS	2358000	5/9/2005	47.59	21600		
USGS	2358000	5/10/2005	47.41	21100		
USGS	2358000	5/11/2005	47.29	20800		
USGS	2358000	5/12/2005	47.3	20800		
USGS	2358000	5/13/2005	47.12	20400	47.12	20400
USGS	2358000	5/14/2005	46.56	19000		
USGS	2358000	5/15/2005	46.37	18600		
USGS	2358000	5/16/2005	45.56	16700		
USGS	2358000	5/17/2005	45.3	16100		
USGS	2358000	5/18/2005	45.07	15600		
USGS	2358000	5/19/2005	45.01	15400		
USGS	2358000	5/20/2005	45.02	15500		
USGS	2358000	5/21/2005	45.28	16100		
USGS	2358000	5/22/2005	45.81	17300		
USGS	2358000	5/23/2005	46.25	18300		
USGS	2358000	5/24/2005	46.13	18000		
USGS	2358000	5/25/2005	45.9	17500		
USGS	2358000	5/26/2005	45.91	17500		
USGS	2358000	5/27/2005	45.98	17700		
USGS	2358000	5/28/2005	45.81	17300		
USGS	2358000	5/29/2005	45.54	16600		
USGS	2358000	5/30/2005	45.54	16600		
		5/31/2005		16300		

Apalachicola River at Chattahoochee 2005



Apalachicola River at Chattahoochee 2005



Apalachicola River at Chattahoochee

