






















Temporary and localized impacts may occur in the areas of the construction activities.

III. Findings of Compliance or Noncompliance with the Restrictions on Discharge.

- a. No significant adaptations of the guidelines were made relative to this evaluation.
- b. The proposed discharge represents the least environmentally damaging practicable alternative that would accomplish the project objectives.
- c. Based on the nature of the fill material, the placement of riprap would be in compliance with applicable state water quality standards. Furthermore, water quality certification will be obtained from the State of Alabama.
- d. The fill material would not violate the Toxic Pollutant Standard of Section 307 of the Clean Water Act.
- e. The placement of fill material would not jeopardize the continued existence of any Federally listed endangered or threatened species or their critical habitat.
- f. The proposed discharge of fill material would not contribute to significant degradation of waters of the United States. It would not result in significant adverse effects on human health and welfare, including municipal and private water supplies, recreation and commercial fishing; life stages of organisms dependent upon the aquatic ecosystem; ecosystem diversity, productivity, and stability; or recreational, aesthetic or economic values.
- g. Appropriate and practicable steps to minimize potential adverse impacts of the discharge on the aquatic ecosystem are:
  - (1) Locations, times and duration of the project have been selected to minimize potential adverse impacts to the aquatic ecosystem.
  - (2) An interdisciplinary team has evaluated sites, and project designs have been altered per their recommendations.



DATE: \_\_\_\_\_

\_\_\_\_\_  
 Sebastien P. Joly  
 Colonel, U.S. Army  
 District Commander