



2026 AQUATIC PESTICIDE APPLICATION PLAN

US Army Corps of Engineers Lake Seminole,
FL/GA

Abstract

This Aquatic Pesticide Application Plan is the guiding document for all aquatic plant management activities for calendar year 2026.

Contents

BACKGROUND INFORMATION: 2
Permit Coverage 4
Limitations of Coverage 4
Waters of the U.S..... 6
Water Quality Standards 8
Effluent Limitations..... 8
MONITORING REQUIREMENTS..... 10
DESCRIPTION OF THE WATER SYSTEM..... 11
Figure 1: Geographical extant of Lake Seminole FL/GA..... 12
DESCRIPTION OF THE TREATMENT AREAS:..... 12
Figure 2: Example of Aquatic Weeds on Lake Seminole FL/GA..... 13
Table 1: Treatment Areas 13
Figure 3: Map Plates..... 19
Application schedule 19
Public notice requirement 20
AQUATIC PESTICIDES AND ADJUVANTS THAT MAY BE USED AND
APPLICATION METHODS 20
Table 2: Aquatic Pesticides 20
Factors influencing weed control..... 21
REPORTING:..... 22
 Annual/Biennial Report..... 22
DESCRIPTION OF BEST MANAGEMENT PRACTICES (BMPs) TO BE
IMPLEMENTED 22
EXAMINATION OF AQUATIC VEGETATION CONTROL ALTERNATIVES 25
Watershed management and the runoff impacts 25
Watershed management..... 27
Biological control..... 27
Physical control..... 28
INTEGRATED AQUATIC VEGETATION CONTROL RECOMMENDATIONS 30
SHORELINE PERMIT HOLDERS 30
APAP UPDATES 30

BACKGROUND INFORMATION:

Plants are an important part of the aquatic ecosystem, providing habitat, food, bank protection, temperature stabilization, oxygen production, etc. When non-native, invasive aquatic plants are introduced into these aquatic ecosystems they disrupt the balance between the native plants and aquatic organisms through their rapid growth, monoculture growth, and lack of natural predators. The various non-native, invasive aquatic plants in Lake Seminole have negative impacts such as, degradation of fish and wildlife habitat, loss of habitat, deterioration of wetlands and water quality, reduced surface area for recreation, lower property values, impeding navigation, clogging water supply lines, and causing flooding.

The following Laws, Regulations, and Policy provide the authorization of the treatment invasive species: Section 104 of the River and Harbor Act of 1958, as amended (33 U.S.C. § 610). Control of aquatic plant growth and invasive species, Section 501 of the Water Resources Development Act of 2020 (Public Law 116-220). Update on Invasive Species Policy Guidance, Section 7001 of the John D. Dingell, Jr. Conservation, Management, and Recreation Act (Public Law 116-9). Wildlife habitat and conservation; National Invasive Species Act of 1996, Section 1039(b) of the Water Resources Reform and Development Act of 2014, as amended (16 U.S.C. § 4701 note); Nonindigenous Aquatic Nuisance Prevention and Control Act of 1990, as amended (16 U.S.C. § 4701 et seq.); Section 1039(b) of the Water Resources Reform and Development Act of 2014, as amended (16 U.S.C. § 4701 note); Aquatic Invasive Species Prevention, Executive Order 13112, as amended by Executive Order 13751; Safeguarding the Nation from the Impacts of Invasive Species, December 8, 2016; Executive Order 13751, National Invasive Species Council 2023 National Invasive Species Management Plan, dated October 29, 2022;

Engineer Regulation 1130-2-540; and USACE Invasive Species Policy dated February 21, 2023; Memorandum of Understanding between the US Army Corps of Engineers and Stewards of Lake Seminole, Inc.

The Record of Decision for the Lake Seminole Hydrilla Action Plan GA-FL dated June 1998 is the controlling document for management activities associated with hydrilla. This document and the associated Final Supplement to the Master Plan and Final Supplement to the Environmental Impact Statement define a general plan for hydrilla management activities on Lake Seminole. All hydrilla control activities for 2024 will be within the guidelines of this document. The Final Supplement to the Master Plan and Final Supplement to the Environmental Impact Statement (EIS) did not address other nuisance aquatic plant management species, e.g., water hyacinths, giant cutgrass, Cuban bulrush, American lotus, fanwort, etc., other than in general terms of acceptable percent of aquatic plant coverage for the four management compartments (Chattahoochee River, Flint River, Spring Creek, and Fish Pond Drain) on the lake. Management of these types of invasive aquatic plants was addressed in two earlier EISs – 1) Lake Seminole and Jim Woodruff Lock and Dam, AL-FL, and GA, Operation and Maintenance Final Environmental Impact Statement, 1976, and 2) Aquatic Plant Control Program, Mobile District, Final Environmental Impact Statement, 1978.

This Aquatic Pesticide Application Plan (APAP) is a comprehensive plan developed by the discharger to comply with the provisions of State General National Pollutant Discharge Elimination System Permits for Aquatic Pesticide Discharges to Waters of the United States from Algae and Aquatic Weed Control Applications, General Permit No. FLG510064 effective December 20, 2021, and GAG820066 effective August 1, 2021.

This APAP describes the aquatic plant and algae nuisances, aquatic pesticide products expected to be used, the monitoring program, and Best Management Practices to be followed, as well as the other conditions addressed in the General Permit.

The use of aquatic pesticides within and adjacent to Lake Seminole is necessary to manage for the Congressionally authorized uses of the lake: hydropower, navigation, recreation, and related-use purposes. The Aquatic Vegetation Control Program is an undertaking necessary to control specific types of aquatic vegetation that have become a nuisance to the management of the water body and are impacting its health and authorized uses. The need for aquatic pesticide application events as part of this program vary from week to week and from season to season due to such things as water temperature, sunlight, nutrient levels, plant and algae growth and other factors.

This APAP with the General Permit requirements described below provides the outline to ensure that the Aquatic Vegetation Control Program is successful.

PERMIT COVERAGE:

The General Permit (No. FLG510064 and GAG820066) addresses the discharge of registered pesticides into and adjacent to the waters of the States of Florida and Georgia.

LIMITATIONS OF COVERAGE:

1. This general permit does not apply to the application of pesticides to areas which do not require a National Pollutant Discharge Elimination System (NPDES) permit, including:
 - a. Any introduction of pollutants from non-point source agricultural and silvicultural activities including storm runoff from orchards, cultivated crops, pastures, and

forest lands; and

b. Return flows from irrigated agriculture.

2. Section 305(b) of the Clean Water Act (CWA) requires States to assess and describe the quality of its waters every two years in a report called the 305(b) report. Section 303(d) of the CWA requires States to submit a list of all waters that are not meeting their designated uses. For the purposes of this permit, impaired waters are those that have been identified by the State of Florida pursuant to Chapter 62-303, Florida Administrative Code (F.A.C.) and Georgia pursuant to Section 303(d) of the CWA as not meeting applicable State surface water quality standards.

Point source discharges from a pesticide application to waters of the State are not eligible for coverage under this permit if the water is identified as impaired for that pesticide or its degradants. A list of these waters is available on Florida Department of Environmental Protection's (DEP) website:

https://publicfiles.dep.state.fl.us/DEAR/DEARweb/WAS/Integrated_Report/DEP_2024_Final.pdf , Georgia Environmental

Protection Division's (EPD) website:

<https://epd.georgia.gov/document/document/2024305bstreamspdf/download> and

<https://epd.georgia.gov/document/document/2024305blakespdf/download>

3. Discharges to Waters Designated as Outstanding National Resource Waters (ONRW) in Rule 62-302.700, F.A.C. and ratified by the Florida legislature are not eligible for coverage under this permit.
4. Discharges currently or previously covered by another Permit. Coverage under this permit is not allowed if any of the following

circumstances apply:

- a. The discharges are covered by another NPDES permit, or
 - b. The discharges were included in a permit that within the last five years has been denied, terminated, or revoked by the DEP.
5. Point source discharges from pesticide application to waters of the State that are currently or previously covered by another permit are not eligible for coverage under this permit if any of the following circumstances apply:
- a. The discharges are covered by another NPDES permit; or
 - b. The discharges were included in a permit that within the last five years has been denied, terminated, or revoked by the DEP or EPD.

Municipal Separate Storm Sewer Systems (MS4) Stormwater NPDES permits cover non-point source discharges, therefore permit holders for MS4 NPDES permits are eligible for coverage under this general permit for the point source discharge of pesticides to waters of the State. Prior to the issuance date of this permit, EPD did not issue NPDES permits for the application of pesticides to waters of the State.

WATERS OF THE UNITED STATES: The General Permit regulates the discharge of pesticides associated with the application of aquatic pesticides to waters of the United States. "Waters of the United States" are defined by the General Permit as follows:

1. All waters which are currently used, or were used in the past, or may be susceptible to use in interstate or foreign commerce,

including all waters which are subject to the ebb and flow of the tide;

2. All interstate waters including interstate wetlands;
3. All other waters such as intrastate lakes, rivers, streams (including intermittent streams), mudflats, sandflats, wetlands, sloughs, prairie potholes, wet meadows, playa lakes, or natural ponds, the use, degradation or destruction of which could affect interstate or foreign commerce including any such waters:
 4. Which are or could be used by interstate or foreign travelers for recreational or other purposes; or
 5. From which fish or shellfish are or could be taken and sold in interstate or foreign commerce; or
 6. Which are used or could be used for industrial purposes by industries in interstate commerce;
7. All impoundments of waters otherwise defined as Waters of the United States;
8. Tributaries of waters identified in paragraphs (1) - (4):
9. The territorial seas; and
10. Wetlands adjacent to waters (other than waters that are themselves wetlands) identified in paragraphs (1) - (6).
11. Waste treatment systems, including treatment ponds or lagoons designed to meet the requirements of the CWA (other than cooling ponds as defined in 40 C.F.R. section 423.11(m) which also meet the criteria of this definition) are not Waters of the United States. This exclusion applies only to manmade bodies of water which neither were originally created in Waters of the United States (such as a disposal area in wetlands) nor resulted from the impoundment of Waters of the United States [See Note

1 of this Section]. Waters of the United States do not include prior converted cropland. Notwithstanding the determination of an area's status as prior converted cropland by any other federal agency, for the purposes of the Clean Water Act, the final authority regarding Clean Water Act jurisdiction remains with U.S. Environmental Protection Agency (EPA).

WATER QUALITY STANDARDS: The Clean Water Act (CWA) defines Water Quality Standards as “Provisions of state or federal law which consist of designated uses for the waters of the United States, water quality criteria for waters based upon such uses, and antidegradation policies. Water quality standards are to protect the public health or welfare, enhance the quality of water and serve the purposes of the Act.” [40 Code of Federal Regulations (CFR) section 131.3(i)].

The Federal Clean Water Act provides a statutory basis for state water quality standards programs. The regulatory requirements governing these programs (Water Quality Standards Regulation) are published in 40 CFR 131. States are responsible for reviewing, establishing and revising water quality standards. Florida's surface water quality standards system is published in 62-302 (and 62-302.530) of the Florida Administrative Code (F.A.C.) and Georgia's water quality standards is published in Georgia's Rules and Regulations for Water Quality Control (Chapter 391-3-6-.03).

EFFLUENT LIMITATIONS: NPDES permits for discharges to surface waters must meet all applicable provisions of sections 301 and 402 of the CWA. These provisions require controls that utilize best available technology economically achievable (BAT), best conventional pollutant control technology (BCT), and any more stringent controls necessary to reduce pollutant discharge and meet water quality standards.

Title 40, CFR section 122.44 states that if a discharge causes, has the

reasonable potential to cause, or contributes to an excursion (Reasonable Potential) of a numeric or narrative water quality criterion, the permitting authority must develop effluent limits as necessary to meet water quality standards. Title 40, CFR section 122.44(k)(3) allows these effluent limits to be requirements to implement Best Management Practices (BMPs) if numeric effluent limits are infeasible. It is infeasible for the State Board to establish numeric effluent limitations in this General Permit because the application of aquatic pesticides is not necessarily considered a discharge of pollutants according to the Talent decision. The regulated discharge is the discharge of residues associated with the application of aquatic pesticides. These include over-applied and misdirected pesticide products and pesticide residue. At what point the pesticide becomes a residue is not precisely known and varies depending on such things as target weed, water chemistry, and flow. Therefore, the effluent limitations contained in the General Permit are narrative and include requirements to develop and implement a Pesticide Discharge Management Plan (PDMP) and the Annual Plan that describes appropriate BMPs, including compliance with all pesticide label instructions, and to comply with receiving water limitations.

The BMPs required herein constitute Best Available Technology (BAT) and Best Conventional Technology (BCT) and will be implemented to minimize the area and duration of impacts caused by the discharge of aquatic pesticides in the treatment area, and to allow for the restoration of water quality and protection of beneficial uses of the receiving waters to pre-application quality following completion of a treatment event.

Once an aquatic pesticide has been applied to an application area, the pesticide product can actively treat the target species within the treatment area. During the treatment event, the aquatic pesticide is at a sufficient concentration to actively kill or control the target weeds plants or algae. When active ingredient concentrations are below this effective

concentration, the aquatic pesticide becomes a residue. The minimum effective concentration, and the time required to reach it, vary due to site specific conditions, such as flow, target species, and water chemistry. The Receiving Water Limitations require that an application event does not result in an exceedance of water quality standards in the receiving water. The receiving water includes:

- Anywhere outside of the treatment area at any time, and
- Anywhere inside the treatment area after completion of the treatment event.

In recognition of the variability in the temporal extent of a treatment event, the General Permit does not require monitoring to be discretely defined. Instead, post-event monitoring of the water is required after enough time has elapsed for the results of aquatic pesticide application to be seen.

MONITORING REQUIREMENTS:

The General Permit requires dischargers to comply with the Monitoring and Reporting Program (MRP). The goals of the MRP are to:

1. Identify and characterize algaecide or aquatic herbicide application projects conducted by the Discharger;
2. Determine compliance with the receiving water limitations and other requirements specified in this General Permit;
3. Measure and improve the effectiveness of the Plan;
4. Support the development, implementation, and effectiveness of BMPs;
5. Assess the chemical, physical, and biological impacts on receiving waters resulting from algaecide or aquatic herbicide applications;

6. Conduct visual spot checks during any pesticide application and any post-application surveillance or efficacy check, and
7. Conduct annual reporting for DEP and biennial reporting for EPD.

This Plan was prepared to address the above requirements and those detailed in the General Permit.

DESCRIPTION OF THE WATER SYSTEM:

Lake Seminole is maintained by the US Army Corps of Engineers. Nuisance growths of aquatic vegetation within Lake Seminole have caused varying levels of negative impacts on the beneficial uses of the system. Uncontrolled vegetation restricts navigation, hydropower generation, recreational use, water flows and reduces fish and wildlife habitat. The US Army Corps of Engineers has been applying herbicides to vegetation since the 1970s to ensure that nuisance growths of aquatic vegetation do not impact the beneficial uses of the lake.



Figure 1: Geographical extent of Lake Seminole GA-FL

DESCRIPTION OF THE TREATMENT AREAS:

Depending on the season, many areas of the lake are impacted by nuisance growths of floating, emergent, and submerged aquatic vegetation. The primary aquatic vegetation impacting the lake is Hydrilla (*Hydrilla verticillata*), Water Hyacinth (*Eichhornia crassipes*), Variable-leaf Watermilfoil (*Myriophyllum heterophyllum*), Eurasian Watermilfoil (*Myriophyllum spicatum*), Giant cutgrass (*Zizaniopsis miliacea*), Common Reed (*Phragmites australis*), Cuban Bulrush (*Oxycaryum*

blepharoleptos), Alligatorweed (*Alternanthera philoxeroides*), Fanwort (*Cabomba caroliniana*), Asian Marshweed (*Limnophila sessiliflora*), East Indian Hygrophila (*Hygrophila polysperma*), American lotus (*Nelumbo lutea*), Torpedograss (*Panicum repens*), Common Salvinia (*Salvinia minima*), pondweed species (*Potamogeton* sp), cattail species (*Typha* sp), and water primrose species (*Ludwigia* sp). Other species may be introduced in the future, which will be a priority to prevent establishment. Species of particular concern for introduction are Crested floating heart (*Nymphoides hydrophylla*) and Giant salvinia (*Salvinia molesta*). Algae species may be targeted in the future should they develop to nuisance levels. The total combined surface acreage of the lake is 37,500 Acres. As much as 60% of the lake at times has been impacted with aquatic vegetation growth.



Figure 2: Aquatic Weeds on Lake Seminole FL/GA

Table 1: Treatment Areas

Area Name	Acreage	Map Plate	Target Plant	Comments
Acorn Drive Canal	3	28	Limnophila, milfoil	Access
At Ease Marina	21	38, 39	Hydrilla, Cabomba, primrose, cutgrass, Cuban bulrush	Marked small boat channel, recreation, boat ramp, marina

Area Name	Acres	Map Plate	Target Plant	Comments
Bluebird Pond Channel	7	22	Hydrilla, pondweed	Marked small boat channel, Recreation
Brockett's Slough	48	31,39	Hydrilla, milfoil, Cuban bulrush	Marked small boat channel, Recreation
Buena Vista Upper	25	1	Hydrilla, cutgrass	Recreation, access
Buena Vista West	16	1	Hydrilla, cutgrass	Recreation, access
Bully Arnold North Lower	11	20	Hydrilla, Limnophila, primrose, Cuban bulrush, cutgrass	Recreation, boat ramp access to river
Bully Arnold North Upper	9	20	Hydrilla, primrose, Cuban bulrush, cutgrass	Recreation, boat ramp access to river
Bully Arnold Ramp	3	19,20	Hydrilla, Cabomba, watershield, cutgrass	Recreation, boat ramp
Bully Arnold River	11	20	Hydrilla, Limnophila, Cuban bulrush, cutgrass	Recreation, access
Chattahoochee Park Canal	3	43	Milfoil, hydrilla, cutgrass, primrose, Cuban bulrush	Recreation
Chattahoochee Park Ramp	4	43	Hydrilla	Boat ramp
Chattahoochee River	-		Cutgrass, phragmites, Cuban bulrush, primrose, hyacinth	Habitat
Corps Boat Basin	3	47	Hydrilla, coontail, primrose	Operations, Corps boat house
Corps Boat Basin Channel	2	47	Hydrilla	Operations, Boat Basin access
Cypress Pond	35	21	Milfoil, Limnophila, pondweed, Cuban bulrush	Channel, access
Cypress Pond Barrier	4	21	Hydrilla, Cabomba, Limnophila, pondweed	Operations, electric barrier
Desser	2	4	Hydrilla, Cabomba, Limnophila, cutgrass, hyacinth, Cuban bulrush	Recreation, boat ramp

Area Name	Acres	Map Plate	Target Plant	Comments
Desser Lower Westside	24	2,4	Hydrilla, hyacinth, cutgrass, Cuban bulrush	Access
Desser Ramp	2	47	Hydrilla, hyacinth, cutgrass, Cuban bulrush	Marked small boat channel, Recreation, boat ramp
Desser Upper	20	1,2	Hydrilla, hyacinth	Access
Eastbank CG Canal	1	47	Hydrilla, milfoil, pondweed	Recreation, access
Eastbank CG Ramp	7	47	Hydrilla, milfoil, pondweed	Recreation
Faceville Landing	5	25	Hydrilla, primrose, Cuban bulrush, hyacinth	Marked small boat channel, Recreation, Boat ramp, Campground
Fairchild's Ramp	13	15	Hydrilla, cutgrass, Cuban bulrush	Marked small boat channel, Recreation, boat ramp
Fairchild's Slough	41	15,20	Hydrilla, pondweed, Cabomba, cutgrass, Cuban bulrush	Recreation, access
Fireman's Cut	26	30	Hydrilla, Cabomba, cutgrass, Cuban bulrush	Marked small boat channel access from Flint River to Spring Creek
Five Fingers	75	25	Cuban bulrush, primrose, cutgrass	Recreation, habitat
FPD Barrier	5	30	Hydrilla, Limnophila, primrose	Operations, electric barrier, Limnophila
FPD Lower Section 1	11	21	Hydrilla, Cabomba	Marked small boat channel, Recreation
FPD Lower Section 2	11	21	Hydrilla, Cabomba	Marked small boat channel, Recreation
FPD Lower Section 3	13	21	Hydrilla, Cabomba	Marked small boat channel, Recreation
FPD Lower Section 4	11	21	Hydrilla, Cabomba	Marked small boat channel, Recreation
FPD Lower Section 5	11	21	Hydrilla, Cabomba	Marked small boat channel, Recreation

Area Name	Acres	Map Plate	Target Plant	Comments
FPD Lower Section 6	21	21	Hydrilla, Cabomba	Marked small boat channel, Recreation
FPD Upper Section 1	6	30	Hydrilla, Limnophila, milfoil, primrose	Marked small boat channel, Recreation, boat ramp
FPD Upper Section 2	27	21,30	Hydrilla, Limnophila, milfoil, primrose	Marked small boat channel, Recreation, boat ramp
Frog Pond Channel	6	21	Limnophila, hydrilla, primrose	Marked small boat channel, Recreation, boat ramp
Goat Island	29	38	Hydrilla, primrose, cutgrass, Cuban bulrush	Access
Hickory Pond	6	21	Limnophila, pondweed, Bacopa	Recreation, access
Hickory Pond Barrier	6	22	Hydrilla	Operations, electric barrier
Hole in the Wall/Gator Hole	84	42	Cutgrass, phragmites	Recreation, access
Holly Isles Canal	10	21	Limnophila, milfoil	Access
Holly Isles Bridge	10	21	Limnophila, pondweed	Marked small boat channel, Recreation, boat ramp
Howells Ramp	7	11	Hydrilla, cutgrass, phragmites	Boat ramp
Kelly's Slough	12	31,38	Cabomba, hydrilla, cutgrass, primrose	Access
Lewis Pond	275	30	Limnophila, hydrilla, cutgrass, Cuban bulrush, milfoil	Marked small boat channel, Recreation
Little Dothan	3	10	Hydrilla, cutgrass	Access
Mercer's	15	15	Hydrilla, cutgrass, Cuban bulrush, primrose, phragmites	Access
Parramore Run	9	7,11	Hydrilla, cutgrass, primrose	Marked small boat channel, Recreation, boat ramp

Area Name	Acres	Map Plate	Target Plant	Comments
Pear Orchard Head	14	34,40	Hydrilla, cutgrass, primrose, Cuban bulrush	Recreation, access
Pear Orchard Lower	11	41	Hydrilla, cutgrass, primrose	Recreation, access
Pear Orchard Middle	10	40	Hydrilla, Cabomba,	Recreation, access
Pear Orchard Upper	8	40	Hydrilla, Cabomba, Naiad	Recreation, access
Pickle Slough	23	30	Limnophila, hydrilla, cutgrass, cattail, Cuban bulrush, hyacinth	Recreation, access
Ranger Station Inner	4	20	Hydrilla, cutgrass, Cuban bulrush, primrose	Operations, marked small boat channel, recreation
Ranger Station Outer	5	20	Hydrilla, cutgrass, Cuban bulrush, primrose	Operations, marked small boat channel, recreation
Rays Lake	11	30	Hydrilla, milfoil, pondweed, hyacinth, primrose	Marked small boat channel, recreation, fishing pier, boat ramp
River Junction Ramp	5	43	Hydrilla, pondweed	Marked small boat channel, recreation, boat ramp
Saunders Slough	185	27,35	Phragmites, Cuban bulrush, cutgrass	Marked small boat channel, habitat, recreation
Sealy Ramp	2	21	Hydrilla	Marked small boat channel, recreation, boat ramp
Sealy Run	8	12,21	Hydrilla	Marked small boat channel, recreation
Seminole Lodge and Channel	9	45,46	Hydrilla, hygrophila, cutgrass, primrose, phragmites, Cuban bulrush	Marina, marked small boat channel, recreation, boat ramp
Seminole State Park	25	21,30	Hydrilla, Limnophila	APC Research plot, marked small boat channel, recreation, boat ramp
Sneads Park	22	45,46	Hydrilla, primrose, Cuban bulrush, phragmites	Recreation, boat ramp
Spooners	140	35,42	Cutgrass, phragmites, Cuban	Access, habitat

Area Name	Acres	Map Plate	Target Plant	Comments
			bulrush, primrose, hydrilla	
Spring Creek Park Channel	6	22,31	Hydrilla, Cabomba, milfoil, Giant bulrush, hyacinth	Marked small boat channel
Spring Creek Park East	6	31	Hydrilla, Cabomba, cutgrass, lotus, water lily	Recreation, boat ramp
Spring Creek Park Marina	4	31	Hydrilla, Cabomba, milfoil, Limnophila, primrose	Recreation, marina
Spring Creek Park West	8	31	Hydrilla, pondweed, Cabomba	Recreation
Spring Creek Run	114	12, 21,22,31, 32,41	Hydrilla, hyacinth, cutgrass, Cuban bulrush, primrose	APC Research plots, marked small boat channel, recreation
Ten Mile Still	6	25,31	Hydrilla, hyacinth, cutgrass, Cuban bulrush, primrose	Marked small boat channel, recreation, boat ramp
Three Rivers State Park	38	41	Hydrilla, cutgrass, Cuban bulrush, cattail, phragmites	Recreation, fishing pier, access
Trails End Marina	8	20,26	Hydrilla, Cabomba, Limnophila, Cuban bulrush, cutgrass, primrose	Marked small boat channel, recreation, boat ramp, marina
Turkey Pond	21	21	Limnophila, hydrilla	Recreation, access
Turkey Pond Drain	34	21	Limnophila, hydrilla, pondweed	Marked small boat channel, recreation
Van Zandt	26	31,39	Hydrilla, cutgrass, Cuban bulrush, primrose	Access




Figure 3: Map Plates

APPLICATION SCHEDULE: The US Army Corps of Engineers Aquatic Plant Manager determines the areas of the lake to be treated based on knowledge, surveys, upcoming operations, and stakeholder input. The treatment is based on the management goals of Lake Managers, location, timing, herbicide inventory, and available funding. These applications are made through the Operation and Maintenance contractor’s certified aquatic pesticide applicators, certified USACE staff, and outside contractors with available funding. Due to the number of treatments and acreages covered, timing and locations will be approximate. USACE will work with partner organization to coordinate treatments when possible.

PUBLIC NOTICE: The Plan is posted to the Woodruff/Seminole project website. Location of the application may change without notice due to onsite conditions and other factors.

AQUATIC PESTICIDES AND ADJUVANTS THAT MAY BE USED AND APPLICATION METHODS: Provided in the table below are the aquatic pesticides that may be used in the aquatic plant control program within the lake. The need for treatments is based on aquatic vegetation growth and visual monitoring.

Table 2.

<i>Herbicide/Algaecide</i> *	<i>Swimming</i> <i>Restrictions</i>	<i>Fish</i> <i>Consumption</i> <i>Restrictions</i>	<i>Irrigation Turf</i> <i>and Food Crop</i> <i>Restrictions</i>	<i>Adjuvant</i>
2,4-D Amine	0 days	0 days	3 weeks or 0.1 ppm or less	Aquatic Labeled
Flumioxazin	0 days	0 days	3 Days	Aquatic labeled 80% non-ionic surfactant
Copper Complexes (Copper sulfate, Chelated Copper)	0 days	0 days	0 days	Aquatic labeled d-limonene or similar surfactant
Diquat Dibromide	0 days	0 days	3-5 Days	Aquatic labeled surfactant
Endothall	0 days	0 days	0 days	Not Applicable
Fluridone	0 days	0 days	14 Days	Not Applicable
Glyphosate	0 days	0 days	0 days	Aquatic labeled 50% min non-ionic surfactant
Imazamox	0 days	0 days	Less than or equal to 50 ppb	Aquatic labeled surfactant
Imazapyr	0 days	0 days	120 Days or less than or equal to 1 ppb	Aquatic labeled surfactant
Penoxsulam	0 days	0 days	Less than or equal to 1 ppb	Aquatic labeled surfactant
Triclopyr	0 days	0 days	120 Days or until Non-detectable by immunoassay test	Aquatic non-ionic surfactant
Carfentrazone	0 days	0 days	14 days	MSO or non-ionic surfactant

Bispyribac-sodium	0 days	0 days	Less than or equal to 1 ppb	Aquatic labeled 80% non-ionic surfactant
Florpyrauxifen-benzyl	0 days	0 days	Up to 35 days or use FasTEST	MSO

****Refer to Product Labels and SDS's for Further Information***

Aquatic pesticide applications will be performed utilizing Best Management Practices (BMP's) by licensed personnel in accordance with laws and regulations of the state in which the application occurs. All aquatic herbicide applications would be performed by contractors or USACE staff with valid applicator licenses, or under the direct supervision of a certified applicator. Applications targeting floating and emergent vegetation would be performed using a handgun sprayer or boom operated from a boat, shore-based trailer, or helicopter. Applications targeting submerged aquatic vegetation would be performed from a boat utilizing subsurface injection system, broadcast spreader, helicopter or a shore-based injection system (i.e.: Spring Creek).

FACTORS INFLUENCING WEED CONTROL: The decision to implement aquatic vegetation control applications is based on the plant's growth stage prior to treatment and re-evaluated at the time of the application. Based on nuisance levels of aquatic vegetation growth and its potential to impact beneficial uses of the lakes systems, the Aquatic Plant Manager (APM) with input from the stakeholders will review control options. Based on the APM's findings, a Pest Control Recommendation (PCR) will be developed for any aquatic pesticide applications. Aquatic herbicide applications are determined based on the following characteristics:

- The USACE will continually monitor the lake for aquatic vegetation growth. Prior to aquatic vegetation growth developing to nuisance levels, aquatic vegetation control

measures will be scheduled.

- Priority level of the area.

REPORTING:

Annual/Biennial Report: All reports will be submitted to the DEP or EPD. The Annual reports will contain the following information:

1. Permittee Name;
2. NPDES Pesticide General Permit Number;
3. Responsible Person;
4. Treatment Summary;
5. Identification of Waters;
6. Use Pattern;
7. Weeds Treated;
8. Types and Amounts (in pounds) of Algaecides and Aquatic Herbicides Used at Each Application Event;
9. Applicator Name;
10. Was the Application Expressed in the PDMP;
11. Report of Adverse Incidents;
12. Description of Corrective Actions and Rational for the Action.

Data Storage: All data will be recorded on supplied forms and entered into an herbicide application database on the Lake Seminole network server.

DESCRIPTION OF BEST MANAGEMENT PRACTICES (BMPs)

TO BE IMPLEMENTED:

A variety of approaches will be utilized to minimize the impacts of aquatic pesticides used while still achieving their goals.

1. Techniques that help reduce pesticide impacts include:
 - a. Non-pesticide control methods as outlined below (Alternatives) have been attempted or considered.
 - b. Pre-Treatment surveys are carried out to identify potential treatment areas and timing.

- c. Adjustments will be made to treatment protocols based upon survey results.
 - d. Choice of pesticides based on target weed, effectiveness, timing, water conditions.
 - e. Aquatic Pesticide use rates will be per the EPA approved label.
 - f. Partial water treatments or split treatments will be utilized to minimize impacts that might otherwise occur.
2. From the aquatic herbicides available, the most effective and safest options have been selected for use in this program. The Aquatic Plant Manager (APM) and Herbicide application personnel (Qualified Applicators) know the strengths and weaknesses of the various available options and take them into consideration when choosing a treatment protocol for a specific site.
3. In order to avoid inadvertent or accidental soil or water contamination from aquatic pesticides, application personnel follow the storage, transport, and spill control procedures per USEPA and label instructions.
4. Over application is avoided by following the specific product labels for the aquatic pesticides used in the program. Algaecide and aquatic herbicide quantities required for each treatment are calculated at the office and only enough material to carry out the treatment is transported for the day's application. Application equipment is routinely cleaned and maintained, and all label directions are followed as to acceptable application methods as well as weather conditions. Surface applications are not made in winds above 10 miles per hour.
5. The various BMP's being implemented ensures that the Aquatic Vegetation Control Program will meet the requirements of the general NPDES Permit for the use of aquatic pesticides.
6. Licensing: All contractors and USACE staff that apply or supervise the application of aquatic pesticides are certified and or licensed by the state.
7. Notification: As detailed elsewhere in this document, whenever pesticides are used that might lead to damage to irrigated crops (the most severe potential impact on beneficial uses caused by the program), potentially affected users in the area will be informed of the treatments so that means can be taken to avoid using the treated water for irrigation purposes.

8. Site Evaluations: As has been detailed in this section and elsewhere, both preliminary and secondary site evaluations are a major aspect of the program, as represented by the extensive surveying carried out by the field crews.
9. Alternative Treatments: Staff considers several potential alternative control strategies in every situation and will make use of non-herbicide options when conditions are suitable, and funding allows.
10. Treatment Conditions: Every application is made according to label directions. If there are conditions where it is determined that the treatment would be ineffective, applicators will wait for other conditions or use a different treatment method.
11. Post-treatment: Surveys are also carried out for post-treatment assessment of treatment efficacy and non-target impacts. Survey crews are instructed to look for possible non-target impacts that can be seen with the naked eye, such as dead fish or damage to plants on the shoreline.
12. The applicator follows all pesticide label instructions and any Use Permits issued by a Florida Department of Agriculture and Consumer Services and Georgia Department of Agriculture;
13. The discharger's applicators are licensed by the State, or work with or under the supervision of someone who is licensed;
14. The discharger's applicators comply with effluent limitations.
15. The discharger's applicators will follow this Aquatic Pesticide Application Plan (APAP);
16. The discharger's applicators comply with applicable receiving water limitations; and
17. The discharger's applicators will comply with the monitoring and reporting requirements outlined in this APAP.

Aquatic Pesticide Use Requirements:

1. **License Requirements.** Applicators will be licensed by Florida Department of Agriculture and Consumer Services or Georgia Department of Agriculture.
2. **Application Requirements.** The pesticide will be consistent with Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) pesticide label

instructions and any Use Permits issued by Florida Department of Agriculture and Consumer Services and Georgia Department of Agriculture.

EXAMINATION OF AQUATIC VEGETATION CONTROL ALTERNATIVES:

All appropriate aquatic plant management technologies within the context of the identified beneficial uses and impacted areas of the lake have been evaluated, and include all available cultural, biological, mechanical, and aquatic pesticide formulations.

Aquatic weed and algae control options have been broken down into four basic categories that include:

1. Watershed Management
2. Biological Control
3. Physical and Mechanical Control
4. Aquatic Algaecides and Herbicides_

A discussion on each of the options:

Watershed Management and the Runoff Impacts: Watershed management is one of the most important control parameters as it deals with limiting nutrients and runoff into a water body from the watershed. It entails implementing practices in the watershed that will support the reduction of nutrients and other pollutant runoff into the system. In natural areas, 10 % is runoff and 50 to 60% is direct infiltration (*Runoff Coefficients for the Rational Method of Estimating Rainfall (McCuen, 1989)*).

1. Runoff Impacts
 - a. Non-point source pollution poses the most serious threat to the water quality of the system.
 - b. Non-point pollution in runoff includes sediments, oil, anti-freeze, pesticides, yard waste and pet and waterfowl droppings.
2. Nutrient Effects

- a. Increase in algae blooms.
- b. Odor problems.
- c. Depletion of oxygen supply.
- d. Fish kills.
- e. Decrease in water clarity.
- f. Increase in the amount of rooted aquatic plants growing in the shallow waters of a lake.
- g. Reduction in the recreational value of the lake hinders boating, fishing, and reduces overall aesthetics of the lake.

Eutrophication Process and Impacts:

Impacts of Eutrophication

1. Fish kills due to low oxygen or high metals.
2. Taste and odor problems, resulting in an increase in water treatment costs.
3. Floating algae mats, decaying vegetation.
4. Increased littoral vegetation in shallow areas.
5. Mobilization of sediment bound metals and ions during anoxic conditions (e.g., copper, ammonia, iron, sulfur, phosphorus).
6. Increased temperature.
7. Reduced water clarity.
8. Nuisance algal blooms.
9. Reduced dissolved oxygen in hypolimnion.
10. Earlier onset and/or longer duration of periods of anoxia in hypolimnion.

Several tools are available to control the use and misuse of the land surrounding a waterbody that includes:

1. Comprehensive Plans to guide long-term growth.
2. Storm Water and Surface Water Management Planning considers data collection, land use, system site considerations, and design criteria for structures in setting goals for watershed runoff; and Rules for a system uses such as where, when and how a system can be used recreationally to control shoreline erosion, nutrient recirculation and overuse.
3. Other administrative alternatives may include shoreline erosion and

sedimentation control management programs. Education is still probably the best way to combat water quality issues.

Non-structural alternatives: best management practices, such as buffer strips around water bodies to filter out sediments and reduce nutrients, are examples of non-structural alternatives. Chemical inactivation/precipitation of in-lake phosphorus, chemical control of algae, dredging of accumulated sediments, and mechanical harvesting of aquatic vegetation are additional examples.

Structural alternatives: Storm water detention basins and wetland treatment systems are structural alternatives that detain runoff to control peak flow rates and control downstream flooding. They also allow pollutants to settle out of the water before reaching the waterbody. Diversion structures routing storm water away from the lake and in-lake aeration systems to oxygenate the water are other structural alternatives.

Watershed Management: The DEP and EPD has implemented various Watershed Management Plans designed to limit the impact that the surrounding areas are having on the watershed. A Watershed Management Plan alone will more than likely not provide enough nutrient limitations to avoid excessive aquatic vegetation growth.

Biological Control: There are very few biological control options for eliminating aquatic weeds and algae. Some of the biological controls being used are:

1. Triploid Grass Carp (*Ctenopharyngodon idella*):

The triploid grass carp are confined within two areas, known as Fish Pond Drain and Cypress Pond with low voltage electric barriers. Monitoring of the submersed vegetation within the confinement areas will continue. Hydrilla within the Fish Pond Drain area has expanded along with Eurasian milfoil and pondweed. *Limnophila sessiliflora* has expanded and herbicide treatments will occur inside the barriers for this plant. Native vegetation within the Cypress Pond area has not been reduced as significantly as in the Lewis Pond area.

Hydrilla Leaf-mining Fly (*Hydreillia pakistanae*):

There will not be new releases of the hydrilla leaf-mining fly within the confines of Lake Seminole in 2026. We do expect the existing hydrilla fly population to have minimal impact on the hydrilla that is topped out at the water surface.

Physical:

Prescribed Fire: Prescribed fire will be used as a habitat management tool to control and suppress emergent invasive plant species across approximately **413 acres** of the project area that was treated with herbicide last year. The primary objectives are to reduce accumulated biomass of target invasive species, limit seed production and vegetative spread, restore native plant communities, and improve overall ecological function of aquatic and wetland systems.

Prescribed fire will be conducted under carefully planned conditions to safely and effectively reduce standing biomass of emergent invasive vegetation. Burns will be implemented by trained and certified personnel in accordance with an approved burn plan and applicable state and local regulations. Fire intensity, timing, and frequency will be selected to maximize control of invasive species while minimizing impacts to native vegetation, wildlife, and water quality.

Burns will generally be conducted during the dormant season or early growing season, when water levels, fuel moisture, and weather conditions are suitable for safe ignition and containment.

Prescribed fire is expected to result in short-term disturbance but long-term ecological benefits, including improved native plant recruitment, increased habitat heterogeneity, and reduced dominance of invasive emergent species.

Aeration & Water Quality Alteration: Aeration has been used for decades to circulate water and increase Dissolved Oxygen within lake and pond systems. In stratified lake systems where the bottom layers are anoxic during the summer months, a properly designed aeration system will limit nutrient

recycling by supporting aerobic bacteria that support nutrient breakdowns in bottom waters and the hydrosol. Aeration has proven to be a successful tool for reductions in planktonic algae growth in small lakes and reservoirs. Systems vary in size and style from fountains to bottom bubbler diffuser type systems to hypolimnetic units that oxygenate the lower water below the thermocline. Aeration is not normally used in reservoirs as they are not designed or beneficial for this type of system. Lake Seminole has various springs that supply cool oxygenated water to the system.

Shading/Light Attenuation: A basic environmental manipulation for algae control is light reduction or attenuation. Organic dye can be added to a lake or pond system and is usually a blend of blue and yellow dyes specifically designed to screen or shade portions of the sunlight spectrum (red-orange and blue-violet) required by underwater aquatic plant and algae growth.

This action effectively inhibits photosynthesis required for algae growth. Dyes are primarily effective at depths of 2 feet or greater. Dye is not a good option for reservoir systems as it would disperse too quickly to be effective and would shade out beneficial native plants.

Sediment Removal: Dredging is usually not performed solely for aquatic plant management but to restore water bodies that have been filled in with sediments, have excess nutrients, have inadequate hypolimnetic zones, need deepening, or require removal of toxic substances. However, water bodies that are very shallow due to sedimentation typically do have excess plant and algae growth. USACE is only authorized to dredge the navigation channel, small boat channels, and operational areas. Dredging these locations would not eliminate the floating vegetation and would temporarily suppress growth only in the dredged locations. Dredging the system would also be very expensive as it requires heavy equipment and significant upland disposal areas. Shoreline permit holders may be permitted to dredge sediment up to a certain number of cubic yards in accordance with the Shoreline Management Plan.

Mechanical: Mechanical control of aquatic plants is an authorized option. However, mechanical removal is expensive, slow, and short in duration. There are situations where mechanical control may be utilized by USACE, particularly in areas that have been cut off due to emergent growth. Specified Acts permits may be available from the USACE to shoreline permit holders wishing to utilize mechanical control equipment.

INTEGRATED AQUATIC VEGETATION CONTROL RECOMMENDATIONS:

The recommended control strategy includes establishment of treatment thresholds, monitoring protocols to determine when thresholds are exceeded, and protocols to implement control measures when thresholds are exceeded in compliance with Best Management Practices. The control recommendations to deal with exotic and nuisance aquatic vegetation species present within the systems have been determined based on survey results, and recommended schedules for aquatic vegetation control are outlined in the APAP. It is recommended that an integrated approach that includes both watershed management and aquatic herbicide treatments be initiated to control nuisance growths of aquatic vegetation prior to their impact to the beneficial uses of the system.

SHORELINE PERMIT HOLDERS:

The USACE is not authorized to treat aquatic plants around private docks. Docks may receive the benefits from herbicide dispersal from aquatic plant treatments in adjacent areas. However, permits are available to shoreline permit holders for mechanical removal and herbicide treatments on USACE lands and waters using a certified aquatic pesticide applicator. Permit applications are available through the Aquatic Plant Manager at brent.e.mortimer@usace.army.mil.

APAP UPDATES: This APAP will be updated if needed based on vegetation introductions, as the General Permit conditions change, any additional aquatic

herbicides are added to the program, as new control technologies are developed and become available, or as needed based on changing conditions.

END OF APAP