



**DEPARTMENT OF THE ARMY**  
CORPS OF ENGINEERS, MOBILE DISTRICT  
P.O. BOX 2288  
MOBILE, AL 36628-0001

**CESAM-RD-M**  
**PUBLIC NOTICE NO. SAM-2020-00984-PAH (DMR-200293)**

**October 26, 2020**

**JOINT PUBLIC NOTICE**  
**U.S. ARMY CORPS OF ENGINEERS**

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY**  
**OFFICE OF POLLUTION CONTROL (MDEQ)**

**MISSISSIPPI DEPARTMENT OF MARINE RESOURCES**

**PROPOSED WETLAND FILL FOR THE EXPANSION OF AN EXISTING COMMERCIAL**  
**DEVELOPMENT IN OCEAN SPRINGS, JACKSON COUNTY, MISSISSIPPI**

TO WHOM IT MAY CONCERN:

This District has received an application for a Department of the Army permit pursuant to Section 404 of the Clean Water Act (33 USC 1344). Please communicate this information to interested parties.

**APPLICANT:** 24-Hour Storage, LLC  
2082 Beach Drive  
Gulfport, MS 39507

**AGENT:** Ecological Asset Management, LLC  
Attention: Mr. Randy Ellis  
803 Highway 90  
Bay Saint Louis, Mississippi 39520

**WATERWAY AND LOCATION:** In wetlands connecting to Heron Bayou, off Groveland Road, Section 27, Township 7 South, Range 8 West, Ocean Springs, Jackson County, Mississippi (latitude 30.4131° North, longitude 88.7744° West). The project site includes wetland areas that drain to the Mississippi Sound, in the Coastal River Basin drainage (HUC 03170009).

**PROPOSED WORK:** The applicant proposes to fill 1.65 acres of wetlands associated with the expansion of a commercial development off of Groveland Road in Ocean Springs, Jackson County, Mississippi. The total project site is approximately 2.30 acres in size of which 1.65 acres have been identified as wetlands. Impacts include filling 1.65 acres of wet pine savanna wetlands. The applicant proposes to provide in-kind compensatory mitigation through a mitigation bank.

The applicant has applied for state water quality (WQ) certification in accordance with Section 401(a)(1) of the Clean Water Act, and for coastal zone (CZ) consistency in accordance with the State Coastal Zone Management Program. Upon completion of the required advertising and public comment review, a determination relative to WQ certification and CZ consistency will be made by the Mississippi Department of Environmental Quality and the Mississippi Department of Marine Resources.

This public notice is being distributed to all known interested persons in order to assist in developing facts on which a decision by the U.S. Army Corps of Engineers can be based. For accuracy and completeness of the record, all data in support of or in opposition to the proposed work should be submitted in writing setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, floodplain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, consideration of property ownership and, in general, the needs and welfare of the people.

The Corps of Engineers is soliciting comments from the public; Federal, State, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for public hearings shall state with particularity, the reasons for holding a public hearing.

Evaluation of the probable impacts involving deposits of dredged or fill material into waters of the United States will include the application of guidelines established by the Administrator of the U.S. Environmental Protection Agency.

In accordance with Section 106 of the National Historic Preservation Act, and Appendix C of 33 CFR 325, the undertaking defined in this notice is being considered for the potential to affect historic properties. In accordance with Appendix C of 33 CFR 325, the Corps has determined the permit area consists of the entire project site. The National Register of Historic Places has been consulted and no properties listed in or eligible for the National Register are known to exist which would be affected by the proposed work. The Corps has made a preliminary determination that the proposed project would have no effect on historic properties. However, we are seeking comment from the State Historic Preservation Officer, federally-recognized American Indian tribes, local historical societies, museums, universities, the National Park Service, and the general public regarding the existence or the potential for existence of significant cultural and historic properties which may be affected by the work. This action constitutes the full extent of cultural resources investigations unless comment to this notice is received documenting that significant sites or properties exist which may be affected by this work, or that adequately documents that a potential exists for the location of significant sites or properties within the project area.

A preliminary review of this application, the U.S. Department of the Interior List of Endangered and Threatened Wildlife and Plants and the National Marine Fisheries Service list of Mississippi's Threatened and Endangered Species indicate the proposed activity will have no effect on endangered or threatened species, or their critical habitat. This notice serves as request to the U.S. Fish and Wildlife Service and National Marine Fisheries Service for information on whether any listed or proposed to be listed endangered or threatened species may be present in the area which would be affected by the proposed activity.

Correspondence concerning this Public Notice should refer to Public Notice Number **SAM-2020-00984-PAH** and should be directed to the District Engineer, U.S. Army Engineer District, Mobile, Post Office Box 2288, Mobile, Alabama 36628-0001, Attention: South Mississippi Branch, with a copy to the Mississippi Department of Environmental Quality, Office of Pollution Control, Post Office Box 2261, Jackson, Mississippi 39225, and the Mississippi Department of Marine Resources, 1141 Bayview Avenue, Biloxi, Mississippi 39530.

**All Comments should be received no later than 30 days from the date of this Public Notice.** If you have any questions concerning this publication, you may contact the project manager at (251) 690-3222, or email at [philip.a.hegji@usace.army.mil](mailto:philip.a.hegji@usace.army.mil). Please refer to the above Public Notice number.

MOBILE DISTRICT  
U.S. Army Corps of Engineers

Enclosures



<p><b>FIGURE 1</b></p> <p>Purpose: Permit Drawings          Base Map: ESRI USA Topo Maps          Source: USGS, NGS &amp; i-cubed          Map Date: September 1, 2020</p> <p><b>NORTH</b></p> <p>0 0.6 1.2 1.8 2.4          Miles</p>	<p><b>PROJECT LOCATION          MAP</b></p> <p> <b>ECOLOGICAL          ASSET          MANAGEMENT, LLC</b></p>	<p><b>Permit Drawing          for +/- 5.64 ac. Parcel          PIDN: 60127330.100 &amp;          60127430.000</b></p> <p>Location: Ocean Springs, MS          Portion of Section 27;          Township-7-South; Range-8-West          County: Jackson County, MS</p>
--	--	--

Figure 1. Project Location





Figure 2. Existing Site Plan & Cross Section Location



**FIGURE 3**

Purpose: Permit Drawings  
 Base Map: Fountain & Assoc. &  
 USGS LIDAR  
 Source: Fountain & USGS  
 Map Date: September 1, 2020



**SCALE: As Shown**

**TYPICAL CROSS SECTION MAP**




**ECOLOGICAL  
 ASSET  
 MANAGEMENT, LLC**

**Permit Drawing  
 for +/- 5.64 ac. Parcel  
 PIDN: 60127330.100 &  
 60127430.000**

Location: Ocean Springs, MS  
 Portion of Section 27;  
 Township-7-South; Range-8-West  
 County: Jackson County, MS

Figure 3. Typical Cross Section Drawing



**CONSTRUCTION SPECIFICATIONS**

**INSTALLATION:**

1. USE STEEL "T" POSTS THAT ARE 5 FEET IN LENGTH.
2. INSTALL POSTS STARTING AT THE CENTER OF THE LOWEST POINT OF THE FENCE LINE. DRIVE POSTS 12 INCHES INTO THE GROUND.
3. INSTALL POSTS ON 10-FOOT CENTERS IF METAL MESH FENCING IS TO BE USED AS ADDITIONAL SUPPORT. IF NO METAL FENCING SUPPORT IS USED, THEN INSTALL POSTS ON 8-FOOT CENTER OR LESS.
4. EXCAVATE A TRENCH 4 INCHES DEEP BY 4 INCHES WIDE ON THE UPHILL SIDE OF THE FENCE POSTS.
5. STAPLE OR TIE SILT-FENCE FABRIC TO POSTS ON UPHILL SIDE, LEAVING 8 INCHES ON THE BOTTOM TO EXTEND DOWN AND ACROSS THE BOTTOM OF THE TRENCH.
6. BACKFILL TRENCH AND TAMP DOWN OVER FABRIC.
7. ALLOW 6-INCH OVERLAP AT JOINTS.
8. MULCH BARE GROUND UPHILL OF SILT FENCE OR PROVIDE OTHER EROSION CONTROL MEASURES.

**MAINTENANCE:**

1. REMOVE ACCUMULATED SEDIMENT ALONG THE FENCE WHEN IT HAS REACHED A THIRD TO A HALF OF THE FENCE HEIGHT. DO NOT PLACE SEDIMENT ON THE DOWNHILL SIDE.
2. INSPECT WEEKLY AND AFTER EACH SIGNIFICANT STORM EVENT (GREATER THAN 1/2 INCH OF RAIN).
3. REMOVE FENCE WHEN AREA ABOVE THE FENCE HAS BEEN STABILIZED.
4. IF FABRIC IS TORN, THEN REPLACE WITH A NEW PIECE THAT STRETCHES TO POST ON EITHER SIDE OF THE TEAR.

**SILT FENCE DETAIL**

N.T.S.

**FIGURE 4**

Purpose: Permit Drawings  
 Base Map: Fountain & Associates  
 Source: Fountain & Associates  
 Map Date: September 1, 2020



SCALE: N/A

**SILT FENCE  
 DETAIL DRAWING**



**ECOLOGICAL  
 ASSET  
 MANAGEMENT, LLC**

**Permit Drawing  
 for +/- 5.64 ac. Parcel  
 PIDN: 60127330.100 &  
 60127430.000**

Location: Ocean Springs, MS  
 Portion of Section 27;  
 Township-7-South; Range-8-West  
 County: Jackson County, MS

Figure 4: Silt Fence Detail Drawing